Zooplankton in Lake 226, Experimental Lakes Area, Northwestern Ontario, 1971-1978 Data

P.S.S. Chang, D.F. Malley, W.J. Findlay and R.T. Barnes

Western Region
Department of Fisheries and Oceans
Winnipeg, Manitoba R3T 2N6

December 1984

Canadian Data Report of Fisheries and Aquatic Sciences No. 484

85-1989/

Canadian Data Report of Fisheries and Aquatic Sciences

These reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of Data Reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries management, technology and development, ocean sciences, and aquatic environments relevant to Canada.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was changed with report number 161.

Data Reports are not intended for general distribution and the contents must not be referred to in other publications without prior written clearance from the issuing establishment. The correct citation appears above the abstract of each report.

Rapport statistique canadien des sciences halieutiques et aquatiques

Ces rapports servent de base à la compilation des données de classement et d'archives pour lesquelles il y a peu ou point d'analyse. Cette compilation aura d'ordinaire été préparée pour appuyer d'autres publications ou rapports. Les sujets des Rapports statistiques reflètent la vaste gamme des intérêts et politiques du Ministère des Pêches et des Océans, notamment gestion des pêches, techniques et développement, sciences océaniques et environnements aquatiques, au Canada.

Les numéros 1 à 25 de cette série ont été publiés à titre de Records statistiques, Service des pêches et de la mer. Les numéros 26-160 ont été publiés à titre de Rapports statistiques du Service des pêches et de la mer, Ministère des Pêches et de l'Environnement. Le nom de la série a été modifié à partir du numéro 161.

Les Rapports statistiques ne sont pas préparés pour une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au haut du résumé de chaque rapport.

Canadian Data Report of
Fisheries and Aquatic Sciences 484

December 1984

ZOOPLANKTON IN LAKE 226, EXPERIMENTAL LAKES AREA, NORTHWESTERN ONTARIO, 1971-1978 DATA

by

P.S.S. Chang, D.F. Malley, W.J. Findlay and R.T. Barnes

Western Region
Department of Fisheries and Oceans
Winnipeg, Manitoba R3T 2N6

This is the 69th Data Report
from the Western Region, Winnipeg

© Minister of Supply and Services Canada 1984

Cat. no. Fs 97-13/484E ISSN 0706-6465

Correct citation for this publication is:

Chang, P.S.S., D.F. Malley, W.J. Findlay, and R.T. Barnes. 1984. Zooplankton in Lake 226, Experimental Lakes Area, northwestern Ontario, 1971-1978 data. Can. Data Rep. Fish. Aquat. Sci. 484: iv + 208 p.

TABLE OF CONTENTS

	Page
ABSTRACT/RESUME	iv
INTRODUCTION	1
METHODS	1
Study site	1
Field sampling procedures	1
Laboratory procedures	1
DATA PRESENTATION	2
ACKNOWLEDGMENTS	2
REFERENCES	2

LIST OF TABLES

Table		Page
1	Summary of zooplankton sampling methods	3
2	Sample calculations of abundance of the calanoid, Diaptomus minutus, in selected samples taken from Lake 226 SW	3
3	Zooplankton species list and relative abundance in Lake 226	4

LIST OF FIGURES

Figure		Page
1	Bathymetric map of Lake 226	6

LIST OF APPENDICES

Appendix		Page
1	Abundance of individual zooplankton species on each sampling date and the depth stratum from which each sample was taken in L226 NE and SW	
	a. Cladocera	7
	b. Calanoid adults	19
	c. Calanoid nauplii	23
	d. Calanoid copepodids	35
	e. Cyclopoid adults	45
	f. Cyclopoid nauplii	53
	g. Cyclopoid copepodids	65
	h. Rotifera	75
2	Abundance of eggs of selected species on each sampling date and depth stratum from which each sample was taken in Lake 226	112
3	Figures showing abundance of lake volume-weighted individual zooplankton species in Lake 226NE and SW and total abundances of rotifers and crustaceans in both lake basins	
	a. Cladocera	139
	b. Calanoid adults	147
	c. Calanoid nauplii	150
	d. Calanoid copepodids	157
	e. Cyclopoid adults	164
	f. Cyclopoid nauplii	167
	g. Cyclopoid copepodids	175
	h. Rotifera	182
	i. Total rotifers	203
	j. Total crustaceans	204
4A	Length-dry weight relationships to be used in conversions to dry biomass for Cladocerans of Lake 226	205
4B	Dry weight to be used in conversions to dry biomass for Lake 226 zooplankton: Calanoida	206
4C	Dry weights to be used in conversions to dry biomass for Lake 226 zooplankton: Cyclopoida	207
4D	Dry weights to be used in conversions to dry biomass for Lake 226 zooplankton : Rotifera	208

ABSTRACT

Chang, P.S.S., D.F. Malley, W.J. Findlay, and R.T. Barnes. 1984. Zooplankton in Lake 226, Experimental Lakes Area, northwestern Ontario, 1971-1978 data. Can. Data Rep. Fish. Aquat. Sci. 484: iv + 208 p.

A list of zooplankton species and the abundance of all but the rare species collected from Lake 226 in the Experimental Lakes Area, northwestern Ontario are presented for 1971, the year prior to fertilization, and for the years 1973 to 1978 during which time the lake was divided into two by a sea curtain, and each basin was independently fertilized.

Dry weight biomass for individuals of each species is included in this report.

Key words: Rotifera; Crustacea; Copepoda; Cladocera,

RESUME

Chang, P.S.S., D.F. Malley, W.J. Findlay, and R.T. Barnes. 1984. Zooplankton in Lake 226, Experimental Lakes Area, northwestern Ontario, 1971-1978 data. Can. Data Rep. Fish. Aquat. Sci. 484: iv + 208 p.

Ce rapport présente une liste des espèces de zooplancton et de l'abondance de toutes sauf des espèces rares trouvées dans le lac 226 de la Région des Lacs Expérimentaux, dans le nord-ouest de l'Ontario. Les données présentées furent recueillies en 1971, avant la fertilisation, ainsi que de 1973 à 1978, période au cours de laquelle le lac fut divisé à l'aide d'un Sea Curtain et les bassins fertilisés séparément.

Ce rapport présente également le poids à sec de la biomasse des spécimens de chacune des espèces étudiées.

Mots-clés: zooplancton; rotifères; crustacés; copépodes; cladocères.

INTRODUCTION

Lake 226 is a small double basin lake located in the Experimental Lakes Area, northwestern Ontario. In June, 1973, this lake was separated into the northeast (NE) basin and the southwest (SW) basin by a sea curtain. Whole lake chemical additions were applied to both basins from 1973 through 1980 during the ice free seasons. The northeast basin received annual additions of 0.34 g phosphorus, 1.81 g nitrogen and 3.46 g sucrose carbon per m^2. The southwest basin received similar quantities of nitrogen and carbon but no phosphorus. Results of the experiment have been well documented (Schindler 1974; Schinder and Fee 1974; Davies 1980; Fee 1980; Findlay and Kling 1975; Findlay 1978, 1981). The purpose of this report is to present zooplankton data, collected in the prefertilization year of 1971 and the fertilization years of 1973 to 1978.

METHODS

STUDY SITE

Lake 226 is located at 49°41'N latitude and 93°45'W longitude in the Experimental Lakes Area, northwestern Ontario. It has an area of 16.1 ha, a maximum depth of 14.7 m and a mean depth of 6 m. A bathymetric map showing the zooplankton sampling sites in the northeast and southwest basins is given in Fig. 1.

FIELD SAMPLING PROCEDURES

The zooplankton sampling program in Lake 226 began in May 1971. Sampling methods are summarized in Table 1. From 20 May 1971 to 23 June 1975 samples were taken at intervals of two to four weeks near the centre of each basin over the deepest point using a transparent trap, 28.7 L in volume (Schindler 1979). This encloses a volume of lake water about 0.5 m in height. Samples were taken in a vertical series at 1 m depth intervals, except on 12 May to 23 June 1975 when samples were taken at intervals of 0.5 m. The samples of lake water were filtered through a 53 µm mesh net. During periods of thermal stratification, trapfuls from the epilimnion were pooled and those from the remainder of the water column (metalimnion and hypolimnion) were combined. At all other times the entire vertical series was pooled.

In order to conserve sampling effort, from 7 July 1975 to 27 September 1976, a 9.1 L plexiglass tube, 7.6 cm in diameter and 2 m in length, was used. The sampling was repeated 10 times and individual samples were pooled after filtration through a 53 µm mesh net. Samples for this period thus represent the 0 to 2 m layer only and are not directly comparable with those from other years.

In 1977, sampling was carried out with a 4 barrel, non-closing sampler which consisted of two pairs of 30 cm long plexiglass tubes with inside diameters of 15 cm and 7.5 cm, respectively. A steel frame held the pairs at right angles to each other with tubes of a pair approximately 40 cm (centre to centre) apart. The large tubes bore nets of 153 µm mesh, whereas the small tubes bore 53 µm mesh nets. All nets were 1.5 m long and tapered to 3.5 cm diameter at the lower edge. Three hauls from each lake layer were pooled with the small and large mesh samples kept separate. The sampler was hauled from the lake bottom to the lake surface, then from the lower limit of the thermocline to the lake surface and finally from the upper limit of the thermocline to the lake surface. Samples were thus overlapping and raw counts for the metalimnion were obtained by subtracting epilimnion raw counts from metalimnion plus epilimnion raw counts. Similarly, hypolimnion raw counts were derived by subtracting metalimnion plus epilimnion raw counts from whole column raw counts. Negative values of abundance resulting from these subtractions are represented in Appendix 1 and 2 as zeros.

In order to sample discretely the three thermal layers, a closing sampler was developed by W. Burton of the Freshwater Institute (see Chang et al. 1980 Fig. 1). This was hauled from the bottom of the layer of interest to the top of that layer where it was closed by messenger. This sampler, employed in 1978, had one barrel fitted with 53 µm mesh net, and the other with 153 µm mesh net, both 1.5 m long and tapering to 3.5 cm diameter. The sampler was hauled three times through each layer and the large and small mesh samples were separately pooled for each layer.

Although different sampling devices were used during these years, treatment of samples was consistent. All samples were preserved immediately in the field with 10% formalin.

LABORATORY PROCEDURES

In the laboratory, all samples were concentrated to a known volume and preserved for storage in 5% formalin. Routinely, two or three 1 mL aliquots from each sample were examined using a compound light microscope and a Sedgwick-Rafter counting chamber. Adult copepods and all cladocerans were identified to species. Juvenile copepods were assigned as calanoid or cyclopoid and were identified to naupliar or copepodid stage. Number of eggs per female were recorded. Rotifers were usually identified to species, otherwise to genus. Ovid rotifers as well as total number of each species were enumerated. Species identifications were principally based on Edmondson (1959) and Brooks (1957) for crustaceans and Ruttner-Kolisko (1974) for rotifers.

Dry weight biomass for individuals of each species was estimated by calculating the volumes of geometric configurations of the organisms (S.G.Lawrence, Department of Fisheries and Oceans, Winnipeg, Manitoba, personal communication).

Abundance per cubic metre, of each species or life stage was calculated from the number of individuals in the sample and the volume of lake

water sampled. Table 2 gives sample calculations for Diaptomus minutus.

Abundance per square metre, was calculated by adding together the numbers in each thermal layer weighted for the proportion that thermal layer contributed to the whole lake volume (Table 2). This volume-weighting procedure can be visualized as converting the lake into a vertically-sided Petri dish with surface area equal to that of the lake. The strata are layers whose thickness is determined by their proportionate contribution to the whole lake volume. The contribution of zooplankton in each stratum to the number per square metre is determined by their density in that stratum and by the "thickness" of the stratum.

DATA PRESENTATION

This report describes only the samples obtained with the 53 µm mesh nets. Results of sampling with the 153 µm mesh nets are on file in the Freshwater Institute.

A total of 46 taxa of zooplankton (15 crustaceans and 31 rotifers) were identified from Lake 226 from 1971 to 1978. Their relative abundances during this period are listed in Table 3. Appendix 1 presents the abundance of individual zooplankton species or life stages expressed as individuals per cubic metre on each sampling date at each lake basin. Numbers of eggs per cubic metre of selected species are reported in Appendix 2. Lake volume-weighted abundance (numbers per square metre) are given in Appendix 3 and in graphic form. Appendix 4A gives length-dry weight relationships for cladocerans of Lake 226. Dry weights to be used in conversion to dry biomass for individual zooplankton species other than Cladocera, are indicated in Appendices 4B to 4D.

ACKNOWLEDGMENTS

We thank the field personnel through the years for their assistance in collection of zooplankton samples. A special thank you to Ralph Scerbo who assisted with computer programming.

REFERENCES

BROOKS, J.L. 1957. The systematics of North American Daphnia. Mem. Conn. Acad. Arts Sci. 13: 1-180.

CHANG, P.S.S., D.F. MALLEY, W.J. FINDLAY, G. MUELLER, and R.T. BARNES. 1980. Species composition and seasonal abundance of zooplankton in Lake 227, Experimental Lakes Area, northwestern Ontario, 1969-1978. Can. Data Rep. Fish. Aquat. Sci. 182: iv + 101 p.

DAVIES, I.J. 1980. Relationships between dipteran emergence and phytoplankton production in the Experimental Lakes Area, northwestern Ontario. Can. J. Fish. Aquat. Sci. 37: 523-533.

EDMONDSON, W.T. (ed.) 1959. Ward and Whipple's freshwater biology. 2nd ed. Wiley, New York. 1248 p.

FEE, E.J. 1980. Important factors for estimating annual phytoplankton production in the Experimental Lakes Area. Can. J. Fish. Aquat. Sci. 37: 513-522.

FINDLAY, D.L. 1978. Seasonal successions of phytoplankton in seven lake basins in the Experimental Lakes Area, northwestern Ontario, following artificial eutrophication. Data from 1974 to 1976. Can. Manuscr. Rep. Fish. Aquat. Sci. 1466: iv + 41 p.

FINDLAY, D.L. 1981. Seasonal successions of phytoplankton in seven lake basins in the Experimental Lakes Area, northwestern Ontario following artificial eutrophication. Data from 1977 to 1979. Can. Manuscr. Rep. Fish. Aquat. Sci. 1627: 40 p.

FINDLAY, D.L., and H.J. KLING. 1975. Seasonal successions of phytoplankton in seven lake basins in the Experimental Lakes Area, northwestern Ontario following artificial eutrophication. Fish. Mar. Serv. Res. Dev. Tech. Rep. 513: 53 p.

KORINEK, V. 1981. Diaphanosoma birgei n. sp. (Crustacea, Cladocera). A new species from America and its widely distributed subspecies Diaphanosoma birgei ssp. lacustris n. ssp. Can. J. Zool. 59: 1115-1121.

RUTTNER-KOLISKO, A. 1974. Plankton rotifers: biology and taxonomy (translated by G. Kolisko). Binnengewasser 26(1): 1-146.

SCHINDLER, D.W. 1969. Two useful devices for vertical plankton and water sampling. J. Fish. Res. Board Can. 26: 1948-1955.

SCHINDLER, D.W. 1974. Eutrophication and recovery in experimental lakes: implication for lake management. Science (Wash., D.C.) 184: 897-899.

SCHINDLER, D.W., and E.J. FEE. 1974. Experimental Lakes Area: whole-lake experiments in eutrophication. J. Fish. Res. Board Can. 31: 937-953.

Table 1. Summary of methods used to sample zooplankton of Lake 226 during 1971, 1973-1978.

Period	Sampler	Mesh size of nets (μm)	Mouth diameter of each net (d)	Sampler surface area (A)	Volume of lake water sampled (V)	Remarks
1971 - 1974 and 12 May - 23 Jun 1975	Schindler trap	53	-	-	0.0287 m^3 x no. of trapfuls pooled	vertical series at 1 m intervals except May 12 to Jun 23 1975 which were at 0.5 m intervals
7 Jul 1975-1976	2m long plexiglass tube	53	0.076 m	0.00454 m^2	A x 10 hauls x 2 m depth	lake surface to 2 m only
1977	4 barrel non-closing sampler	53	0.075 m	0.00884 m^2	A x 3 hauls x depth of sampling layer	vertical hauls from various depths to lake surface
1978	2 barrel closing sampler	53	0.129 m	0.01307 m^2	A x 3 hauls x depth of sampling layer	vertical hauls at various depths

Table 2. Sample calculations of abundance of the calanoid, Diaptomus minutus, in selected samples taken from Lake 226SW.

Date	Sampling depth interval (m)	Vol. of sample concentrated (mL) S	Raw count no. in 1 mL N	Abundance: No. per m^3 = $\frac{N \times S}{V}$ (V from Table 1)	Abundance: Numbers per m^2 = Numbers per m^3 in lake layer x volume of that layer m^3 / surface area of lake m^2
12 Jun 1973	0 - 5	90	7.0	$\frac{7.0 \times 90}{0.1435} = 4390$	$\frac{4390 \times 31.39 \times 10^4}{7.774 \times 10^4} = 17726$
	5 - 10	90	4.0	$\frac{4 \times 90}{0.1435} = 2508$	$\frac{2508 \times 16.73 \times 10^4}{7.774 \times 10^4} = 5397$
29 Oct 1974	0 - 11	45	160.0	$\frac{160 \times 45}{0.3157} = 22806$	$\frac{22806 \times 48.71 \times 10^4}{7.774 \times 10^4} = 142889$
12 May 1975	0 - 2	45	7.0	$\frac{7.0 \times 45}{0.0287 \times 8} = 1371$	$\frac{1371 \times 14.47 \times 10^4}{7.774 \times 10^4} = 2552$
5 Jul 1976	0 - 2	40	5.0	$\frac{5.0 \times 40}{0.091} = 2197$	$\frac{2197 \times 14.47 \times 10^4}{7.774 \times 10^4} = 4090$
13 Jul 1977	0 - 3	90	2.5	$\frac{2.5 \times 90}{0.07953} = 2829$	$\frac{2829 \times 20.81 \times 10^4}{7.774 \times 10^4} = 7573$
	3 - 6	90	5.5	$\frac{5.5 \times 90}{0.07953} = 6224$	$\frac{6224 \times 15.19 \times 10^4}{7.774 \times 10^4} = 12162$
16 Aug 1978	0 - 3.5	90	1.5	$\frac{1.5 \times 90}{0.1372} = 983$	$\frac{983 \times 23.61 \times 10^4}{7.774 \times 10^4} = 2986$
	3.5 - 7.25	90	5.0	$\frac{5.0 \times 90}{0.1471} = 3060$	$\frac{3060 \times 17.544 \times 10^4}{7.774 \times 10^4} = 6906$
	7.25 - 9.0	90	1.5	$\frac{1.5 \times 90}{0.0686} = 1967$	$\frac{1967 \times 5.48 \times 10^4}{7.774 \times 10^4} = 1387$

Table 3. Zooplankton species identified from Lake 226 North East Basin (NE) and South West Basin (SW) during the period 1971-78. A + indicates that a species was present in low numbers usually less than $1000 \cdot m^{-3}$ for crustaceans and $10000 \cdot m^{-3}$ for rotifers, ++ indicates that it was frequently more numerous, and - indicates that no organisms were found in the subsamples.

Species	Basin	1971[1]	1973	1974	1975[3]	1976[3]	1977	1978
Cladocera								
Daphnia galeata mendotae Birge	NE	+	+	+	-	-	-	-
	SW		+	+	-	-	-	-
Daphnia longiremis Sars	NE	++	+	+	-	-	++	++
	SW		+	+	-	-	+	+
Daphnia retrocurva Forbes	NE	++	++	++	-	+	++	++
	SW		++	+	+	+	+	+
Bosmina longirostris (Muller)	NE	++	++	+	+	+	++	++
	SW		++	+	+	+	++	++
Diaphanosoma birgei Korinek[2]	NE	+	+	+	+	+	++	+
	SW		+	+	+	+	+	+
Holopedium gibberum Zaddach	NE	+	+	+	+	+	+	+
	SW		+	+	+	+	+	+
Leptodora kindtii (Focke)	NE	+	+	-	+	-	-	-
	SW		+	-	-	-	-	-
Chydorus sphaericus Muller	NE	+	+	-	-	-	+	-
	SW		+	-	+	-	+	-
Calanoida								
Diaptomus minutus Lillj.	NE	++	++	++	+	+	++	++
	SW		++	++	++	+	++	+
Diaptomus leptopus Forbes	NE	+	+	+	+	-	-	-
	SW		+	+	+	-	-	-
Epischura lacustris Forbes	NE	-	-	-	-	+	+	+
	SW		-	-	-	+	+	+
Calanoid nauplii N1-N6	NE	++	++	++	++	++	++	++
	SW		++	++	++	++	++	++
Calanoid copepodids C1-C5	NE	++	++	++	+	+	++	++
	SW		++	++	+	+	++	++
Cyclopoida								
Cyclops bicuspidatus thomasi Forbes	NE	+	+	+	-	-	+	+
	SW		+	+	+	-	+	+
Orthocyclops modestus (Herrick)	NE	-	-	+	-	-	-	+
	SW		-	-	-	-	+	+
Mesocyclops edax (Forbes)	NE	+	+	+	+	-	+	+
	SW	-	-	-	-	-	-	-
Tropocyclops prasinus mexicanus Kiefer	NE	+	+	+	+	+	++	+
	SW		+	+	+	+	++	+
Cyclopoid nauplii N1-N6	NE	++	++	++	++	++	++	++
	SW		+	+	+	+	++	+
Cyclopoid copepodids C1-C5	NE	++	++	++	++	++	++	++
	SW		++	++	++	+	++	++
Rotifera								
Conochilus unicornis Rousselet	NE	+	+	+	+	+	++	+
	SW		++	+	+	+	++	++
Filinia longiseta (Ehrenberg)	NE	+	+	+	+	+	++	++
	SW		+	+	+	+	++	++
Conochiloides natans (Selego)	NE	-	-	-	-	-	+	+
	SW		-	-	-	-	+	-
Collotheca sp.	NE	-	-	-	-	+	+	+
	SW		-	-	-	++	++	++
Scaridium longicaudum (Muller)	NE	-	-	-	-	-	+	+
	SW		-	-	-	-	+	+
Polyarthra vulgaris Carlin	NE	++	++	++	++	++	++	++
	SW		++	++	++	++	++	++

Table 3 continued

Species	Basin	1971[1]	1973	1974	1975[3]	1976[3]	1977	1978
Polyarthra remata (Skorikow)	NE	-	-	-	-	+	+	++
	SW		-	-	-	+	++	++
Polyarthra dolichoptera (Idelson)	NE	-	-	-	-	-	+	+
	SW		-	-	-	-	+	-
Synchaeta sp.	NE	-	-	-	+	+	+	+
	SW		-	-	+	+	+	+
Ploesoma sp.	NE	-	-	-	-	+	+	-
	SW					+		
Ascomorpha sp.	NE	-	-	-	-	+	+	+
	SW		-	-	-	+	+	+
Gastropus stylifer Imhof	NE	-	-	-	-	+	++	++
	SW		-	-	-	-	++	++
Gastropus hyptopus (Ehrenberg)	NE	-	-	-	-	-	-	-
	SW		-	-	-	+	-	+
Trichocerca cylindrica (Imhof)	NE	+	+	+	+	+	+	+
	SW		+	+	+	+	+	+
Trichocerca porcellus (Gosse)	NE	-	-	-	-	-	-	-
	SW		-	-	-	-	-	-
Trichocerca multicrinis (Kellicott)	NE	+	+	+	+	-	-	+
	SW		+	+	+	+	+	+
Trichocerca sp.	NE	-	+	-	-	+	+	++
	SW		-	-	-	+	+	+
Asplanchna priodonta Grosse	NE	+	+	+	+	+	+	+
	SW		+	+	+	+	+	+
Keratella taurocephala (Myers)	NE	+	+	+	+	+	+	+
	SW		+	+	+	+	+	+
Keratella cochlearis (Gosse)	NE	++	++	++	++	++	++	++
	SW		++	++	++	+	++	++
Keratella hiemalis Carlin	NE	+	+	+	+	+	+	+
	SW		+	+	+	+	++	++
Kellicottia longispina (Kellicott)	NE	++	++	++	+	+	++	++
	SW		++	++	+	++	++	++
Kellicottia bostoniensis (Rousselet)	NE	+	+	+	+	+	++	+
	SW		+	++	+		+	++
Anuraeopsis fissa (Gosse)	NE	+	+	-	-	+	+	+
	SW		+	-	+	-	+	+
Colurella sp.	NE	-	-	-	-	+	-	-
	SW		-	-	-			
Macrochaetus longipes Myers	NE	-	-	-	-	+	+	+
	SW		-	-	-			
Lepadella sp.	NE	-	-	-	-	+	+	+
	SW		-	-	-	-	-	+
Euchlanis dilatata (Ehrenberg)	NE	-	-	-	-	-	+	+
	SW							
Euchlanis sp.	NE	-	-	-	-	-	+	-
	SW		-	-	-	-	+	-
Trichotria pocillum (Muller)	NE	-	-	-	-	+	+	-
	SW		-	-	-	-	-	+
Lecane sp. (includes Monostyla sp.)	NE	-	+	+	+	+	+	+
	SW		+	+	+	-	+	+
Other globular rotifers	NE	++	++	+	+	+	+	+
	SW		++	+	+	+	+	+

[1] South West Basin was not sampled in 1971, no zooplankton samples were taken in either basin in 1972.
[2] This species is also commonly known as Diaphanosoma leuchtenbergianum. It is referred to here as D. birgei after Korinek (1981).
[3] 0 to 2 m only



SOUTH WEST BASIN

Z(m)	$A_i(10^4 m^2)$	$V_{i-j}(10^5 m^3)$
0	7.774	1.447
2	6.711	0.634
3	5.981	0.559
4	5.216	0.499
5	4.772	0.461
6	4.440	0.423
7	4.017	0.367
8	3.341	0.273
9	2.157	0.149
10	0.916	0.059
11	0.320	0.014
11.6	0.165	Σ4.885

NORTH EAST BASIN

Z(m)	$A_i(10^4 m^2)$	$V_{i-j}(10^5 m^3)$
0	8.325	1.547
2	7.163	0668
3	6.209	0.528
4	4.409	0400
5	3.595	0.337
6	3.153	0.297
7	2.795	0.255
8	2.309	0.203
9	1.755	0.157
10	1.387	0.122
11	1.065	0.092
12	0.788	0.065
13	0.521	0.039
14	0.270	0.013
14.7	0.115	Σ4.723

TOTAL LAKE

Z(m)	$A_i(10^4 m^2)$	$V_{i-j}(10^5 m^3)$
0	16.099	2.994
2	13.874	1.302
3	12.190	1.087
4	9.625	0.899
5	8.367	0.798
6	7.593	0.720
7	6.812	0.622
8	5.650	0.476
9	3.912	0.306
10	2.303	0.181
11	1.385	0.106
12	0.788	0.065
13	0.521	0.039
14	0.270	0.013
14.7	0.115	Σ 9.608

Fig. 1. Bathymetric map of Lake 226, Experimental Lakes Area, Ontario. x indicates location of zooplankton sampling stations. Z is lake depth, A is surface area of the indicated lake stratum and V is its volume. (based on data collected by I. J. Davies, G. B. Ayles and K. H. Mills.)

Appendix 1

Abundance as individuals per cubic metre of zooplankton species or life stages on each sampling date for the years 1971, 1973 to 1978 for Lake 226NE, and 1973 to 1978 for Lake 226SW. Abundance is shown for each sampling layer during periods of thermal stratification or for the entire water column during non-stratification. The depth limits of each sampling layer are included. The results of sampling the entire water column are shown in the "upper" column of the table. Zeros indicate no animals were counted in the subsamples.

a. Cladocera

LAKE 226NE

Daphnia longiremis

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	696		2264
JUN 24	0- 5		5-14	0		8826
JUL 22	0- 5		5-14	0		17499
AUG 19	0- 5		5-14	0		4181
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	99		0
MAY 14	0-14			99		
MAY 29	0- 5		5-14	0		309
JUN 12	0- 5		5-13	0		522
JUN 26	0- 5		5-12	0		696
JUL 10	0- 5		5-12	0		995
JUL 24	0- 7		7-14	0		2389
AUG 7	0- 6		6-12	0		464
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		232
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			58		
NOV 8	0-14			0		
1974						
MAY 14	0-14			199		
MAY 28	0- 4		4-14	0		975
JUN 11	0- 4		4-15	0		950
JUN 25	0- 4		4-14	0		1951
JUL 23	0- 5		5-13	0		3658
AUG 6	0- 5		5-10	0		7247
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		796
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Daphnia longiremis

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			139		
MAY 29	0- 5		5-10	0		139
JUN 12	0- 5		5-10	0		139
JUN 26	0- 5		5-10	0		0
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		174
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		464
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		116
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		11567
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Daphnia longiremis

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	16410	0
MAY 18	0- 1.5	1.5- 3	3-13	3395	6790	3395
JUN 1	0- 3	3- 5	5-13	0	2546	5580
JUN 15	0- 3.7	3.75- 6	6-13	2263	21125	49715
JUN 29	0- 3.5	3.5- 6	6-13	5335	6790	30071
JUL 13	0- 3.2	3.25- 6.5	6.5-13	3134	25072	4701
JUL 27	0- 3	3- 7	7-12	0	36074	4413
AUG 24	0- 5	5- 6.5	6.5-13	679	3395	0
OCT 5	0- 6	6- 9	9-12	2263	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			245		
JUN 7	0- 3	3- 6	6-12	0	3060	0
JUN 21	0- 3	3- 5.75	5.75-13	0	3338	158
JUL 5	0- 2	2- 6	6-12	0	13485	2104
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	327	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

LAKE 226SW

Daphnia longiremis

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	0	0	0
JUL 13	0- 3	3- 6	6-10	0	565	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	382	0
JUL 5	0- 2	2- 6	6- 9.5	0	0	555
JUL 26	0- 3	3- 6	6-11	0	15684	229
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	1836	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	765
SEP 27	0- 6	6- 7.75	7.75-10	0	0	906
OCT 24	0-10			0		

LAKE 226NE

Daphnia retrocurva

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	2508		5497
JUL 22	0- 5		5-14	278		5574
AUG 19	0- 5		5-14	278		1567
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	87		0
1973						
MAY 1	0- 7		7-13	199		0
MAY 14	0-14			199		
MAY 29	0- 5		5-14	278		0
JUN 12	0- 5		5-13	1393		2351
JUN 26	0- 5		5-12	3484		5176
JUL 10	0- 5		5-12	1114		9059
JUL 24	0- 7		7-14	1493		22697
AUG 7	0- 6		6-12	5		18466
AUG 21	0- 6		6- 9	116		6968
SEP 4	0- 6		6- 9	0		1393
SEP 18	0- 7		7- 8	199		2090
OCT 2	0- 8			1480		
OCT 16	0- 9			1916		
OCT 30	0-12			0		
NOV 8	0-14			348		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		69
JUN 11	0- 4		4-15	871		633
JUN 25	0- 4		4-14	174		2299
JUL 23	0- 5		5-13	0		19947
AUG 6	0- 5		5-10	139		8083
AUG 17	0- 5		5-15	278		3205
SEP 3	0- 7		7-14	0		1194
SEP 17	0- 7		7-10	0		464
OCT 1	0- 9			232		
OCT 15	0-12			261		
OCT 29	0-15			92		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Daphnia retrocurva

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			139		
MAY 29	0- 5		5-10	0		278
JUN 12	0- 5		5-10	139		1533
JUN 26	0- 5		5-10	557		3623
JUL 10	0- 5		5-10	278		8780
JUL 24	0- 6		6-10	696		25958
AUG 7	0- 6		6- 9	464		6736
AUG 21	0- 6		6- 9	116		6968
SEP 4	0- 6		6- 9	0		464
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			174		
OCT 16	0-10			139		
OCT 30	0-10			470		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	174		348
JUL 23	0- 4		4-10	348		2874
AUG 6	0- 5		5-10	0		4320
AUG 17	0- 5		5-10	0		17700
SEP 3	0- 7		7-11	99		348
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			77		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			116		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Daphnia retrocurva

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			219		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	6790	0
JUN 1	0- 3	3- 5	5-13	0	2546	0
JUN 15	0- 3.7	3.75- 6	6-13	0	0	2910
JUN 29	0- 3.5	3.5- 6	6-13	11155	8148	8488
JUL 13	0- 3.2	3.25- 6.5	6.5-13	1044	7835	6529
JUL 27	0- 3	3- 7	7-12	0	21220	0
AUG 24	0- 5	5- 6.5	6.5-13	1018	18107	0
OCT 5	0- 6	6- 9	9-12	565	3395	0
OCT 19	0- 9		9-12	0		1697
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	0	0
JUN 21	0- 3	3- 5.75	5.75-13	0	3755	158
JUL 5	0- 2	2- 6	6-12	0	2582	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	1967	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	556	0	0
OCT 24	0-12			42		

LAKE 226SW

Daphnia retrocurva

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			439		
JUL 5	0- 2			219		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 5	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	485	0	0
JUL 13	0- 3	3- 6	6-10	565	0	0
JUL 27	0- 3	3- 7	7-10	0	424	0
AUG 24	0- 4.5	4.5- 7	7-10	0	579	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	1131		154
OCT 19	0-10			679		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	382	0
JUL 5	0- 2	2- 6	6- 9.5	0	860	0
JUL 26	0- 3	3- 6	6-11	0	5738	459
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	1224	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	382
SEP 27	0- 6	6- 7.75	7.75-10	85	1748	226
OCT 24	0-10			153		

LAKE 226NE

Bosmina longirostris

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	1672		1219
JUN 24	0- 5		5-14	1254		696
JUL 22	0- 5		5-14	1951		309
AUG 19	0- 5		5-14	4878		1916
SEP 16	0- 7		7-14	3484		2090
OCT 14	0- 8		8-14	2003		1045
1973						
MAY 1	0- 7		7-13	696		232
MAY 14	0-14			1144		
MAY 29	0- 5		5-14	2369		2322
JUN 12	0- 5		5-13	1811		4790
JUN 26	0- 5		5-12	557		2289
JUL 10	0- 5		5-12	696		199
JUL 24	0- 7		7-14	398		99
AUG 7	0- 6		6-12	116		348
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		696
OCT 2	0- 8			0		
OCT 16	0- 9			1219		
OCT 30	0-12			1161		
NOV 8	0-14			895		
1974						
MAY 14	0-14			199		
MAY 28	0- 4		4-14	3135		278
JUN 11	0- 4		4-15	2090		7538
JUN 25	0- 4		4-14	1045		696
JUL 23	0- 5		5-13	139		0
AUG 6	0- 5		5-10	139		0
AUG 17	0- 5		5-15	0		418
SEP 3	0- 7		7-14	99		0
SEP 17	0- 7		7-10	99		0
OCT 1	0- 9			77		
OCT 15	0-12			0		
OCT 29	0-15			278		
1975						
MAY 12	0- 2			174		
JUN 9	0- 2.5			929		
JUN 23	0- 2.5			1742		
JUL 7	0- 2			439		
JUL 21	0- 2			219		
AUG 4	0- 2			219		
AUG 18	0- 2			0		
SEP 1	0- 2			659		
SEP 15	0- 2			0		
SEP 29	0- 2			1483		
OCT 13	0- 2			1483		
OCT 27	0- 2			659		
NOV 10	0- 2			1978		

LAKE 226SW

Bosmina longirostris

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			418		
MAY 29	0- 5		5-10	1533		3344
JUN 12	0- 5		5-10	418		2229
JUN 26	0- 5		5-10	557		2787
JUL 10	0- 5		5-10	1951		418
JUL 24	0- 6		6-10	348		0
AUG 7	0- 6		6- 9	1045		2555
AUG 21	0- 6		6- 9	0		464
SEP 4	0- 6		6- 9	1045		1393
SEP 18	0- 7		7- 8	1626		4181
OCT 2	0- 8			958		
OCT 16	0-10			975		
OCT 30	0-10			1411		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	391		99
JUN 11	0- 4		4-10	1916		0
JUN 25	0- 4		4-10	10801		1858
JUL 23	0- 4		4-10	348		1306
AUG 6	0- 5		5-10	139		278
AUG 17	0- 5		5-10	139		0
SEP 3	0- 7		7-11	995		1045
SEP 17	0- 7		7- 9	199		696
OCT 1	0- 9			232		
OCT 15	0-11			1140		
OCT 29	0-11			1267		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			3252		
JUN 23	0- 2.5			7781		
JUL 7	0- 2			2857		
JUL 21	0- 2			659		
AUG 4	0- 2			989		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			999		
SEP 29	0- 2			0		
OCT 13	0- 2			1483		
OCT 27	0- 2			1483		
NOV 10	0- 2			1979		

LAKE 226NE

Bosmina longirostris

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			1978		
JUN 7	0- 2			219		
JUL 5	0- 2			219		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			3296		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	54323	0	0
MAY 18	0- 1.5	1.5- 3	3-13	9053	50928	3904
JUN 1	0- 3	3- 5	5-13	1131	5941	25464
JUN 15	0- 3.7	3.75- 6	6-13	0	754	0
JUN 29	0- 3.5	3.5- 6	6-13	485	0	727
JUL 13	0- 3.2	3.25- 6.5	6.5-13	522	0	0
JUL 27	0- 3	3- 7	7-12	565	1273	0
AUG 24	0- 5	5- 6.5	6.5-13	1018	0	0
OCT 5	0- 6	6- 9	9-12	0	3395	3395
OCT 19	0- 9		9-12	3017		6790
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	5355	21805	956
JUN 21	0- 3	3- 5.75	5.75-13	2295	20449	791
JUL 5	0- 2	2- 6	6-12	1147	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	6503	10492	382
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	382	229	0
SEP 27	0- 5.5	5.5- 7	7-13	1762	1360	85
OCT 24	0-12			680		

LAKE 226SW

Bosmina longirostris

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			1319		
JUL 5	0- 2			3076		
AUG 2	0- 2			219		
AUG 30	0- 2			0		
SEP 27	0- 2			219		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	1131	5653	0
JUN 1	0- 3	3- 5	5-11	7922	0	282
JUN 15	0- 3.7	3.75- 6	6-10.5	4074	8299	0
JUN 29	0- 3.5	3.5- 6	6-10	7760	0	3819
JUL 13	0- 3	3- 6	6-10	4526	3395	0
JUL 27	0- 3	3- 7	7-10	1597	3819	0
AUG 24	0- 4.5	4.5- 7	7-10	6413	2716	0
SEP 21	0-10			3395		
OCT 5	0- 6		6-11	6224		2623
OCT 19	0-10			6790		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	4973	2677	765
JUL 5	0- 2	2- 6	6- 9.5	3442	5599	1639
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	2951	9263	3934
SEP 8	0- 3.5	3.5- 7	7-10	1311	5574	765
SEP 27	0- 6	6- 7.75	7.75-10	4080	17779	906
OCT 24	0-10			408		

LAKE 226NE

Diaphanosoma birgei

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	139		0
JUN 24	0- 5		5-14	0		154
JUL 22	0- 5		5-14	2369		851
AUG 19	0- 5		5-14	1572		1567
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	139		2787
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	1114		0
JUL 10	0- 5		5-12	836		796
JUL 24	0- 7		7-14	1294		0
AUG 7	0- 6		6-12	7		2090
AUG 21	0- 6		6- 9	232		929
SEP 4	0- 6		6- 9	580		696
SEP 18	0- 7		7- 8	497		696
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	174		139
JUN 11	0- 4		4-15	348		63
JUN 25	0- 4		4-14	348		0
JUL 23	0- 5		5-13	696		1916
AUG 6	0- 5		5-10	139		2229
AUG 17	0- 5		5-15	278		627
SEP 3	0- 7		7-14	497		0
SEP 17	0- 7		7-10	99		0
OCT 1	0- 9			0		
OCT 15	0-12			130		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			232		
JUN 23	0- 2.5			348		
JUL 7	0- 2			439		
JUL 21	0- 2			0		
AUG 4	0- 2			219		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Diaphanosoma birgei

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	418		0
JUN 26	0- 5		5-10	1393		278
JUL 10	0- 5		5-10	1951		278
JUL 24	0- 6		6-10	0		0
AUG 7	0- 6		6- 9	929		1161
AUG 21	0- 6		6- 9	464		232
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	174		2090
AUG 6	0- 5		5-10	0		696
AUG 17	0- 5		5-10	139		3763
SEP 3	0- 7		7-11	99		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			232		
JUL 7	0- 2			879		
JUL 21	0- 2			219		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Diaphanosoma birgei

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			219		
AUG 2	0- 2			0		
AUG 30	0- 2			659		
SEP 27	0- 2			659		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	0	0
JUN 1	0- 3	3- 5	5-13	565	0	0
JUN 15	0- 3.7	3.75- 6	6-13	452	0	0
JUN 29	0- 3.5	3.5- 6	6-13	15035	4074	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	5223	0	0
JUL 27	0- 3	3- 7	7-12	2829	13156	0
AUG 24	0- 5	5- 6.5	6.5-13	1697	2263	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	188		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	765	0	0
JUN 21	0- 3	3- 5.75	5.75-13	0	0	158
JUL 5	0- 2	2- 6	6-12	0	3156	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	327	0
AUG 16	0- 2.7	2.75- 7	7-12	417	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	92	0	0
OCT 24	0-12			0		

LAKE 226SW

Diaphanosoma birgei

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			219		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	754	0
JUN 29	0- 3.5	3.5- 6	6-10	2425	0	948
JUL 13	0- 3	3- 6	6-10	0	2829	0
JUL 27	0- 3	3- 7	7-10	1131	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	0	565
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1979						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	382	0	0
JUL 5	0- 2	2- 6	6- 9.5	573	0	0
JUL 26	0- 3	3- 6	6-11	0	382	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	655	306	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	0	0	0
OCT 24	0-10			0		

LAKE 226NE

Holopedium gibberum

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	975		0
JUN 24	0- 5		5-14	0		154
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	199		0
OCT 14	0- 8		8-14	174		348
1973						
MAY 1	0- 7		7-13	597		348
MAY 14	0-14			1991		
MAY 29	0- 5		5-14	8501		2787
JUN 12	0- 5		5-13	836		1698
JUN 26	0- 5		5-12	278		2488
JUL 10	0- 5		5-12	0		1791
JUL 24	0- 7		7-14	199		2488
AUG 7	0- 6		6-12	2		813
AUG 21	0- 6		6- 9	116		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			174		
OCT 30	0-12			58		
NOV 8	0-14			0		
1974						
MAY 14	0-14			99		
MAY 28	0- 4		4-14	696		836
JUN 11	0- 4		4-15	6794		6461
JUN 25	0- 4		4-14	696		5296
JUL 23	0- 5		5-13	278		958
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	0		1393
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			154		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			87		
JUN 9	0- 2.5			348		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Holopedium gibberum

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			975		
MAY 29	0- 5		5-10	836		3066
JUN 12	0- 5		5-10	836		11149
JUN 25	0- 5		5-10	557		3623
JUL 10	0- 5		5-10	0		696
JUL 24	0- 5		6-10	0		2787
AUG 7	0- 5		6- 9	813		1625
AUG 21	0- 6		6- 9	116		2322
SEP 4	0- 6		6- 9	0		464
SEP 18	0- 7		7- 8	116		0
OCT 2	0- 8			348		
OCT 16	0-10			69		
OCT 30	0-10			0		
1974						
MAY 14	0-10			348		
MAY 28	0- 4		4-11	174		696
JUN 11	0- 4		4-10	2090		580
JUN 25	0- 4		4-10	522		1626
JUL 23	0- 5		4-10	0		2090
AUG 6	0- 5		5-10	0		1533
AUG 17	0- 5		5-10	0		278
SEP 3	0- 7		7-11	393		1219
SEP 17	0- 7		7- 9	1119		1045
OCT 1	0- 9			309		
OCT 15	0-11			253		
OCT 29	0-11			253		
1975						
MAY 12	0- 2			793		
JUN 9	0- 2.5			464		
JUN 23	0- 2.5			929		
JUL 7	0- 2			219		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Holopedium gibberum

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	2263	0
JUN 1	0- 3	3- 5	5-13	0	0	636
JUN 15	0- 3.7	3.75- 6	6-13	0	0	242
JUN 29	0- 3.5	3.5- 6	6-13	485	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	522	0	0
JUL 27	0- 3	3- 7	7-12	0	0	0
AUG 24	0- 5	5- 6.5	6.5-13	0	0	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	188		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	382	382	191
JUN 21	0- 3	3- 5.75	5.75-13	765	15023	0
JUL 5	0- 2	2- 6	6-12	0	286	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

LAKE 226SW

Holopedium gibberum

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			219		
JUL 5	0- 2			439		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	2545	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	4526	0
JUN 1	0- 3	3- 5	5-11	0	0	1414
JUN 15	0- 3.7	3.75- 5	6-10.5	0	754	0
JUN 29	0- 3.5	3.5- 5	6-10	1940	0	0
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	565
AUG 24	0- 4.5	4.5- 7	7-10	0	679	0
SEP 21	0-10			679		
OCT 5	0- 6		6-11	1414		771
OCT 19	0-10			339		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 5	5- 9	755	2677	0
JUL 5	0- 2	2- 5	5- 9.5	1147	7746	1639
JUL 26	0- 3	3- 5	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	0	0	0
OCT 24	0-10			0		

b. Calanoid adults

c. Calanoid nauplii

d. Calanoid copepodids

e. Cyclopoid adults

f. Cyclopoid nauplii

g. Cyclopoid copepodids

LAKE 226NE

Diaptomus minutus

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	7526		2743
JUN 24	0- 5		5-14	2195		1393
JUL 22	0- 5		5-14	2195		1742
AUG 19	0- 5		5-14	1881		391
SEP 16	0- 7		7-14	0		1119
OCT 14	0- 8		8-14	3723		2351
1973						
MAY 1	0- 7		7-13	2015		6533
MAY 14	0-14			5151		
MAY 29	0- 5		5-14	4703		1742
JUN 12	0- 5		5-13	6271		195
JUN 26	0- 5		5-12	5017		671
JUL 10	0- 5		5-12	3449		1567
JUL 24	0- 7		7-14	1343		3359
AUG 7	0- 6		6-12	0		5226
AUG 21	0- 6		6- 9	0		2613
SEP 4	0- 6		6- 9	261		1045
SEP 18	0- 7		7- 8	3807		3135
OCT 2	0- 8			1371		
OCT 16	0- 9			3135		
OCT 30	0-12			1437		
NOV 8	0-14			3583		
1974						
MAY 14	0-14			1231		
MAY 28	0- 4		4-14	1175		470
JUN 11	0- 4		4-15	11759		5273
JUN 25	0- 4		4-14	10191		1567
JUL 23	0- 5		5-13	0		3135
AUG 6	0- 5		5-10	0		2508
AUG 17	0- 5		5-15	1567		5017
SEP 3	0- 7		7-14	223		1567
SEP 17	0- 7		7-10	223		1567
OCT 1	0- 9			871		
OCT 15	0-12			130		
OCT 29	0-15			418		
1975						
MAY 12	0- 2			391		
JUN 9	0- 2.5			1306		
JUN 23	0- 2.5			1567		
JUL 7	0- 2			494		
JUL 21	0- 2			989		
AUG 4	0- 2			1978		
AUG 18	0- 2			0		
SEP 1	0- 2			494		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			494		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Diaptomus minutus

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			5174		
MAY 29	0- 5		5-10	627		0
JUN 12	0- 5		5-10	4390		2508
JUN 26	0- 5		5-10	3763		1254
JUL 10	0- 5		5-10	4390		1254
JUL 24	0- 6		6-10	522		11759
AUG 7	0- 6		6- 9	522		8362
AUG 21	0- 6		6- 9	0		1045
SEP 4	0- 6		6- 9	522		9407
SEP 18	0- 7		7- 8	1567		0
OCT 2	0- 8			195		
OCT 16	0-10			1254		
OCT 30	0-10			3763		
1974						
MAY 14	0-10			156		
MAY 28	0- 4		4-11	391		0
JUN 11	0- 4		4-10	8231		4181
JUN 25	0- 4		4-10	14895		4442
JUL 23	0- 4		4-10	0		3919
AUG 6	0- 5		5-10	0		3449
AUG 17	0- 5		5-10	0		1881
SEP 3	0- 7		7-11	671		3135
SEP 17	0- 7		7- 9	0		783
OCT 1	0- 9			871		
OCT 15	0-11			4418		
OCT 29	0-11			2280		
1975						
MAY 12	0- 2			1371		
JUN 9	0- 2.5			6010		
JUN 23	0- 2.5			7317		
JUL 7	0- 2			5439		
JUL 21	0- 2			494		
AUG 4	0- 2			1483		
AUG 18	0- 2			0		
SEP 1	0- 2			494		
SEP 15	0- 2			494		
SEP 29	0- 2			1483		
OCT 13	0- 2			5439		
OCT 27	0- 2			2967		
NOV 10	0- 2			3956		

LAKE 226NE

Diaptomus minutus

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			2857		
JUL 5	0- 2			219		
AUG 2	0- 2			219		
AUG 30	0- 2			219		
SEP 27	0- 2			879		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	6790	565	679
MAY 18	0- 1.5	1.5- 3	3-13	7922	1131	0
JUN 1	0- 3	3- 5	5-13	1131	848	0
JUN 15	0- 3.7	3.75- 6	6-13	3168	5281	0
JUN 29	0- 3.5	3.5- 6	6-13	16005	0	242
JUL 13	0- 3.2	3.25- 6.5	6.5-13	3134	6268	783
JUL 27	0- 3	3- 7	7-12	1697	17824	0
AUG 24	0- 5	5- 6.5	6.5-13	1697	15844	0
OCT 5	0- 6	6- 9	9-12	282	2829	0
OCT 19	0- 9		9-12	1697		6790
OCT 31	0-14			121		
1978						
MAY 10	0-14			819		
JUN 7	0- 3	3- 6	6-12	5355	382	0
JUN 21	0- 3	3- 5.75	5.75-13	1530	2503	0
JUL 5	0- 2	2- 6	6-12	1721	2582	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	382	2951	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	185	0	0
OCT 24	0-12			42		

LAKE 226SW

Diaptomus minutus

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			439		
JUN 7	0- 2			5494		
JUL 5	0- 2			2197		
AUG 2	0- 2			219		
AUG 30	0- 2			219		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	679	617
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	9619	0	848
JUN 15	0- 3.7	3.75- 6	6-10.5	4979	3772	0
JUN 29	0- 3.5	3.5- 6	6-10	6305	5432	0
JUL 13	0- 3	3- 6	6-10	2829	6224	0
JUL 27	0- 3	3- 7	7-10	0	11034	1697
AUG 24	0- 4.5	4.5- 7	7-10	1508	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	848		0
OCT 19	0-10			1867		
1978						
MAY 10	0-11			834		
JUN 7	0- 3	3- 6	6- 9	3825	0	0
JUL 5	0- 2	2- 6	6- 9.5	573	2869	655
JUL 26	0- 3	3- 6	6-11	0	765	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	983	3060	1967
SEP 8	0- 3.5	3.5- 7	7-10	327	655	0
SEP 27	0- 6	6- 7.75	7.75-10	340	582	0
OCT 24	0-10			255		

LAKE 226NE

Epischura lacustris

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	0		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Epischura lacustris

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 25	0- 5		5-10	0		0
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Epischura lacustris

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			219		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	0	169
JUN 1	0- 3	3- 5	5-13	0	0	212
JUN 15	0- 3.7	3.75- 6	6-13	452	3017	0
JUN 29	0- 3.5	3.5- 6	6-13	4850	0	1940
JUL 13	0- 3.2	3.25- 6.5	6.5-13	0	1567	783
JUL 27	0- 3	3- 7	7-12	0	2122	339
AUG 24	0- 5	5- 6.5	6.5-13	0	0	0
OCT 5	0- 6	6- 9	9-12	0	565	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	0	0
JUN 21	0- 3	3- 5.75	5.75-13	0	834	158
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

LAKE 226SW

Epischura lacustris

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			219		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	943	282
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	0	0	0
JUL 13	0- 3	3- 6	6-10	565	0	424
JUL 27	0- 3	3- 7	7-10	0	424	0
AUG 24	0- 4.5	4.5- 7	7-10	0	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	282		0
OCT 19	0-10			169		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	382	0	0
JUL 5	0- 2	2- 6	6- 9.5	573	0	0
JUL 26	0- 3	3- 6	6-11	0	765	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	306	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	0	0	0
OCT 24	0-10			0		

LAKE 226NE

Calanoids N1

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	17874		8231
JUN 24	0- 5		5-14	1881		0
JUL 22	0- 5		5-14	0		174
AUG 19	0- 5		5-14	940		391
SEP 16	0- 7		7-14	447		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	2911		7317
MAY 14	0-14			3359		
MAY 29	0- 5		5-14	5331		348
JUN 12	0- 5		5-13	1254		391
JUN 26	0- 5		5-12	5017		223
JUL 10	0- 5		5-12	2195		447
JUL 24	0- 7		7-14	895		0
AUG 7	0- 6		6-12	1829		783
AUG 21	0- 6		6- 9	1306		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	895		0
OCT 2	0- 8			979		
OCT 16	0- 9			174		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			3359		
MAY 28	0- 4		4-14	2743		627
JUN 11	0- 4		4-15	1175		0
JUN 25	0- 4		4-14	9799		313
JUL 23	0- 5		5-13	1567		195
AUG 6	0- 5		5-10	1254		627
AUG 17	0- 5		5-15	313		1097
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	447		522
OCT 1	0- 9			522		
OCT 15	0-12			0		
OCT 29	0-15			209		
1975						
MAY 12	0- 2			391		
JUN 9	0- 2.5			4703		
JUN 23	0- 2.5			2090		
JUL 7	0- 2			494		
JUL 21	0- 2			1978		
AUG 4	0- 2			4945		
AUG 18	0- 2			0		
SEP 1	0- 2			1978		
SEP 15	0- 2			0		
SEP 29	0- 2			494		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Calanoids N1

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			5742		
MAY 29	0- 5		5-10	9407		1881
JUN 12	0- 5		5-10	6271		0
JUN 25	0- 5		5-10	10034		2508
JUL 10	0- 5		5-10	8153		1254
JUL 24	0- 6		6-10	1567		0
AUG 7	0- 6		6- 9	1567		0
AUG 21	0- 6		6- 9	1567		0
SEP 4	0- 6		6- 9	3135		0
SEP 18	0- 7		7- 9	2613		0
OCT 2	0- 9			391		
OCT 16	0-10			313		
OCT 30	0-10			313		
1974						
MAY 14	0-10			1567		
MAY 28	0- 4		4-11	2351		995
JUN 11	0- 4		4-10	1175		0
JUN 25	0- 4		4-10	4703		1829
JUL 23	0- 4		4-10	5095		1045
AUG 6	0- 5		5-10	940		940
AUG 17	0- 5		5-10	313		313
SEP 3	0- 7		7-11	1791		391
SEP 17	0- 7		7- 9	671		2351
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			1371		
JUN 9	0- 2.5			2974		
JUN 23	0- 2.5			4181		
JUL 7	0- 2			989		
JUL 21	0- 2			2967		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			494		
SEP 29	0- 2			494		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			494		

LAKE 226NE

Calanoids N1

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			1978		
JUL 5	0- 2			2417		
AUG 2	0- 2			219		
AUG 30	0- 2			0		
SEP 27	0- 2			659		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	13580	3961	0
MAY 18	0- 1.5	1.5- 3	3-13	11317	10185	0
JUN 1	0- 3	3- 5	5-13	2263	0	0
JUN 15	0- 3.7	3.75- 6	6-13	4074	754	0
JUN 29	0- 3.5	3.5- 6	6-13	7275	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	4178	0	0
JUL 27	0- 3	3- 7	7-12	1697	848	2376
AUG 24	0- 5	5- 6.5	6.5-13	679	0	783
OCT 5	0- 6	6- 9	9-12	282	0	0
OCT 19	0- 9		9-12	188		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			163		
JUN 7	0- 3	3- 6	6-12	1147	765	191
JUN 21	0- 3	3- 5.75	5.75-13	3060	834	158
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	2295	2295	765
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			42		

LAKE 226SW

Calanoids N1

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			439		
JUN 7	0- 2			1758		
JUL 5	0- 2			2197		
AUG 2	0- 2			219		
AUG 30	0- 2			1318		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	6790	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	3961	2546	0
JUN 15	0- 3.7	3.75- 6	6-10.5	5895	0	0
JUN 29	0- 3.5	3.5- 6	6-10	3395	0	0
JUL 13	0- 3	3- 6	6-10	1131	2829	0
JUL 27	0- 3	3- 7	7-10	1597	948	565
AUG 24	0- 4.5	4.5- 7	7-10	1131	0	0
SEP 21	0-10			339		
OCT 5	0- 5		6-11	0		308
OCT 19	0-10			0		
1978						
MAY 10	0-11			1251		
JUN 7	0- 3	3- 6	6- 9	1530	0	0
JUL 5	0- 2	2- 6	6- 9.5	2869	1434	1311
JUL 26	0- 3	3- 6	6-11	382	382	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	1539	1836	0
SEP 8	0- 3.5	3.5- 7	7-10	0	327	0
SEP 27	0- 6	6- 7.75	7.75-10	170	1457	0
OCT 24	0-10			0		

LAKE 226NE

Calanoids N2

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	16306		6271
JUN 24	0- 5		5-14	1254		0
JUL 22	0- 5		5-14	940		0
AUG 19	0- 5		5-14	313		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	5599		5226
MAY 14	0-14			2911		
MAY 29	0- 5		5-14	8153		1219
JUN 12	0- 5		5-13	6585		783
JUN 26	0- 5		5-12	6271		0
JUL 10	0- 5		5-12	3135		223
JUL 24	0- 7		7-14	447		0
AUG 7	0- 6		6-12	2090		783
AUG 21	0- 6		6- 9	522		522
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	223		1567
OCT 2	0- 8			195		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			4367		
MAY 28	0- 4		4-14	9015		470
JUN 11	0- 4		4-15	0		285
JUN 25	0- 4		4-14	12543		627
JUL 23	0- 5		5-13	1567		0
AUG 6	0- 5		5-10	940		313
AUG 17	0- 5		5-15	313		0
SEP 3	0- 7		7-14	223		447
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			696		
OCT 15	0-12			0		
OCT 29	0-15			209		
1975						
MAY 12	0- 2			2547		
JUN 9	0- 2.5			8101		
JUN 23	0- 2.5			3658		
JUL 7	0- 2			2472		
JUL 21	0- 2			4450		
AUG 4	0- 2			2472		
AUG 18	0- 2			0		
SEP 1	0- 2			1483		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Calanoids N2

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			9407		
MAY 29	0- 5		5-10	8780		1881
JUN 12	0- 5		5-10	4390		627
JUN 26	0- 5		5-10	10034		627
JUL 10	0- 5		5-10	4390		627
JUL 24	0- 6		6-10	4181		0
AUG 7	0- 6		6- 9	2613		0
AUG 21	0- 6		6- 9	2090		0
SEP 4	0- 6		6- 9	1045		0
SEP 18	0- 7		7- 8	2613		3135
OCT 2	0- 8			391		
OCT 16	0-10			0		
OCT 30	0-10			156		
1974						
MAY 14	0-10			2195		
MAY 28	0- 4		4-11	1567		2239
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	8523		1567
JUL 23	0- 4		4-10	3527		783
AUG 6	0- 5		5-10	1567		1254
AUG 17	0- 5		5-10	2822		1567
SEP 3	0- 7		7-11	571		0
SEP 17	0- 7		7- 9	447		3135
OCT 1	0- 9			696		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			4311		
JUN 9	0- 2.5			5226		
JUN 23	0- 2.5			12282		
JUL 7	0- 2			4450		
JUL 21	0- 2			3461		
AUG 4	0- 2			494		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			1483		
SEP 29	0- 2			2472		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Calanoids N2

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			659		
JUN 7	0- 2			4175		
JUL 5	0- 2			5274		
AUG 2	0- 2			439		
AUG 30	0- 2			219		
SEP 27	0- 2			2197		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	58850	0	0
MAY 18	0- 1.5	1.5- 3	3-13	36215	0	0
JUN 1	0- 3	3- 5	5-13	1697	848	0
JUN 15	0- 3.7	3.75- 6	6-13	2716	0	0
JUN 29	0- 3.5	3.5- 6	6-13	5820	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	5745	0	0
JUL 27	0- 3	3- 7	7-12	3395	424	679
AUG 24	0- 5	5- 6.5	6.5-13	2376	4526	0
OCT 5	0- 6	6- 9	9-12	282	0	0
OCT 19	0- 9		9-12	0		565
OCT 31	0-14			0		
1978						
MAY 10	0-14			1147		
JUN 7	0- 3	3- 6	6-12	4208	382	382
JUN 21	0- 3	3- 5.75	5.75-13	5355	0	474
JUL 5	0- 2	2- 6	6-12	3442	573	191
JUL 26	0- 3	3- 6.5	6.5- 9.5	5738	327	382
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

LAKE 226SW

Calanoids N2

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			1538		
JUN 7	0- 2			5054		
JUL 5	0- 2			1758		
AUG 2	0- 2			219		
AUG 30	0- 2			1538		
SEP 27	0- 2			439		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	12732	2037	0
MAY 18	0- 1.5	1.5- 3	3-11.5	1131	1131	199
JUN 1	0- 3	3- 5	5-11	9619	0	2263
JUN 15	0- 3.7	3.75- 6	6-10.5	9959	0	0
JUN 29	0- 3.5	3.5- 5	6-10	1940	0	424
JUL 13	0- 3	3- 6	6-10	5653	0	0
JUL 27	0- 3	3- 7	7-10	5092	0	1131
AUG 24	0- 4.5	4.5- 7	7-10	4149	0	0
SEP 21	0-10			169		
OCT 5	0- 6		6-11	0		154
OCT 19	0-10			0		
1978						
MAY 10	0-11			2190		
JUN 7	0- 3	3- 6	6- 9	4209	765	0
JUL 5	0- 2	2- 6	6- 9.5	3442	1147	4590
JUL 26	0- 3	3- 6	6-11	0	382	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	6558	918	0
SEP 8	0- 3.5	3.5- 7	7-10	327	983	382
SEP 27	0- 6	6- 7.75	7.75-10	170	291	0
OCT 24	0-10			102		

LAKE 226NE

Calanoids N3

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	10975		1567
JUN 24	0- 5		5-14	940		0
JUL 22	0- 5		5-14	1254		174
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	223		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	7615		8101
MAY 14	0-14			2687		
MAY 29	0- 5		5-14	14738		1742
JUN 12	0- 5		5-13	1567		0
JUN 26	0- 5		5-12	1881		671
JUL 10	0- 5		5-12	2822		0
JUL 24	0- 7		7-14	223		0
AUG 7	0- 6		6-12	1306		0
AUG 21	0- 6		6- 9	522		1045
SEP 4	0- 6		6- 9	783		522
SEP 18	0- 7		7- 8	447		0
OCT 2	0- 8			587		
OCT 16	0- 9			174		
OCT 30	0-12			0		
NOV 8	0-14			111		
1974						
MAY 14	0-14			3359		
MAY 28	0- 4		4-14	12543		470
JUN 11	0- 4		4-15	0		142
JUN 25	0- 4		4-14	7839		0
JUL 23	0- 5		5-13	2508		391
AUG 6	0- 5		5-10	1567		313
AUG 17	0- 5		5-15	627		470
SEP 3	0- 7		7-14	223		0
SEP 17	0- 7		7-10	223		0
OCT 1	0- 9			174		
OCT 15	0-12			522		
OCT 29	0-15			104		
1975						
MAY 12	0- 2			783		
JUN 9	0- 2.5			2874		
JUN 23	0- 2.5			4965		
JUL 7	0- 2			989		
JUL 21	0- 2			4945		
AUG 4	0- 2			4450		
AUG 18	0- 2			0		
SEP 1	0- 2			2472		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Calanoids N3

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			10034		
MAY 29	0- 5		5-10	8153		1881
JUN 12	0- 5		5-10	5644		0
JUN 26	0- 5		5-10	13170		627
JUL 10	0- 5		5-10	3135		0
JUL 24	0- 5		5-10	1567		783
AUG 7	0- 5		5- 9	1567		0
AUG 21	0- 5		6- 9	0		0
SEP 4	0- 6		6- 9	2613		0
SEP 18	0- 7		7- 8	1045		0
OCT 2	0- 8			391		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			3292		
MAY 29	0- 4		4-11	2351		671
JUN 11	0- 4		4-10	1567		261
JUN 25	0- 4		4-10	8231		783
JUL 23	0- 4		4-10	10191		1306
AUG 6	0- 5		5-10	940		313
AUG 17	0- 5		5-10	1881		1254
SEP 3	0- 7		7-11	447		0
SEP 17	0- 7		7- 9	2239		1567
OCT 1	0- 9			348		
OCT 15	0-11			427		
OCT 29	0-11			142		
1975						
MAY 12	0- 2			8819		
JUN 9	0- 2.5			3397		
JUN 23	0- 2.5			12543		
JUL 7	0- 2			11368		
JUL 21	0- 2			5934		
AUG 4	0- 2			1483		
AUG 18	0- 2			0		
SEP 1	0- 2			494		
SEP 15	0- 2			494		
SEP 29	0- 2			494		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Calanoids N3

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			219		
JUN 7	0- 2			1758		
JUL 5	0- 2			3516		
AUG 2	0- 2			1538		
AUG 30	0- 2			219		
SEP 27	0- 2			1538		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	97329	0	0
MAY 18	0- 1.5	1.5- 3	3-13	55454	0	0
JUN 1	0- 3	3- 5	5-13	2829	1697	0
JUN 15	0- 3.7	3.75- 6	6-13	4979	0	0
JUN 29	0- 3.5	3.5- 6	6-13	9700	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	7835	0	0
JUL 27	0- 3	3- 7	7-12	3961	1273	0
AUG 24	0- 5	5- 6.5	6.5-13	679	0	522
OCT 5	0- 6	6- 9	9-12	0	565	0
OCT 19	0- 9		9-12	0		565
OCT 31	0-14			0		
1978						
MAY 10	0-14			901		
JUN 7	0- 3	3- 6	6-12	765	0	382
JUN 21	0- 3	3- 5.75	5.75-13	2677	0	0
JUL 5	0- 2	2- 6	6-12	2869	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	2677	0	382
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	92	0	0
OCT 24	0-12			0		

LAKE 226SW

Calanoids N3

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			559		
JUN 7	0- 2			11428		
JUL 5	0- 2			2537		
AUG 2	0- 2			979		
AUG 30	0- 2			2417		
SEP 27	0- 2			659		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	16975	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	9053	0	0
JUN 1	0- 3	3- 5	5-11	6790	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	10411	0	0
JUN 29	0- 3.5	3.5- 6	6-10	3395	0	848
JUL 13	0- 3	3- 6	6-10	6790	0	0
JUL 27	0- 3	3- 7	7-10	3395	848	565
AUG 24	0- 4.5	4.5- 7	7-10	5658	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	282		154
OCT 19	0-10			0		
1978						
MAY 10	0-11			1982		
JUN 7	0- 3	3- 6	6- 9	3060	0	0
JUL 5	0- 2	2- 6	6- 9.5	7459	1721	1639
JUL 26	0- 3	3- 6	6-11	382	382	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	2951	612	0
SEP 8	0- 3.5	3.5- 7	7-10	0	655	0
SEP 27	0- 6	6- 7.75	7.75-10	255	0	0
OCT 24	0-10			0		

LAKE 226NE

Calanoids N4

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	14425		6271
JUN 24	0- 5		5-14	627		0
JUL 22	0- 5		5-14	1881		1045
AUG 19	0- 5		5-14	627		391
SEP 16	0- 7		7-14	671		
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	4927		6794
MAY 14	0-14			6607		
MAY 29	0- 5		5-14	12229		1567
JUN 12	0- 5		5-13	3135		391
JUN 26	0- 5		5-12	2822		0
JUL 10	0- 5		5-12	1567		223
JUL 24	0- 7		7-14	895		0
AUG 7	0- 6		6-12	1045		261
AUG 21	0- 6		6- 9	522		522
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	223		0
OCT 2	0- 8			587		
OCT 16	0- 9			348		
OCT 30	0-12			130		
NOV 8	0-14			0		
1974						
MAY 14	0-14			4703		
MAY 28	0- 4		4-14	17247		940
JUN 11	0- 4		4-15	0		285
JUN 25	0- 4		4-14	3135		470
JUL 23	0- 5		5-13	3763		0
AUG 6	0- 5		5-10	1567		627
AUG 17	0- 5		5-15	313		313
SEP 3	0- 7		7-14	223		447
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			174		
OCT 15	0-12			261		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			979		
JUN 9	0- 2.5			2874		
JUN 23	0- 2.5			5487		
JUL 7	0- 2			989		
JUL 21	0- 2			2967		
AUG 4	0- 2			3461		
AUG 18	0- 2			0		
SEP 1	0- 2			1978		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			494		
NOV 10	0- 2			0		

LAKE 226SW

Calanoids N4

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			9407		
MAY 29	0- 5		5-10	10662		3763
JUN 12	0- 5		5-10	3135		0
JUN 26	0- 5		5-10	6893		627
JUL 10	0- 5		5-10	627		1254
JUL 24	0- 6		6-10	1045		1567
AUG 7	0- 6		6- 9	2090		1045
AUG 21	0- 6		6- 9	522		0
SEP 4	0- 5		6- 9	1045		0
SEP 18	0- 7		7- 8	1567		0
OCT 2	0- 8			0		
OCT 16	0-10			470		
OCT 30	0-10			156		
1974						
MAY 14	0-10			3919		
MAY 28	0- 4		4-11	4703		2239
JUN 11	0- 4		4-10	391		261
JUN 25	0- 4		4-10	11759		1045
JUL 23	0- 4		4-10	3919		1829
AUG 6	0- 5		5-10	627		627
AUG 17	0- 5		5-10	1567		940
SEP 3	0- 7		7-11	2239		391
SEP 17	0- 7		7- 9	395		0
OCT 1	0- 9			522		
OCT 15	0-11			142		
OCT 29	0-11			142		
1975						
MAY 12	0- 2			5095		
JUN 9	0- 2.5			3135		
JUN 23	0- 2.5			11236		
JUL 7	0- 2			3956		
JUL 21	0- 2			3956		
AUG 4	0- 2			999		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			1973		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Calanoids N4

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			219		
JUN 7	0- 2			1978		
JUL 5	0- 2			1318		
AUG 2	0- 2			2417		
AUG 30	0- 2			219		
SEP 27	0- 2			879		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	30556	0	1810
MAY 18	0- 1.5	1.5- 3	3-13	29425	0	0
JUN 1	0- 3	3- 5	5-13	1697	848	424
JUN 15	0- 3.7	3.75- 6	6-13	1358	0	242
JUN 29	0- 3.5	3.5- 6	6-13	3880	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	4178	0	522
JUL 27	0- 3	3- 7	7-12	565	424	339
AUG 24	0- 5	5- 6.5	6.5-13	1018	0	261
OCT 5	0- 6	6- 9	9-12	0	0	565
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			491		
JUN 7	0- 3	3- 6	6-12	1912	0	0
JUN 21	0- 3	3- 5.75	5.75-13	1147	0	0
JUL 5	0- 2	2- 6	6-12	0	286	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	1912	327	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

LAKE 226SW

Calanoids N4

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			1098		
JUN 7	0- 2			2417		
JUL 5	0- 2			1098		
AUG 2	0- 2			439		
AUG 30	0- 2			219		
SEP 27	0- 2			659		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	10185	1358	0
MAY 18	0- 1.5	1.5- 3	3-11.5	6790	0	0
JUN 1	0- 3	3- 5	5-11	1131	0	565
JUN 15	0- 3.7	3.75- 6	6-10.5	9959	0	0
JUN 29	0- 3.5	3.5- 6	6-10	485	679	849
JUL 13	0- 3	3- 6	6-10	565	1131	0
JUL 27	0- 3	3- 7	7-10	2263	0	565
AUG 24	0- 4.5	4.5- 7	7-10	754	0	565
SEP 21	0-10			169		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1979						
MAY 10	0-11			208		
JUN 7	0- 3	3- 6	6- 9	3442	0	0
JUL 5	0- 2	2- 6	6- 9.5	6895	1434	1311
JUL 26	0- 3	3- 6	6-11	765	0	0
AUG 15	0- 3.5	3.5- 7.25	7.25- 9	993	0	655
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	170	0	0
OCT 24	0-10			0		

LAKE 226NE

Calanoids N5

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	9407		7447
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	940		0
AUG 19	0- 5		5-14	313		0
SEP 16	0- 7		7-14	447		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	8511		5226
MAY 14	0-14			5599		
MAY 29	0- 5		5-14	9407		2961
JUN 12	0- 5		5-13	2195		783
JUN 26	0- 5		5-12	3449		223
JUL 10	0- 5		5-12	0		447
JUL 24	0- 7		7-14	895		0
AUG 7	0- 6		6-12	522		261
AUG 21	0- 6		6- 9	261		522
SEP 4	0- 6		6- 9	261		522
SEP 18	0- 7		7- 8	223		0
OCT 2	0- 8			783		
OCT 16	0- 9			522		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			3807		
MAY 28	0- 4		4-14	18815		1411
JUN 11	0- 4		4-15	1175		427
JUN 25	0- 4		4-14	2351		156
JUL 23	0- 5		5-13	1881		587
AUG 6	0- 5		5-10	0		940
AUG 17	0- 5		5-15	313		627
SEP 3	0- 7		7-14	0		223
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			209		
1975						
MAY 12	0- 2			1567		
JUN 9	0- 2.5			1306		
JUN 23	0- 2.5			5749		
JUL 7	0- 2			494		
JUL 21	0- 2			3956		
AUG 4	0- 2			4450		
AUG 18	0- 2			0		
SEP 1	0- 2			1978		
SEP 15	0- 2			0		
SEP 29	0- 2			494		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Calanoids N5

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			13327		
MAY 29	0- 5		5-10	9407		5017
JUN 12	0- 5		5-10	6271		627
JUN 26	0- 5		5-10	2508		627
JUL 10	0- 5		5-10	2509		0
JUL 24	0- 6		6-10	522		783
AUG 7	0- 6		6- 9	0		2090
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	522		1045
SEP 18	0- 7		7- 8	2090		3135
OCT 2	0- 8			587		
OCT 16	0-10			156		
OCT 30	0-10			313		
1974						
MAY 14	0-10			2822		
MAY 28	0- 4		4-11	6271		3135
JUN 11	0- 4		4-10	783		0
JUN 25	0- 4		4-10	14503		261
JUL 23	0- 4		4-10	4703		2613
AUG 6	0- 5		5-10	940		940
AUG 17	0- 5		5-10	940		627
SEP 3	0- 7		7-11	447		391
SEP 17	0- 7		7- 9	1119		1567
OCT 1	0- 9			1045		
OCT 15	0-11			855		
OCT 29	0-11			712		
1975						
MAY 12	0- 2			1567		
JUN 9	0- 2.5			2090		
JUN 23	0- 2.5			8885		
JUL 7	0- 2			7912		
JUL 21	0- 2			3461		
AUG 4	0- 2			1483		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			494		
SEP 29	0- 2			989		
OCT 13	0- 2			494		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Calanoids N5

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			219		
JUN 7	0- 2			1978		
JUL 5	0- 2			879		
AUG 2	0- 2			1978		
AUG 30	0- 2			219		
SEP 27	0- 2			659		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	3395	1131	0
MAY 18	0- 1.5	1.5- 3	3-13	24898	0	339
JUN 1	0- 3	3- 5	5-13	2263	0	0
JUN 15	0- 3.7	3.75- 6	6-13	0	0	0
JUN 29	0- 3.5	3.5- 6	6-13	3880	0	242
JUL 13	0- 3.2	3.25- 6.5	6.5-13	1567	1044	0
JUL 27	0- 3	3- 7	7-12	2829	0	1018
AUG 24	0- 5	5- 6.5	6.5-13	1697	1131	0
OCT 5	0- 6	6- 9	9-12	565	0	0
OCT 19	0- 9		9-12	0		565
OCT 31	0-14			0		
1978						
MAY 10	0-14			245		
JUN 7	0- 3	3- 6	6-12	1147	0	0
JUN 21	0- 3	3- 5.75	5.75-13	765	0	0
JUL 5	0- 2	2- 6	6-12	3442	573	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	765	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	680	0
OCT 24	0-12			42		

LAKE 226SW

Calanoids N5

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			379		
JUN 7	0- 2			219		
JUL 5	0- 2			1098		
AUG 2	0- 2			439		
AUG 30	0- 2			559		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	3395	1353	0
MAY 18	0- 1.5	1.5- 3	3-11.5	5790	14712	0
JUN 1	0- 3	3- 5	5-11	1131	0	565
JUN 15	0- 3.7	3.75- 5	6-10.5	1810	2263	0
JUN 29	0- 3.5	3.5- 6	6-10	2425	0	2122
JUL 13	0- 3	3- 6	6-10	1131	2829	0
JUL 27	0- 3	3- 7	7-10	1131	0	0
AUG 24	0- 4.5	4.5- 7	7-10	754	0	0
SEP 21	0-10			1018		
OCT 5	0- 6		6-11	565		0
OCT 19	0-10			0		
1978						
MAY 10	0-11			104		
JUN 7	0- 3	3- 6	6- 9	6120	0	0
JUL 5	0- 2	2- 6	6- 9.5	2295	360	327
JUL 26	0- 3	3- 5	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	327	0	0
SEP 27	0- 6	6- 7.75	7.75-10	255	582	0
OCT 24	0-10			51		

LAKE 226NE

Calanoids N6

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	31986		15679
JUN 24	0- 5		5-14	1254		0
JUL 22	0- 5		5-14	313		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	195		0
1973						
MAY 1	0- 7		7-13	2015		783
MAY 14	0-14			9631		
MAY 29	0- 5		5-14	7839		2264
JUN 12	0- 5		5-13	2822		783
JUN 26	0- 5		5-12	1881		0
JUL 10	0- 5		5-12	313		0
JUL 24	0- 7		7-14	447		0
AUG 7	0- 6		6-12	0		261
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	522		0
SEP 18	0- 7		7- 8	447		0
OCT 2	0- 8			587		
OCT 16	0- 9			1219		
OCT 30	0-12			130		
NOV 8	0-14			111		
1974						
MAY 14	0-14			559		
MAY 28	0- 4		4-14	14111		4390
JUN 11	0- 4		4-15	1567		285
JUN 25	0- 4		4-14	2743		313
JUL 23	0- 5		5-13	940		0
AUG 6	0- 5		5-10	940		627
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	223		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			979		
JUN 9	0- 2.5			783		
JUN 23	0- 2.5			4966		
JUL 7	0- 2			0		
JUL 21	0- 2			9395		
AUG 4	0- 2			6923		
AUG 18	0- 2			0		
SEP 1	0- 2			1483		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Calanoids N6

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			17404		
MAY 29	0- 5		5-10	8153		11289
JUN 12	0- 5		5-10	2503		627
JUN 26	0- 5		5-10	2508		1254
JUL 10	0- 5		5-10	1254		627
JUL 24	0- 5		5-10	0		0
AUG 7	0- 6		5- 9	0		0
AUG 21	0- 5		5- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 9	2613		0
OCT 2	0- 8			1567		
OCT 16	0-10			627		
OCT 30	0-10			156		
1974						
MAY 14	0-10			470		
MAY 28	0- 4		4-11	14111		10079
JUN 11	0- 4		4-10	2351		0
JUN 25	0- 4		4-10	1959		783
JUL 23	0- 4		4-10	3527		3135
AUG 6	0- 5		5-10	313		313
AUG 17	0- 5		5-10	627		0
SEP 3	0- 7		7-11	895		391
SEP 17	0- 7		7- 9	2015		783
OCT 1	0- 9			522		
OCT 15	0-11			712		
OCT 29	0-11			955		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			4703		
JUN 23	0- 2.5			4703		
JUL 7	0- 2			989		
JUL 21	0- 2			4450		
AUG 4	0- 2			2472		
AUG 18	0- 2			0		
SEP 1	0- 2			494		
SEP 15	0- 2			989		
SEP 29	0- 2			494		
OCT 13	0- 2			2967		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Calanoids N6

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			1538		
JUL 5	0- 2			879		
AUG 2	0- 2			439		
AUG 30	0- 2			0		
SEP 27	0- 2			439		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	2263	1697	0
MAY 18	0- 1.5	1.5- 3	3-13	12449	0	0
JUN 1	0- 3	3- 5	5-13	2263	0	0
JUN 15	0- 3.7	3.75- 6	6-13	452	0	0
JUN 29	0- 3.5	3.5- 6	6-13	970	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	1044	1567	0
JUL 27	0- 3	3- 7	7-12	2829	0	0
AUG 24	0- 5	5- 6.5	6.5-13	2037	0	261
OCT 5	0- 6	6- 9	9-12	0	565	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	2295	0	191
JUN 21	0- 3	3- 5.75	5.75-13	0	0	0
JUL 5	0- 2	2- 6	6-12	573	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			42		

LAKE 226SW

Calanoids N6

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			379		
JUN 7	0- 2			559		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	1353	308
MAY 13	0- 1.5	1.5- 3	3-11.5	5653	5653	0
JUN 1	0- 3	3- 5	5-11	0	0	555
JUN 15	0- 3.7	3.75- 5	6-10.5	1353	0	2640
JUN 29	0- 3.5	3.5- 6	6-10	435	4074	0
JUL 13	0- 3	3- 5	6-10	555	0	0
JUL 27	0- 3	3- 7	7-10	1697	0	565
AUG 24	0- 4.5	4.5- 7	7-10	377	0	1697
SEP 21	0-10			0		
OCT 5	0- 6		6-11	565		0
OCT 19	0-10			0		
1973						
MAY 10	0-11			1251		
JUN 7	0- 3	3- 6	6- 9	765	0	0
JUL 5	0- 2	2- 6	6- 9.5	573	0	555
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 5	6- 7.75	7.75-10	510	291	0
OCT 24	0-10			51		

LAKE 226NE

Calanoids C1

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	36376		11367
JUN 24	0- 5		5-14	6271		2090
JUL 22	0- 5		5-14	20069		5923
AUG 19	0- 5		5-14	1881		783
SEP 16	0- 7		7-14	1343		1567
OCT 14	0- 8		8-14	783		3658
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			5935		
MAY 29	0- 5		5-14	18815		4703
JUN 12	0- 5		5-13	5958		2351
JUN 26	0- 5		5-12	3449		895
JUL 10	0- 5		5-12	1254		671
JUL 24	0- 7		7-14	223		2463
AUG 7	0- 6		6-12	0		522
AUG 21	0- 6		6- 9	261		522
SEP 4	0- 6		6- 9	783		522
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			979		
OCT 16	0- 9			1219		
OCT 30	0-12			391		
NOV 8	0-14			783		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	10975		11445
JUN 11	0- 4		4-15	13719		4703
JUN 25	0- 4		4-14	2351		4076
JUL 23	0- 5		5-13	627		2351
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	313		156
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			348		
OCT 15	0-12			0		
OCT 29	0-15			209		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			1045		
JUN 23	0- 2.5			2613		
JUL 7	0- 2			0		
JUL 21	0- 2			989		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			989		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Calanoids C1

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			10191		
MAY 29	0- 5		5-10	28222		27595
JUN 12	0- 5		5-10	26341		5644
JUN 26	0- 5		5-10	4390		6271
JUL 10	0- 5		5-10	1254		627
JUL 24	0- 5		6-10	0		5271
AUG 7	0- 6		6- 9	0		2090
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		1045
SEP 18	0- 7		7- 8	1045		6271
OCT 2	0- 8			979		
OCT 16	0-10			156		
OCT 30	0-10			940		
1974						
MAY 14	0-10			0		
MAY 29	0- 4		4-11	5487		7615
JUN 11	0- 4		4-10	9015		2874
JUN 25	0- 4		4-10	391		1567
JUL 23	0- 4		4-10	391		9146
AUG 6	0- 5		5-10	0		6271
AUG 17	0- 5		5-10	1254		4076
SEP 3	0- 7		7-11	895		3135
SEP 17	0- 7		7- 9	447		783
OCT 1	0- 9			1045		
OCT 15	0-11			427		
OCT 29	0-11			712		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			3658		
JUN 23	0- 2.5			3397		
JUL 7	0- 2			5439		
JUL 21	0- 2			494		
AUG 4	0- 2			1978		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			989		
OCT 13	0- 2			494		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Calanoids C1

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			659		
JUL 5	0- 2			659		
AUG 2	0- 2			0		
AUG 30	0- 2			219		
SEP 27	0- 2			879		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	24898	0	169
JUN 1	0- 3	3- 5	5-13	6790	0	1697
JUN 15	0- 3.7	3.75- 6	6-13	452	0	0
JUN 29	0- 3.5	3.5- 6	6-13	485	0	242
JUL 13	0- 3.2	3.25- 6.5	6.5-13	1567	0	261
JUL 27	0- 3	3- 7	7-12	3395	0	0
AUG 24	0- 5	5- 6.5	6.5-13	339	0	522
OCT 5	0- 6	6- 9	9-12	1131	0	0
OCT 19	0- 9		9-12	188		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	5738	382	382
JUN 21	0- 3	3- 5.75	5.75-13	0	0	0
JUL 5	0- 2	2- 6	6-12	1147	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	382	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			42		

LAKE 226SW

Calanoids C1

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			2417		
JUL 5	0- 2			659		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	2469
MAY 18	0- 1.5	1.5- 3	3-11.5	22634	0	0
JUN 1	0- 3	3- 5	5-11	2263	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	1358	0	754
JUN 29	0- 3.5	3.5- 6	6-10	2910	0	0
JUL 13	0- 3	3- 6	6-10	1697	0	0
JUL 27	0- 3	3- 7	7-10	2263	0	0
AUG 24	0- 4.5	4.5- 7	7-10	377	0	1131
SEP 21	0-10			159		
OCT 5	0- 6		6-11	282		308
OCT 19	0-10			0		
1978						
MAY 10	0-11			1251		
JUN 7	0- 3	3- 6	6- 9	755	382	382
JUL 5	0- 2	2- 6	6- 9.5	0	0	327
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	655
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	255	0	0
OCT 24	0-10			0		

Calanoids C2

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	5644		13937
JUL 22	0- 5		5-14	313		12891
AUG 19	0- 5		5-14	1567		3919
SEP 15	0- 7		7-14	0		1343
OCT 14	0- 8		8-14	195		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			111		
MAY 29	0- 5		5-14	11916		3310
JUN 12	0- 5		5-13	10034		5879
JUN 26	0- 5		5-12	4703		2239
JUL 10	0- 5		5-12	1254		4479
JUL 24	0- 7		7-14	1119		6047
AUG 7	0- 6		6-12	261		1306
AUG 21	0- 6		6- 9	0		522
SEP 4	0- 6		6- 9	0		522
SEP 18	0- 7		7- 8	671		0
OCT 2	0- 8			195		
OCT 16	0- 9			348		
OCT 30	0-12			261		
NOV 8	0-14			1679		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	1567		783
JUN 11	0- 4		4-15	10975		4133
JUN 25	0- 4		4-14	391		4703
JUL 23	0- 5		5-13	627		3331
AUG 6	0- 5		5-10	0		627
AUG 17	0- 5		5-15	0		470
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			130		
OCT 29	0-15			104		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			2090		
JUN 23	0- 2.5			1306		
JUL 7	0- 2			0		
JUL 21	0- 2			1978		
AUG 4	0- 2			1483		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Calanoids C2

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			313		
MAY 29	0- 5		5-10	18815		29477
JUN 12	0- 5		5-10	10662		13170
JUN 26	0- 5		5-10	1254		12543
JUL 10	0- 5		5-10	1254		4390
JUL 24	0- 6		6-10	522		23519
AUG 7	0- 6		6- 9	522		1045
AUG 21	0- 5		6- 9	0		2090
SEP 4	0- 6		6- 9	0		2090
SEP 18	0- 7		7- 8	522		0
OCT 2	0- 8			391		
OCT 16	0-10			313		
OCT 30	0-10			627		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	1175		447
JUN 11	0- 4		4-10	6663		2613
JUN 25	0- 4		4-10	0		3397
JUL 23	0- 4		4-10	0		3919
AUG 6	0- 5		5-10	0		7212
AUG 17	0- 5		5-10	0		6585
SEP 3	0- 7		7-11	223		11367
SEP 17	0- 7		7- 9	223		0
OCT 1	0- 9			0		
OCT 15	0-11			855		
OCT 29	0-11			855		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			1567		
JUN 23	0- 2.5			1045		
JUL 7	0- 2			4945		
JUL 21	0- 2			0		
AUG 4	0- 2			939		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			494		
OCT 13	0- 2			1493		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Calanoids C2

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			439		
JUL 5	0- 2			659		
AUG 2	0- 2			219		
AUG 30	0- 2			439		
SEP 27	0- 2			1318		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	23756	0	0
JUN 1	0- 3	3- 5	5-13	5092	2546	0
JUN 15	0- 3.7	3.75- 6	6-13	905	2263	0
JUN 29	0- 3.5	3.5- 6	6-13	0	0	435
JUL 13	0- 3.2	3.25- 6.5	6.5-13	0	0	261
JUL 27	0- 3	3- 7	7-12	1697	0	1018
AUG 24	0- 5	5- 6.5	6.5-13	579	0	261
OCT 5	0- 6	6- 9	9-12	565	0	0
OCT 19	0- 9		9-12	188		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	4590	1530	0
JUN 21	0- 3	3- 5.75	5.75-13	382	417	158
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	382	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

Calanoids C2

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			2637		
JUL 5	0- 2			659		
AUG 2	0- 2			0		
AUG 30	0- 2			219		
SEP 27	0- 2			219		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 19	0- 1.5	1.5- 3	3-11.5	1131	5658	0
JUN 1	0- 3	3- 5	5-11	2263	3395	0
JUN 15	0- 3.7	3.75- 6	6-10.5	452	754	377
JUN 29	0- 3.5	3.5- 6	6-10	970	0	2122
JUL 13	0- 3	3- 6	6-10	1131	0	848
JUL 27	0- 3	3- 7	7-10	565	2970	0
AUG 24	0- 4.5	4.5- 7	7-10	377	579	0
SEP 21	0-10			339		
OCT 5	0- 5		6-11	282		309
OCT 19	0-10			339		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 5	6- 9	4208	4590	0
JUL 5	0- 2	2- 6	6- 9.5	573	286	327
JUL 26	0- 3	3- 5	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	306	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	0	291	0
OCT 24	0-10			0		

Calanoids C3

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		391
JUN 24	0- 5		5-14	7526		10975
JUL 22	0- 5		5-14	627		13937
AUG 19	0- 5		5-14	940		4703
SEP 16	0- 7		7-14	223		2239
OCT 14	0- 8		8-14	783		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			111		
MAY 29	0- 5		5-14	6898		1219
JUN 12	0- 5		5-13	5644		9623
JUN 26	0- 5		5-12	3763		4927
JUL 10	0- 5		5-12	627		6271
JUL 24	0- 7		7-14	1567		6495
AUG 7	0- 6		6-12	0		2613
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	895		3135
OCT 2	0- 8			195		
OCT 16	0- 9			174		
OCT 30	0-12			130		
NOV 8	0-14			223		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	17247		4276
JUN 25	0- 4		4-14	1959		3919
JUL 23	0- 5		5-13	0		9211
AUG 6	0- 5		5-10	0		5017
AUG 17	0- 5		5-15	940		940
SEP 3	0- 7		7-14	447		223
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			871		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			1045		
JUN 23	0- 2.5			261		
JUL 7	0- 2			0		
JUL 21	0- 2			494		
AUG 4	0- 2			494		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Calanoids C3

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			313		
MAY 29	0- 5		5-10	3135		10034
JUN 12	0- 5		5-10	9407		13170
JUN 26	0- 5		5-10	1881		14425
JUL 10	0- 5		5-10	1881		5544
JUL 24	0- 6		6-10	1045		32926
AUG 7	0- 6		6- 9	0		7317
AUG 21	0- 6		6- 9	0		1045
SEP 4	0- 6		6- 9	0		9407
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			470		
OCT 30	0-10			940		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	391		447
JUN 11	0- 4		4-10	4703		783
JUN 25	0- 4		4-10	1175		3135
JUL 23	0- 4		4-10	0		5226
AUG 6	0- 5		5-10	313		1567
AUG 17	0- 5		5-10	0		3763
SEP 3	0- 7		7-11	447		10975
SEP 17	0- 7		7- 9	1343		1567
OCT 1	0- 9			174		
OCT 15	0-11			427		
OCT 29	0-11			2423		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			2090		
JUN 23	0- 2.5			1045		
JUL 7	0- 2			1493		
JUL 21	0- 2			494		
AUG 4	0- 2			1979		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			494		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Calanoids C3

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			1753		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			219		
SEP 27	0- 2			2537		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	2263	2263	0
JUN 1	0- 3	3- 5	5-13	1131	13580	10185
JUN 15	0- 3.7	3.75- 6	6-13	3168	14335	4365
JUN 29	0- 3.5	3.5- 6	6-13	0	1358	1212
JUL 13	0- 3.2	3.25- 6.5	6.5-13	1567	0	522
JUL 27	0- 3	3- 7	7-12	565	1273	339
AUG 24	0- 5	5- 6.5	6.5-13	0	4526	0
OCT 5	0- 6	6- 9	9-12	0	565	0
OCT 19	0- 9		9-12	188		141
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	5355	6885	191
JUN 21	0- 3	3- 5.75	5.75-13	0	14189	316
JUL 5	0- 2	2- 6	6-12	573	3729	573
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	4262	1530
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	185	0	0
OCT 24	0-12			0		

Calanoids C3

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			3956		
JUL 5	0- 2			439		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	4526	5658	0
JUN 1	0- 3	3- 5	5-11	1697	848	1697
JUN 15	0- 3.7	3.75- 6	6-10.5	905	1508	754
JUN 29	0- 3.5	3.5- 6	6-10	1455	0	848
JUL 13	0- 3	3- 6	6-10	565	0	1697
JUL 27	0- 3	3- 7	7-10	1131	5092	0
AUG 24	0- 4.5	4.5- 7	7-10	0	579	0
SEP 21	0-10			509		
OCT 5	0- 6		6-11	565		0
OCT 19	0-10			339		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	3825	4590	765
JUL 5	0- 2	2- 6	6- 9.5	573	3442	6558
JUL 26	0- 3	3- 6	6-11	382	382	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	0	0	0
OCT 24	0-10			102		

Calanoids C4

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	3135		3135
JUL 22	0- 5		5-14	940		4006
AUG 19	0- 5		5-14	1567		2351
SEP 16	0- 7		7-14	223		895
OCT 14	0- 8		8-14	1175		522
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	3763		174
JUN 12	0- 5		5-13	627		1763
JUN 26	0- 5		5-12	627		5599
JUL 10	0- 5		5-12	6271		671
JUL 24	0- 7		7-14	895		16351
AUG 7	0- 6		6-12	261		10714
AUG 21	0- 6		6- 9	0		1567
SEP 4	0- 6		6- 9	522		522
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			195		
OCT 16	0- 9			522		
OCT 30	0-12			130		
NOV 8	0-14			335		
1974						
MAY 14	0-14			0		
MAY 29	0- 4		4-14	0		0
JUN 11	0- 4		4-15	10583		1425
JUN 25	0- 4		4-14	1567		783
JUL 23	0- 5		5-13	0		12543
AUG 6	0- 5		5-10	0		10034
AUG 17	0- 5		5-15	313		6114
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		522
OCT 1	0- 9			174		
OCT 15	0-12			0		
OCT 29	0-15			104		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			522		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			989		
AUG 4	0- 2			494		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Calanoids C4

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			156		
MAY 29	0- 5		5-10	1891		2509
JUN 12	0- 5		5-10	2503		1254
JUN 26	0- 5		5-10	1881		6271
JUL 10	0- 5		5-10	3135		3763
JUL 24	0- 5		6-10	522		39982
AUG 7	0- 6		6- 9	522		12543
AUG 21	0- 6		6- 9	0		3135
SEP 4	0- 6		6- 9	0		5226
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			313		
OCT 30	0-10			470		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	3135		261
JUN 25	0- 4		4-10	1959		1567
JUL 23	0- 4		4-10	391		522
AUG 6	0- 5		5-10	0		627
AUG 17	0- 5		5-10	0		2508
SEP 3	0- 7		7-11	1343		12543
SEP 17	0- 7		7- 9	671		1567
OCT 1	0- 9			174		
OCT 15	0-11			427		
OCT 29	0-11			2138		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			1045		
JUN 23	0- 2.5			733		
JUL 7	0- 2			494		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			494		
NOV 10	0- 2			494		

Calanoids C4

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			1533		
JUL 5	0- 2			0		
AUG 2	0- 2			219		
AUG 30	0- 2			659		
SEP 27	0- 2			1098		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	1131	0	509
JUN 1	0- 3	3- 5	5-13	0	1697	1273
JUN 15	0- 3.7	3.75- 6	6-13	8601	11317	16976
JUN 29	0- 3.5	3.5- 6	6-13	9700	8148	11398
JUL 13	0- 3.2	3.25- 6.5	6.5-13	1044	37608	1567
JUL 27	0- 3	3- 7	7-12	565	27161	0
AUG 24	0- 5	5- 6.5	6.5-13	339	3395	0
OCT 5	0- 6	6- 9	9-12	1414	4526	0
OCT 19	0- 9		9-12	754		707
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	1147	2295	0
JUN 21	0- 3	3- 5.75	5.75-13	1147	8346	0
JUL 5	0- 2	2- 6	6-12	0	20657	765
JUL 26	0- 3	3- 6.5	6.5- 9.5	382	11804	4973
AUG 16	0- 2.7	2.75- 7	7-12	0	540	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

Calanoids C4

LAKE 226SW

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			1318		
JUL 5	0- 2			219		
AUG 2	0- 2			0		
AUG 30	0- 2			219		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	2263	1131	0
JUN 1	0- 3	3- 5	5-11	565	1597	0
JUN 15	0- 3.7	3.75- 6	6-10.5	2263	0	0
JUN 29	0- 3.5	3.5- 6	6-10	970	0	2546
JUL 13	0- 3	3- 6	6-10	565	1131	424
JUL 27	0- 3	3- 7	7-10	565	2970	565
AUG 24	0- 4.5	4.5- 7	7-10	754	679	0
SEP 21	0-10			339		
OCT 5	0- 6		6-11	1131		462
OCT 19	0-10			679		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	1147	0	0
JUL 5	0- 2	2- 6	6- 9.5	0	2295	3279
JUL 26	0- 3	3- 6	6-11	0	9181	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	327	13771	7869
SEP 8	0- 3.5	3.5- 7	7-10	0	5246	1530
SEP 27	0- 6	6- 7.75	7.75-10	170	874	0
OCT 24	0-10			102		

Calanoids C5

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	313		0
JUN 24	0- 5		5-14	2508		1567
JUL 22	0- 5		5-14	940		4006
AUG 19	0- 5		5-14	940		1175
SEP 16	0- 7		7-14	0		1119
OCT 14	0- 8		8-14	979		1829
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	1567		0
JUN 12	0- 5		5-13	940		587
JUN 26	0- 5		5-12	627		671
JUL 10	0- 5		5-12	0		895
JUL 24	0- 7		7-14	671		4927
AUG 7	0- 6		6-12	0		6271
AUG 21	0- 6		6- 9	0		1567
SEP 4	0- 6		6- 9	0		522
SEP 18	0- 7		7- 8	0		1567
OCT 2	0- 8			0		
OCT 16	0- 9			174		
OCT 30	0-12			261		
NOV 8	0-14			895		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	4703		1425
JUN 25	0- 4		4-14	1175		1254
JUL 23	0- 5		5-13	0		4311
AUG 6	0- 5		5-10	0		9094
AUG 17	0- 5		5-15	0		2195
SEP 3	0- 7		7-14	447		895
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			348		
OCT 15	0-12			0		
OCT 29	0-15			209		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			783		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			989		
AUG 4	0- 2			494		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Calanoids C5

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			156		
MAY 29	0- 5		5-10	1254		527
JUN 12	0- 5		5-10	1881		1254
JUN 25	0- 5		5-10	0		4390
JUL 10	0- 5		5-10	1254		1254
JUL 24	0- 6		6-10	0		8623
AUG 7	0- 6		6- 9	522		4181
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		5226
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			195		
OCT 16	0-10			783		
OCT 30	0-10			313		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	2743		1306
JUN 25	0- 4		4-10	391		1829
JUL 23	0- 4		4-10	0		1045
AUG 6	0- 5		5-10	0		627
AUG 17	0- 5		5-10	0		1254
SEP 3	0- 7		7-11	671		3527
SEP 17	0- 7		7- 9	447		1567
OCT 1	0- 9			522		
OCT 15	0-11			285		
OCT 29	0-11			3563		
1975						
MAY 12	0- 2			195		
JUN 9	0- 2.5			2351		
JUN 23	0- 2.5			251		
JUL 7	0- 2			989		
JUL 21	0- 2			494		
AUG 4	0- 2			1483		
AUG 18	0- 2			0		
SEP 1	0- 2			494		
SEP 15	0- 2			1483		
SEP 29	0- 2			0		
OCT 13	0- 2			1483		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Calanoids C5

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			219		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			439		
SEP 27	0- 2			439		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 19	0- 1.5	1.5- 3	3-13	1131	2263	0
JUN 1	0- 3	3- 5	5-13	565	0	424
JUN 15	0- 3.7	3.75- 6	6-13	3168	4526	0
JUN 29	0- 3.5	3.5- 6	6-13	2910	4074	485
JUL 13	0- 3.2	3.25- 6.5	6.5-13	522	8357	2611
JUL 27	0- 3	3- 7	7-12	0	30555	0
AUG 24	0- 5	5- 6.5	6.5-13	2376	23765	0
OCT 5	0- 6	6- 9	9-12	3395	5658	0
OCT 19	0- 9		9-12	4904		4385
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	1147	382	0
JUN 21	0- 3	3- 5.75	5.75-13	382	417	158
JUL 5	0- 2	2- 6	6-12	573	2295	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	1311	0
AUG 16	0- 2.7	2.75- 7	7-12	417	270	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

Calanoids C5

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			1759		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			439		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	1131	0
JUN 1	0- 3	3- 5	5-11	2263	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	905	0	0
JUN 29	0- 3.5	3.5- 6	6-10	2425	0	424
JUL 13	0- 3	3- 6	6-10	565	0	848
JUL 27	0- 3	3- 7	7-10	0	1597	565
AUG 24	0- 4.5	4.5- 7	7-10	377	579	565
SEP 21	0-10			159		
OCT 5	0- 6		6-11	1414		1697
OCT 19	0-10			3055		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	1530	0	0
JUL 5	0- 2	2- 6	6- 9.5	0	0	655
JUL 26	0- 3	3- 6	6-11	0	2677	459
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	1530	655
SEP 8	0- 3.5	3.5- 7	7-10	0	10492	6885
SEP 27	0- 6	6- 7.75	7.75-10	510	5246	226
OCT 24	0-10			204		

Cyclops bicuspidatus thomasi

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		522
JUL 22	0- 5		5-14	627		522
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	313		0
JUN 12	0- 5		5-13	0		391
JUN 26	0- 5		5-12	0		447
JUL 10	0- 5		5-12	0		223
JUL 24	0- 7		7-14	0		1119
AUG 7	0- 6		6-12	0		261
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			348		
OCT 30	0-12			130		
NOV 8	0-14			223		
1974						
MAY 14	0-14			335		
MAY 28	0- 4		4-14	391		0
JUN 11	0- 4		4-15	0		570
JUN 25	0- 4		4-14	0		313
JUL 23	0- 5		5-13	313		793
AUG 6	0- 5		5-10	0		313
AUG 17	0- 5		5-15	0		156
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			313		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Cyclops bicuspidatus thomasi

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	313		0
JUL 10	0- 5		5-10	313		0
JUL 24	0- 6		6-10	0		1175
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		522
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			156		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		783
JUL 23	0- 4		4-10	0		261
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			142		
OCT 29	0-11			142		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			494		

Cyclops bicuspidatus thomasi **LAKE 226NE**

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	2263	1131
MAY 18	0- 1.5	1.5- 3	3-13	0	1131	339
JUN 1	0- 3	3- 5	5-13	0	0	635
JUN 15	0- 3.7	3.75- 6	6-13	0	754	0
JUN 29	0- 3.5	3.5- 6	6-13	0	0	485
JUL 13	0- 3.2	3.25- 6.5	6.5-13	0	0	261
JUL 27	0- 3	3- 7	7-12	0	424	0
AUG 24	0- 5	5- 6.5	6.5-13	0	0	0
OCT 5	0- 6	6- 9	9-12	0	1131	0
OCT 19	0- 9		9-12	198		565
OCT 31	0-14			495		
1978						
MAY 10	0-14			901		
JUN 7	0- 3	3- 6	6-12	382	765	0
JUN 21	0- 3	3- 5.75	5.75-13	0	0	0
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

Cyclops bicuspidatus thomasi **LAKE 226SW**

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	308
MAY 18	0- 1.5	1.5- 3	3-11.5	1131	1131	2995
JUN 1	0- 3	3- 5	5-11	0	0	1131
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	1886
JUN 29	0- 3.5	3.5- 5	5-10	0	0	2122
JUL 13	0- 3	3- 5	5-10	0	0	424
JUL 27	0- 3	3- 7	7-10	0	0	565
AUG 24	0- 4.5	4.5- 7	7-10	0	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			159		
1978						
MAY 10	0-11			208		
JUN 7	0- 3	3- 6	6- 9	0	0	0
JUL 5	0- 2	2- 5	5- 9.5	0	0	0
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 9	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 5	5- 7.75	7.75-10	0	0	0
OCT 24	0-10			102		

Orthocyclops modestus

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	0		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		3135
AUG 17	0- 5		5-15	0		940
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Orthocyclops modestus

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	0		0
JUL 10	0- 5		5-10	0		0
JUL 24	0- 5		6-10	0		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Orthocyclops modestus

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	0	0
JUN 1	0- 3	3- 5	5-13	0	0	0
JUN 15	0- 3.7	3.75- 6	6-13	0	0	0
JUN 29	0- 3.5	3.5- 6	6-13	0	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	0	0	0
JUL 27	0- 3	3- 7	7-12	0	0	0
AUG 24	0- 5	5- 6.5	6.5-13	0	0	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			81		
JUN 7	0- 3	3- 6	6-12	0	0	0
JUN 21	0- 3	3- 5.75	5.75-13	0	0	0
JUL 5	0- 2	2- 6	6-12	0	573	0
JUL 25	0- 3	3- 6.5	6.5- 9.5	0	2295	6503
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	9-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

Orthocyclops modestus

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	0	0	424
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	0	0
SEP 21	0-10			169		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			339		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	0	1530
JUL 5	0- 2	2- 6	6- 9.5	0	0	655
JUL 26	0- 3	3- 6	6-11	0	382	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	1224	5246
SEP 8	0- 3.5	3.5- 7	7-10	0	327	1147
SEP 27	0- 6	6- 7.75	7.75-10	0	582	0
OCT 24	0-10			0		

Mesocyclops edax

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	627		0
JUL 22	0- 5		5-14	1881		1393
AUG 19	0- 5		5-14	0		391
SEP 16	0- 7		7-14	223		671
OCT 14	0- 8		8-14	0		261
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		174
JUN 12	0- 5		5-13	0		195
JUN 26	0- 5		5-12	3763		447
JUL 10	0- 5		5-12	313		895
JUL 24	0- 7		7-14	447		447
AUG 7	0- 6		6-12	0		261
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	783		313
JUN 11	0- 4		4-15	0		142
JUN 25	0- 4		4-14	783		940
JUL 23	0- 5		5-13	313		783
AUG 6	0- 5		5-10	0		627
AUG 17	0- 5		5-15	0		940
SEP 3	0- 7		7-14	0		223
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			261		
JUL 7	0- 2			0		
JUL 21	0- 2			494		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Mesocyclops edax

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	313		3763
JUL 10	0- 5		5-10	0		940
JUL 24	0- 5		6-10	522		5487
AUG 7	0- 6		5- 9	0		2090
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		223
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	391		0
JUL 23	0- 4		4-10	0		261
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		313
SEP 3	0- 7		7-11	0		783
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			261		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Mesocyclops edax

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	1131	1697	0
MAY 18	0- 1.5	1.5- 3	3-13	0	0	0
JUN 1	0- 3	3- 5	5-13	565	1697	0
JUN 15	0- 3.7	3.75- 6	6-13	905	0	0
JUN 29	0- 3.5	3.5- 6	6-13	3880	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	3134	3134	0
JUL 27	0- 3	3- 7	7-12	0	4244	0
AUG 24	0- 5	5- 6.5	6.5-13	339	3395	783
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	765	0
JUN 21	0- 3	3- 5.75	5.75-13	765	3755	0
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	382	1311	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

Mesocyclops edax

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			219		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	1131	0
JUN 1	0- 3	3- 5	5-11	565	848	282
JUN 15	0- 3.7	3.75- 6	6-10.5	1358	0	754
JUN 29	0- 3.5	3.5- 6	6-10	970	0	1697
JUL 13	0- 3	3- 6	6-10	565	565	0
JUL 27	0- 3	3- 7	7-10	0	0	1131
AUG 24	0- 4.5	4.5- 7	7-10	377	0	2263
SEP 21	0-10			339		
OCT 5	0- 6		6-11	0		154
OCT 19	0-10			169		
1978						
MAY 10	0-11			208		
JUN 7	0- 3	3- 6	6- 9	0	0	0
JUL 5	0- 2	2- 6	6- 9.5	0	0	0
JUL 26	0- 3	3- 6	6-11	0	765	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	1224	655
SEP 8	0- 3.5	3.5- 7	7-10	0	327	382
SEP 27	0- 6	6- 7.75	7.75-10	85	0	0
OCT 24	0-10			0		

LAKE 226NE

Tropocyclops prasinus mexicanus

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	627		783
JUN 24	0- 5		5-14	313		0
JUL 22	0- 5		5-14	627		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		223
OCT 14	0- 8		8-14	195		783
1973						
MAY 1	0- 7		7-13	447		0
MAY 14	0-14			223		
MAY 29	0- 5		5-14	0		174
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	1254		0
JUL 10	0- 5		5-12	627		223
JUL 24	0- 7		7-14	447		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	261		522
SEP 4	0- 6		6- 9	0		2090
SEP 18	0- 7		7- 9	223		1567
OCT 2	0- 8			391		
OCT 16	0- 9			696		
OCT 30	0-12			391		
NOV 8	0-14			335		
1974						
MAY 14	0-14			1007		
MAY 28	0- 4		4-14	391		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	1175		156
JUL 23	0- 5		5-13	627		783
AUG 6	0- 5		5-10	627		313
AUG 17	0- 5		5-15	0		940
SEP 3	0- 7		7-14	1791		1119
SEP 17	0- 7		7-10	671		2090
OCT 1	0- 9			1219		
OCT 15	0-12			1175		
OCT 29	0-15			418		
1975						
MAY 12	0- 2			391		
JUN 9	0- 2.5			1567		
JUN 23	0- 2.5			1306		
JUL 7	0- 2			2472		
JUL 21	0- 2			1483		
AUG 4	0- 2			1978		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			494		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Tropocyclops prasinus mexicanus

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			627		
MAY 29	0- 5		5-10	0		627
JUN 12	0- 5		5-10	627		627
JUN 26	0- 5		5-10	0		0
JUL 10	0- 5		5-10	1881		0
JUL 24	0- 6		6-10	2090		0
AUG 7	0- 6		5- 9	522		0
AUG 21	0- 6		6- 9	0		2090
SEP 4	0- 6		6- 9	522		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			1763		
OCT 16	0-10			627		
OCT 30	0-10			313		
1974						
MAY 14	0-10			470		
MAY 28	0- 4		4-11	0		447
JUN 11	0- 4		4-10	391		0
JUN 25	0- 4		4-10	2743		0
JUL 23	0- 4		4-10	391		0
AUG 6	0- 5		5-10	627		0
AUG 17	0- 5		5-10	313		1254
SEP 3	0- 7		7-11	223		2743
SEP 17	0- 7		7- 9	223		0
OCT 1	0- 9			696		
OCT 15	0-11			855		
OCT 29	0-11			855		
1975						
MAY 12	0- 2			391		
JUN 9	0- 2.5			2374		
JUN 23	0- 2.5			2874		
JUL 7	0- 2			2472		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			494		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			1483		
NOV 10	0- 2			0		

Tropocyclops prasinus mexicanus **LAKE 226NE**

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			659		
JUL 5	0- 2			1098		
AUG 2	0- 2			0		
AUG 30	0- 2			439		
SEP 27	0- 2			1098		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	4526	0	0
MAY 18	0- 1.5	1.5- 3	3-13	5790	0	0
JUN 1	0- 3	3- 5	5-13	1131	0	0
JUN 15	0- 3.7	3.75- 6	6-13	2263	0	242
JUN 29	0- 3.5	3.5- 6	6-13	1455	0	242
JUL 13	0- 3.2	3.25- 6.5	6.5-13	8357	0	0
JUL 27	0- 3	3- 7	7-12	14146	7214	0
AUG 24	0- 5	5- 6.5	6.5-13	4753	3395	0
OCT 5	0- 6	6- 9	9-12	2829	3395	0
OCT 19	0- 9		9-12	5658		2404
OCT 31	0-14			727		
1978						
MAY 10	0-14			81		
JUN 7	0- 3	3- 6	6-12	1147	0	0
JUN 21	0- 3	3- 5.75	5.75-13	1530	0	0
JUL 5	0- 2	2- 6	6-12	2869	573	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	4208	983	765
AUG 16	0- 2.7	2.75- 7	7-12	0	270	0
SEP 8	0- 3	3- 8	8-11	392	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	85
OCT 24	0-12			0		

Tropocyclops prasinus mexicanus **LAKE 226SW**

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			439		
JUL 5	0- 2			879		
AUG 2	0- 2			1098		
AUG 30	0- 2			439		
SEP 27	0- 2			439		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	848	0	308
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	199
JUN 1	0- 3	3- 5	5-11	3961	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	2716	0	0
JUN 29	0- 3.5	3.5- 6	6-10	1940	679	0
JUL 13	0- 3	3- 6	6-10	2263	565	0
JUL 27	0- 3	3- 7	7-10	2263	5093	0
AUG 24	0- 4.5	4.5- 7	7-10	4149	1358	1697
SEP 21	0-10			3225		
OCT 5	0- 6		6-11	5941		1234
OCT 19	0-10			1018		
1978						
MAY 10	0-11			208		
JUN 7	0- 3	3- 6	6- 9	1147	0	0
JUL 5	0- 2	2- 6	6- 9.5	573	573	0
JUL 26	0- 3	3- 6	6-11	382	382	0
AUG 15	0- 3.5	3.5- 7.25	7.25- 9	1639	3060	0
SEP 8	0- 3.5	3.5- 7	7-10	655	3934	1530
SEP 27	0- 6	6- 7.75	7.75-10	1445	2914	226
OCT 24	0-10			51		

Cyclopoids N1

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	12229		6271
JUN 24	0- 5		5-14	7839		348
JUL 22	0- 5		5-14	20383		522
AUG 19	0- 5		5-14	4075		2743
SEP 16	0- 7		7-14	1791		1343
OCT 14	0- 8		9-14	391		0
1973						
MAY 1	0- 7		7-13	14335		14634
MAY 14	0-14			2911		
MAY 29	0- 5		5-14	9407		1393
JUN 12	0- 5		5-13	7839		2939
JUN 26	0- 5		5-12	12229		1343
JUL 10	0- 5		5-12	21324		10079
JUL 24	0- 7		7-14	14559		895
AUG 7	0- 6		6-12	7055		2090
AUG 21	0- 6		6- 9	1306		0
SEP 4	0- 6		6- 9	1306		2090
SEP 18	0- 7		7- 8	2463		1567
OCT 2	0- 8			783		
OCT 16	0- 9			174		
OCT 30	0-12			130		
NOV 8	0-14			1231		
1974						
MAY 14	0-14			4815		
MAY 29	0- 4		4-14	6663		1411
JUN 11	0- 4		4-15	3135		712
JUN 25	0- 4		4-14	13719		313
JUL 23	0- 5		5-13	10975		3331
AUG 6	0- 5		5-10	10034		15993
AUG 17	0- 5		5-15	5017		10662
SEP 3	0- 7		7-14	3807		3807
SEP 17	0- 7		7-10	1343		1567
OCT 1	0- 9			1219		
OCT 15	0-12			522		
OCT 29	0-15			1045		
1975						
MAY 12	0- 2			2351		
JUN 9	0- 2.5			10975		
JUN 23	0- 2.5			17508		
JUL 7	0- 2			9890		
JUL 21	0- 2			4450		
AUG 4	0- 2			13351		
AUG 18	0- 2			0		
SEP 1	0- 2			1483		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Cyclopoids N1

LAKE 226SW

	Sampling Layer (Metres)			# Individuals per M^3		
	Upper	Middle	Lower	Upper	Middle	Lower
1973						
MAY 14	0-10			7996		
MAY 29	0- 5		5-10	6393		2508
JUN 12	0- 5		5-10	6271		1881
JUN 26	0- 5		5-10	23832		13797
JUL 10	0- 5		5-10	50174		17560
JUL 24	0- 6		6-10	35540		8623
AUG 7	0- 6		6- 9	10975		8362
AUG 21	0- 6		6- 9	10975		3135
SEP 4	0- 6		6- 9	5749		2090
SEP 18	0- 7		7- 9	8885		3135
OCT 2	0- 9			587		
OCT 16	0-10			156		
OCT 30	0-10			783		
1974						
MAY 14	0-10			1411		
MAY 28	0- 4		4-11	2351		2239
JUN 11	0- 4		4-10	5487		1567
JUN 25	0- 4		4-10	13327		2874
JUL 23	0- 4		4-10	11759		15156
AUG 6	0- 5		5-10	11602		10662
AUG 17	0- 5		5-10	5331		10662
SEP 3	0- 7		7-11	2463		3135
SEP 17	0- 7		7- 9	1791		1567
OCT 1	0- 9			348		
OCT 15	0-11			285		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			2939		
JUN 9	0- 2.5			6533		
JUN 23	0- 2.5			15724		
JUL 7	0- 2			17302		
JUL 21	0- 2			3461		
AUG 4	0- 2			7417		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			494		

Cyclopoids N1

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			219		
JUN 7	0- 2			979		
JUL 5	0- 2			1978		
AUG 2	0- 2			219		
AUG 30	0- 2			219		
SEP 27	0- 2			439		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	7922	9053	0
MAY 18	0- 1.5	1.5- 3	3-13	31688	0	0
JUN 1	0- 3	3- 5	5-13	1131	848	212
JUN 15	0- 3.7	3.75- 6	6-13	6790	1508	0
JUN 29	0- 3.5	3.5- 6	6-13	4365	0	242
JUL 13	0- 3.2	3.25- 6.5	6.5-13	6268	0	2350
JUL 27	0- 3	3- 7	7-12	10751	5092	0
AUG 24	0- 5	5- 6.5	6.5-13	2716	0	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			1091		
1978						
MAY 10	0-14			901		
JUN 7	0- 3	3- 6	6-12	1912	2295	0
JUN 21	0- 3	3- 5.75	5.75-13	8033	3755	0
JUL 5	0- 2	2- 6	6-12	5164	286	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	3442	1539	765
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 9	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	453	680	0
OCT 24	0-12			170		

Cyclopoids N1

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			1098		
JUL 5	0- 2			659		
AUG 2	0- 2			0		
AUG 30	0- 2			659		
SEP 27	0- 2			219		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	848	0	308
MAY 18	0- 1.5	1.5- 3	3-11.5	3395	0	2995
JUN 1	0- 3	3- 5	5-11	1131	5092	565
JUN 15	0- 3.7	3.75- 6	6-10.5	2263	3017	0
JUN 29	0- 3.5	3.5- 6	6-10	2910	0	1273
JUL 13	0- 3	3- 6	6-10	1697	0	424
JUL 27	0- 3	3- 7	7-10	1697	2122	0
AUG 24	0- 4.5	4.5- 7	7-10	1508	3395	0
SEP 21	0-10			339		
OCT 5	0- 6		6-11	282		154
OCT 19	0-10			169		
1978						
MAY 10	0-11			834		
JUN 7	0- 3	3- 6	6- 9	765	1147	0
JUL 5	0- 2	2- 6	6- 9.5	2869	2008	983
JUL 26	0- 3	3- 6	6-11	0	382	0
AUG 15	0- 3.5	3.5- 7.25	7.25- 9	4590	3979	5902
SEP 8	0- 3.5	3.5- 7	7-10	0	327	382
SEP 27	0- 6	6- 7.75	7.75-10	170	582	0
OCT 24	0-10			0		

Cyclopoids N2

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	10348		7055
JUN 24	0- 5		5-14	4076		2737
JUL 22	0- 5		5-14	8790		348
AUG 19	0- 5		5-14	2195		3135
SEP 16	0- 7		7-14	671		0
OCT 14	0- 8		8-14	195		0
1973						
MAY 1	0- 7		7-13	13439		14895
MAY 14	0-14			6719		
MAY 29	0- 5		5-14	6271		1219
JUN 12	0- 5		5-13	3763		979
JUN 26	0- 5		5-12	7839		223
JUL 10	0- 5		5-12	4703		2239
JUL 24	0- 7		7-14	15455		895
AUG 7	0- 6		6-12	3135		783
AUG 21	0- 6		6- 9	522		0
SEP 4	0- 6		6- 9	1306		2090
SEP 18	0- 7		7- 8	1567		0
OCT 2	0- 8			1175		
OCT 16	0- 9			174		
OCT 30	0-12			0		
NOV 8	0-14			559		
1974						
MAY 14	0-14			5263		
MAY 28	0- 4		4-14	5879		156
JUN 11	0- 4		4-15	1567		427
JUN 25	0- 4		4-14	4703		313
JUL 23	0- 5		5-13	5644		5095
AUG 6	0- 5		5-10	5331		6585
AUG 17	0- 5		5-15	940		14738
SEP 3	0- 7		7-14	895		4703
SEP 17	0- 7		7-10	1119		522
OCT 1	0- 9			696		
OCT 15	0-12			653		
OCT 29	0-15			313		
1975						
MAY 12	0- 2			587		
JUN 9	0- 2.5			4442		
JUN 23	0- 2.5			9407		
JUL 7	0- 2			3956		
JUL 21	0- 2			5934		
AUG 4	0- 2			13351		
AUG 18	0- 2			0		
SEP 1	0- 2			1483		
SEP 15	0- 2			494		
SEP 29	0- 2			494		
OCT 13	0- 2			0		
OCT 27	0- 2			494		
NOV 10	0- 2			0		

Cyclopoids N2

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			5958		
MAY 29	0- 5		5-10	5017		1881
JUN 12	0- 5		5-10	1881		1254
JUN 26	0- 5		5-10	13797		4390
JUL 10	0- 5		5-10	31358		7526
JUL 24	0- 6		6-10	37630		2351
AUG 7	0- 6		6- 9	4181		16724
AUG 21	0- 6		6- 9	3135		2090
SEP 4	0- 6		6- 9	2090		1045
SEP 18	0- 7		7- 8	3658		12543
OCT 2	0- 8			783		
OCT 16	0-10			313		
OCT 30	0-10			156		
1974						
MAY 14	0-10			1411		
MAY 28	0- 4		4-11	783		671
JUN 11	0- 4		4-10	783		251
JUN 25	0- 4		4-10	6271		1045
JUL 23	0- 4		4-10	8231		9146
AUG 6	0- 5		5-10	4703		12857
AUG 17	0- 5		5-10	3135		5331
SEP 3	0- 7		7-11	447		783
SEP 17	0- 7		7- 9	223		4703
OCT 1	0- 9			174		
OCT 15	0-11			142		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			2939		
JUN 9	0- 2.5			6794		
JUN 23	0- 2.5			8995		
JUL 7	0- 2			13351		
JUL 21	0- 2			989		
AUG 4	0- 2			4945		
AUG 18	0- 2			0		
SEP 1	0- 2			494		
SEP 15	0- 2			494		
SEP 29	0- 2			989		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Cyclopoids N2

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			2417		
JUL 5	0- 2			1538		
AUG 2	0- 2			0		
AUG 30	0- 2			1978		
SEP 27	0- 2			879		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	7922	13580	0
MAY 18	0- 1.5	1.5- 3	3-13	18107	9053	169
JUN 1	0- 3	3- 5	5-13	2829	5092	1061
JUN 15	0- 3.7	3.75- 6	6-13	8148	0	0
JUN 29	0- 3.5	3.5- 6	6-13	6305	0	1455
JUL 13	0- 3.2	3.25- 6.5	6.5-13	5745	0	783
JUL 27	0- 3	3- 7	7-12	19239	0	2375
AUG 24	0- 5	5- 6.5	6.5-13	1697	3395	0
OCT 5	0- 6	6- 9	9-12	0	565	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			3115		
JUN 7	0- 3	3- 6	6-12	3825	1530	382
JUN 21	0- 3	3- 5.75	5.75-13	4973	2503	158
JUL 5	0- 2	2- 6	6-12	6885	2869	382
JUL 26	0- 3	3- 6.5	6.5- 9.5	5738	2623	6120
AUG 16	0- 2.7	2.75- 7	7-12	0	270	229
SEP 8	0- 3	3- 8	8-11	0	459	382
SEP 27	0- 5.5	5.5- 7	7-13	278	1700	85
OCT 24	0-12			212		

Cyclopoids N2

LAKE 226SW

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			1098		
JUL 5	0- 2			2417		
AUG 2	0- 2			1098		
AUG 30	0- 2			219		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	4074	0
MAY 18	0- 1.5	1.5- 3	3-11.5	4526	1131	1198
JUN 1	0- 3	3- 5	5-11	3961	4244	1131
JUN 15	0- 3.7	3.75- 6	6-10.5	5432	3772	0
JUN 29	0- 3.5	3.5- 6	6-10	7760	0	3819
JUL 13	0- 3	3- 5	6-10	1131	2263	0
JUL 27	0- 3	3- 7	7-10	3961	0	2829
AUG 24	0- 4.5	4.5- 7	7-10	3772	2037	565
SEP 21	0-10			509		
OCT 5	0- 6		6-11	282		154
OCT 19	0-10			339		
1978						
MAY 10	0-11			2508		
JUN 7	0- 3	3- 6	6- 9	1912	765	3442
JUL 5	0- 2	2- 6	6- 9.5	6312	5164	5902
JUL 26	0- 3	3- 6	6-11	382	1912	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	4590	7039	17706
SEP 8	0- 3.5	3.5- 7	7-10	0	6230	7651
SEP 27	0- 6	6- 7.75	7.75-10	85	291	0
OCT 24	0-10			51		

LAKE 226NE

Cyclopoids N3

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	5644		6663
JUN 24	0- 5		5-14	2822		1045
JUL 22	0- 5		5-14	3763		522
AUG 19	0- 5		5-14	1881		391
SEP 16	0- 7		7-14	223		0
OCT 14	0- 8		9-14	0		0
1973						
MAY 1	0- 7		7-13	6719		7317
MAY 14	0-14			4815		
MAY 29	0- 5		5-14	1881		1567
JUN 12	0- 5		5-13	2508		1371
JUN 26	0- 5		5-12	3135		671
JUL 10	0- 5		5-12	3135		895
JUL 24	0- 7		7-14	9631		0
AUG 7	0- 6		6-12	1306		1306
AUG 21	0- 6		6- 9	522		1045
SEP 4	0- 6		6- 9	261		1045
SEP 18	0- 7		7- 8	447		1567
OCT 2	0- 8			587		
OCT 16	0- 9			174		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			3359		
MAY 28	0- 4		4-14	5879		313
JUN 11	0- 4		4-15	0		285
JUN 25	0- 4		4-14	1959		0
JUL 23	0- 5		5-13	3763		587
AUG 6	0- 5		5-10	2508		10662
AUG 17	0- 5		5-15	313		9407
SEP 3	0- 7		7-14	895		6719
SEP 17	0- 7		7-10	671		1045
OCT 1	0- 9			174		
OCT 15	0-12			130		
OCT 29	0-15			522		
1975						
MAY 12	0- 2			783		
JUN 9	0- 2.5			1306		
JUN 23	0- 2.5			4442		
JUL 7	0- 2			1978		
JUL 21	0- 2			2967		
AUG 4	0- 2			4945		
AUG 18	0- 2			0		
SEP 1	0- 2			494		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			494		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Cyclopoids N3

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			5487		
MAY 29	0- 5		5-10	2508		1891
JUN 12	0- 5		5-10	627		1254
JUN 26	0- 5		5-10	6271		3135
JUL 10	0- 5		5-10	13170		9407
JUL 24	0- 6		6-10	15679		3919
AUG 7	0- 6		6- 9	5226		9407
AUG 21	0- 6		6- 9	2513		3135
SEP 4	0- 6		6- 9	522		1045
SEP 18	0- 7		7- 8	0		9407
OCT 2	0- 8			587		
OCT 16	0-10			156		
OCT 30	0-10			470		
1974						
MAY 14	0-10			1881		
MAY 28	0- 4		4-11	391		1343
JUN 11	0- 4		4-10	391		0
JUN 25	0- 4		4-10	1959		522
JUL 23	0- 4		4-10	6663		2090
AUG 6	0- 5		5-10	2195		7212
AUG 17	0- 5		5-10	627		1567
SEP 3	0- 7		7-11	895		1175
SEP 17	0- 7		7- 9	447		1567
OCT 1	0- 9			522		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			3135		
JUN 9	0- 2.5			3135		
JUN 23	0- 2.5			2351		
JUL 7	0- 2			7417		
JUL 21	0- 2			1483		
AUG 4	0- 2			1483		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			494		
SEP 29	0- 2			0		
OCT 13	0- 2			494		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Cyclopoids N3

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			659		
JUN 7	0- 2			1758		
JUL 5	0- 2			2417		
AUG 2	0- 2			439		
AUG 30	0- 2			659		
SEP 27	0- 2			1318		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	10185	13580	0
MAY 18	0- 1.5	1.5- 3	3-13	20371	7922	1527
JUN 1	0- 3	3- 5	5-13	3961	7639	2546
JUN 15	0- 3.7	3.75- 6	6-13	5885	2263	1697
JUN 29	0- 3.5	3.5- 6	6-13	5820	0	1212
JUL 13	0- 3.2	3.25- 6.5	6.5-13	4701	0	0
JUL 27	0- 3	3- 7	7-12	14712	0	0
AUG 24	0- 5	5- 6.5	6.5-13	4074	5658	0
OCT 5	0- 6	6- 9	9-12	0	0	565
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			121		
1978						
MAY 10	0-14			6066		
JUN 7	0- 3	3- 6	6-12	4208	3060	382
JUN 21	0- 3	3- 5.75	5.75-13	4973	5007	474
JUL 5	0- 2	2- 6	6-12	6312	6025	191
JUL 26	0- 3	3- 6.5	6.5- 9.5	4973	4262	7651
AUG 16	0- 2.7	2.75- 7	7-12	0	270	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	463	0	0
OCT 24	0-12			255		

Cyclopoids N3

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			1979		
JUL 5	0- 2			4175		
AUG 2	0- 2			659		
AUG 30	0- 2			219		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	4244	4753	0
MAY 18	0- 1.5	1.5- 3	3-11.5	5658	5658	998
JUN 1	0- 3	3- 5	5-11	2829	5941	0
JUN 15	0- 3.7	3.75- 6	6-10.5	8148	8299	0
JUN 29	0- 3.5	3.5- 6	6-10	9700	0	0
JUL 13	0- 3	3- 6	6-10	1131	5790	0
JUL 27	0- 3	3- 7	7-10	6224	0	2829
AUG 24	0- 4.5	4.5- 7	7-10	3395	0	2263
SEP 21	0-10			339		
OCT 5	0- 6		6-11	282		154
OCT 19	0-10			0		
1978						
MAY 10	0-11			7720		
JUN 7	0- 3	3- 6	6- 9	2295	0	1147
JUL 5	0- 2	2- 6	6- 9.5	6885	9755	12132
JUL 26	0- 3	3- 6	6-11	0	4973	229
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	1639	6732	12460
SEP 9	0- 3.5	3.5- 7	7-10	327	13444	11476
SEP 27	0- 6	6- 7.75	7.75-10	0	874	0
OCT 24	0-10			0		

LAKE 226NE

Cyclopoids N4

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	3763		13327
JUN 24	0- 5		5-14	2508		2090
JUL 22	0- 5		5-14	1881		1045
AUG 19	0- 5		5-14	2195		3527
SEP 16	0- 7		7-14	1119		671
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	17695		15724
MAY 14	0-14			9071		
MAY 29	0- 5		5-14	2822		2961
JUN 12	0- 5		5-13	1881		1959
JUN 26	0- 5		5-12	3763		895
JUL 10	0- 5		5-12	6898		3807
JUL 24	0- 7		7-14	14559		1343
AUG 7	0- 6		6-12	3919		3919
AUG 21	0- 6		6- 9	783		2090
SEP 4	0- 6		6- 9	522		2613
SEP 18	0- 7		7- 8	447		1567
OCT 2	0- 8			587		
OCT 16	0- 9			522		
OCT 30	0-12			0		
NOV 8	0-14			223		
1974						
MAY 14	0-14			6719		
MAY 28	0- 4		4-14	5879		627
JUN 11	0- 4		4-15	391		997
JUN 25	0- 4		4-14	4703		156
JUL 23	0- 5		5-13	3135		6663
AUG 6	0- 5		5-10	4390		11915
AUG 17	0- 5		5-15	940		28066
SEP 3	0- 7		7-14	2687		11423
SEP 17	0- 7		7-10	2015		2090
OCT 1	0- 9			696		
OCT 15	0-12			391		
OCT 29	0-15			313		
1975						
MAY 12	0- 2			1959		
JUN 9	0- 2.5			1567		
JUN 23	0- 2.5			6010		
JUL 7	0- 2			3956		
JUL 21	0- 2			4945		
AUG 4	0- 2			11868		
AUG 18	0- 2			0		
SEP 1	0- 2			989		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Cyclopoids N4

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			7839		
MAY 29	0- 5		5-10	3763		2509
JUN 12	0- 5		5-10	1881		1254
JUN 26	0- 5		5-10	7526		2508
JUL 10	0- 5		5-10	23932		17560
JUL 24	0- 6		6-10	28745		3919
AUG 7	0- 6		6- 9	7317		20905
AUG 21	0- 5		6- 9	2613		9407
SEP 4	0- 6		6- 9	2613		0
SEP 18	0- 7		7- 8	1567		0
OCT 2	0- 8			783		
OCT 16	0-10			156		
OCT 30	0-10			783		
1974						
MAY 14	0-10			3763		
MAY 28	0- 4		4-11	1175		1119
JUN 11	0- 4		4-10	783		1045
JUN 25	0- 4		4-10	6271		522
JUL 23	0- 4		4-10	3527		2613
AUG 6	0- 5		5-10	5331		15679
AUG 17	0- 5		5-10	1567		15993
SEP 3	0- 7		7-11	1791		1175
SEP 17	0- 7		7- 9	895		0
OCT 1	0- 9			971		
OCT 15	0-11			142		
OCT 29	0-11			285		
1975						
MAY 12	0- 2			5291		
JUN 9	0- 2.5			2090		
JUN 23	0- 2.5			2513		
JUL 7	0- 2			12957		
JUL 21	0- 2			9395		
AUG 4	0- 2			2472		
AUG 19	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			989		
SEP 29	0- 2			0		
OCT 13	0- 2			989		
OCT 27	0-			0		
NOV 10	0-			0		

Cyclopoids N4

LAKE 226NE

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			1318		
JUL 5	0- 2			2637		
AUG 2	0- 2			219		
AUG 30	0- 2			439		
SEP 27	0- 2			979		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	32820	8488	0
MAY 18	0- 1.5	1.5- 3	3-13	12449	2263	1358
JUN 1	0- 3	3- 5	5-13	3395	1578	1909
JUN 15	0- 3.7	3.75- 6	6-13	7695	0	1697
JUN 29	0- 3.5	3.5- 6	6-13	8730	2716	242
JUL 13	0- 3.2	3.25- 6.5	6.5-13	7835	0	0
JUL 27	0- 3	3- 7	7-12	15410	0	339
AUG 24	0- 5	5- 6.5	6.5-13	5092	0	1044
OCT 5	0- 6	6- 9	9-12	282	0	565
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			6558		
JUN 7	0- 3	3- 6	6-12	1530	3825	382
JUN 21	0- 3	3- 5.75	5.75-13	3442	2085	0
JUL 5	0- 2	2- 6	6-12	6885	7459	1338
JUL 26	0- 3	3- 6.5	6.5- 9.5	5355	3934	3825
AUG 16	0- 2.7	2.75- 7	7-12	0	270	0
SEP 8	0- 3	3- 8	8-11	382	0	0
SEP 27	0- 5.5	5.5- 7	7-13	92	0	0
OCT 24	0-12			212		

Cyclopoids N4

LAKE 226SW

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			559		
JUL 5	0- 2			2857		
AUG 2	0- 2			979		
AUG 30	0- 2			219		
SEP 27	0- 2			219		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	4244	9827	0
MAY 18	0- 1.5	1.5- 3	3-11.5	4526	1131	599
JUN 1	0- 3	3- 5	5-11	1697	0	1131
JUN 15	0- 3.7	3.75- 6	6-10.5	5432	2263	1508
JUN 29	0- 3.5	3.5- 6	6-10	3395	9827	0
JUL 13	0- 3	3- 6	6-10	1697	7922	0
JUL 27	0- 3	3- 7	7-10	565	4663	1131
AUG 24	0- 4.5	4.5- 7	7-10	1508	0	2263
SEP 21	0-10			339		
OCT 5	0- 6		6-11	0		154
OCT 19	0-10			0		
1978						
MAY 10	0-11			6051		
JUN 7	0- 3	3- 6	6- 9	765	2295	2295
JUL 5	0- 2	2- 6	6- 9.5	9755	6885	6885
JUL 26	0- 3	3- 6	6-11	765	4208	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	1311	5508	10492
SEP 8	0- 3.5	3.5- 7	7-10	0	18034	11094
SEP 27	0- 6	6- 7.75	7.75-10	170	2040	453
OCT 24	0-10			153		

Cyclopoids N5

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	15052		11759
JUN 24	0- 5		5-14	1254		2613
JUL 22	0- 5		5-14	1254		0
AUG 19	0- 5		5-14	940		3135
SEP 16	0- 7		7-14	571		571
OCT 14	0- 8		8-14	783		0
1973						
MAY 1	0- 7		7-13	12543		27961
MAY 14	0-14			5253		
MAY 29	0- 5		5-14	940		1045
JUN 12	0- 5		5-13	940		2155
JUN 26	0- 5		5-12	2822		223
JUL 10	0- 5		5-12	2822		4479
JUL 24	0- 7		7-14	7391		1119
AUG 7	0- 6		6-12	3135		5226
AUG 21	0- 6		6- 9	261		2090
SEP 4	0- 6		6- 9	261		2613
SEP 18	0- 7		7- 9	571		0
OCT 2	0- 8			0		
OCT 16	0- 9			174		
OCT 30	0-12			0		
NOV 3	0-14			111		
1974						
MAY 14	0-14			6159		
MAY 28	0- 4		4-14	3527		1411
JUN 11	0- 4		4-15	783		570
JUN 25	0- 4		4-14	783		627
JUL 23	0- 5		5-13	940		5879
AUG 6	0- 5		5-10	1567		9407
AUG 17	0- 5		5-15	627		18658
SEP 3	0- 7		7-14	1119		9855
SEP 17	0- 7		7-10	1791		2613
OCT 1	0- 9			522		
OCT 15	0-12			522		
OCT 29	0-15			522		
1975						
MAY 12	0- 2			4507		
JUN 9	0- 2.5			522		
JUN 23	0- 2.5			2613		
JUL 7	0- 2			1493		
JUL 21	0- 2			4450		
AUG 4	0- 2			2472		
AUG 19	0- 2			0		
SEP 1	0- 2			494		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Cyclopoids N5

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			10818		
MAY 29	0- 5		5-10	1881		0
JUN 12	0- 5		5-10	1254		2508
JUN 26	0- 5		5-10	6898		1881
JUL 10	0- 5		5-10	11916		7526
JUL 24	0- 6		5-10	13066		3135
AUG 7	0- 6		6- 9	10452		14634
AUG 21	0- 6		6- 9	522		8362
SEP 4	0- 6		6- 9	1567		1045
SEP 18	0- 7		7- 9	1045		0
OCT 2	0- 8			979		
OCT 16	0-10			156		
OCT 30	0-10			627		
1974						
MAY 14	0-10			5644		
MAY 28	0- 4		4-11	783		1343
JUN 11	0- 4		4-10	391		261
JUN 25	0- 4		4-10	2351		522
JUL 23	0- 4		4-10	783		2874
AUG 6	0- 5		5-10	2922		11299
AUG 17	0- 5		5-10	313		22578
SEP 3	0- 7		7-11	5159		9799
SEP 17	0- 7		7- 9	671		1567
OCT 1	0- 9			522		
OCT 15	0-11			570		
OCT 29	0-11			285		
1975						
MAY 12	0- 2			1959		
JUN 9	0- 2.5			1306		
JUN 23	0- 2.5			1045		
JUL 7	0- 2			1493		
JUL 21	0- 2			3955		
AUG 4	0- 2			0		
AUG 19	0- 2			0		
SEP 1	0- 2			494		
SEP 15	0- 2			989		
SEP 29	0- 2			989		
OCT 13	0- 2			989		
OCT 27	0- 2			[illegible]		
NOV 10	0- 2			0		

Cyclopoids N5

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			439		
JUN 7	0- 2			659		
JUL 5	0- 2			879		
AUG 2	0- 2			0		
AUG 30	0- 2			219		
SEP 27	0- 2			659		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	15844	15844	226
MAY 18	0- 1.5	1.5- 3	3-13	9053	0	1018
JUN 1	0- 3	3- 5	5-13	7922	4244	4244
JUN 15	0- 3.7	3.75- 6	6-13	4979	3017	1455
JUN 29	0- 3.5	3.5- 6	6-13	9700	4753	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	9924	0	0
JUL 27	0- 3	3- 7	7-12	11883	3395	0
AUG 24	0- 5	5- 6.5	6.5-13	9506	0	261
OCT 5	0- 6	6- 9	9-12	282	0	565
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			5410		
JUN 7	0- 3	3- 6	6-12	1530	5355	573
JUN 21	0- 3	3- 5.75	5.75-13	2677	3338	0
JUL 5	0- 2	2- 6	6-12	5738	9755	956
JUL 26	0- 3	3- 6.5	6.5- 9.5	9946	5574	6503
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	370	680	0
OCT 24	0-12			212		

Cyclopoids N5

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			659		
JUL 5	0- 2			1759		
AUG 2	0- 2			219		
AUG 30	0- 2			219		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	4244	10185	617
MAY 18	0- 1.5	1.5- 3	3-11.5	1131	3395	1398
JUN 1	0- 3	3- 5	5-11	565	2546	3112
JUN 15	0- 3.7	3.75- 6	6-10.5	2263	7544	1131
JUN 29	0- 3.5	3.5- 6	6-10	3980	12901	0
JUL 13	0- 3	3- 6	6-10	1697	7922	424
JUL 27	0- 3	3- 7	7-10	0	5941	4526
AUG 24	0- 4.5	4.5- 7	7-10	754	2037	2829
SEP 21	0-10			679		
OCT 5	0- 6		6-11	848		308
OCT 19	0-10			0		
1978						
MAY 10	0-11			8659		
JUN 7	0- 3	3- 6	6- 9	1530	1912	3825
JUL 5	0- 2	2- 6	6- 9.5	10902	4590	4590
JUL 26	0- 3	3- 6	6-11	765	3442	229
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	2295	6120	5902
SEP 8	0- 3.5	3.5- 7	7-10	0	14427	11476
SEP 27	0- 5	6- 7.75	7.75-10	255	4080	0
OCT 24	0-10			51		

LAKE 226NE

Cyclopoids N6

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	15365		11367
JUN 24	0- 5		5-14	1254		348
JUL 22	0- 5		5-14	940		174
AUG 19	0- 5		5-14	2508		783
SEP 16	0- 7		7-14	223		671
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	16127		15679
MAY 14	0-14			4703		
MAY 29	0- 5		5-14	2508		2264
JUN 12	0- 5		5-13	627		783
JUN 26	0- 5		5-12	1881		447
JUL 10	0- 5		5-12	313		1119
JUL 24	0- 7		7-14	6047		671
AUG 7	0- 6		6-12	2351		2613
AUG 21	0- 6		6- 9	522		2090
SEP 4	0- 6		6- 9	261		0
SEP 18	0- 7		7- 8	223		0
OCT 2	0- 8			391		
OCT 16	0- 9			174		
OCT 30	0-12			0		
NOV 8	0-14			111		
1974						
MAY 14	0-14			3807		
MAY 28	0- 4		4-14	7055		3606
JUN 11	0- 4		4-15	783		427
JUN 25	0- 4		4-14	1567		470
JUL 23	0- 5		5-13	1254		6663
AUG 6	0- 5		5-10	0		13484
AUG 17	0- 5		5-15	1254		17404
SEP 3	0- 7		7-14	1343		4703
SEP 17	0- 7		7-10	2239		2090
OCT 1	0- 9			522		
OCT 15	0-12			914		
OCT 29	0-15			1777		
1975						
MAY 12	0- 2			8035		
JUN 9	0- 2.5			522		
JUN 23	0- 2.5			783		
JUL 7	0- 2			494		
JUL 21	0- 2			1483		
AUG 4	0- 2			2472		
AUG 18	0- 2			0		
SEP 1	0- 2			494		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Cyclopoids N6

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			12700		
MAY 29	0- 5		5-10	627		1254
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	4390		0
JUL 10	0- 5		5-10	12543		10034
JUL 24	0- 6		6-10	20383		1567
AUG 7	0- 6		6- 9	3658		11498
AUG 21	0- 6		6- 9	522		7317
SEP 4	0- 6		6- 9	522		2090
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			195		
OCT 16	0-10			0		
OCT 30	0-10			783		
1974						
MAY 14	0-10			5958		
MAY 29	0- 4		4-11	783		447
JUN 11	0- 4		4-10	733		783
JUN 25	0- 4		4-10	1567		522
JUL 23	0- 4		4-10	1175		1567
AUG 6	0- 5		5-10	627		1254
AUG 17	0- 5		5-10	0		4075
SEP 3	0- 7		7-11	2911		6663
SEP 17	0- 7		7- 9	447		0
OCT 1	0- 9			696		
OCT 15	0-11			570		
OCT 29	0-11			1140		
1975						
MAY 12	0- 2			3919		
JUN 9	0- 2.5			1045		
JUN 23	0- 2.5			2090		
JUL 7	0- 2			1483		
JUL 21	0- 2			5934		
AUG 4	0- 2			1483		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			1483		
OCT 13	0- 2			494		
OCT 27	0- 2			494		
NOV 10	0- 2			0		

Cyclopoids N6

LAKE 226NE

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			219		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			1098		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	4525	17541	0
MAY 18	0- 1.5	1.5- 3	3-13	1131	0	848
JUN 1	0- 3	3- 5	5-13	2829	5941	1273
JUN 15	0- 3.7	3.75- 6	6-13	1353	6790	0
JUN 29	0- 3.5	3.5- 6	6-13	3395	1358	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	5223	0	0
JUL 27	0- 3	3- 7	7-12	12449	4244	0
AUG 24	0- 5	5- 6.5	6.5-13	6111	7922	0
OCT 5	0- 5	6- 9	9-12	848	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			1967		
JUN 7	0- 3	3- 6	6-12	3442	3825	382
JUN 21	0- 3	3- 5.75	5.75-13	1530	4173	158
JUL 5	0- 2	2- 6	6-12	4016	6025	573
JUL 26	0- 3	3- 6.5	6.5- 9.5	10328	6558	4208
AUG 16	0- 2.7	2.75- 7	7-12	0	270	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	92	0	0
OCT 24	0-12			212		

Cyclopoids N6

LAKE 226SW

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			219		
JUN 7	0- 2			0		
JUL 5	0- 2			1318		
AUG 2	0- 2			219		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	2545	20371	4012
MAY 18	0- 1.5	1.5- 3	3-11.5	2263	2263	1797
JUN 1	0- 3	3- 5	5-11	565	848	1414
JUN 15	0- 3.7	3.75- 6	6-10.5	1810	3017	3772
JUN 29	0- 3.5	3.5- 6	6-10	7275	4753	2546
JUL 13	0- 3	3- 6	6-10	3961	5092	424
JUL 27	0- 3	3- 7	7-10	0	8488	1131
AUG 24	0- 4.5	4.5- 7	7-10	754	1358	0
SEP 21	0-10			2037		
OCT 5	0- 6		6-11	282		0
OCT 19	0-10			159		
1978						
MAY 10	0-11			2608		
JUN 7	0- 3	3- 6	6- 9	382	1530	3442
JUL 5	0- 2	2- 6	6- 9.5	10902	1147	5246
JUL 26	0- 3	3- 6	6-11	382	4208	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	2295	2142	7213
SEP 8	0- 3.5	3.5- 7	7-10	0	6230	4973
SEP 27	0- 6	6- 7.75	7.75-10	0	2040	0
OCT 24	0-10			0		

LAKE 226NE

Cyclopoids C1

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	14738		17247
JUN 24	0- 5		5-14	4703		4529
JUL 22	0- 5		5-14	4390		5923
AUG 19	0- 5		5-14	4703		1567
SEP 16	0- 7		7-14	1119		1119
OCT 14	0- 8		8-14	195		783
1973						
MAY 1	0- 7		7-13	2463		1306
MAY 14	0-14			19935		
MAY 29	0- 5		5-14	627		7317
JUN 12	0- 5		5-13	1567		7055
JUN 26	0- 5		5-12	2508		0
JUL 10	0- 5		5-12	1881		2463
JUL 24	0- 7		7-14	4031		1119
AUG 7	0- 6		6-12	2613		3135
AUG 21	0- 6		6- 9	783		5749
SEP 4	0- 6		6- 9	1306		4181
SEP 18	0- 7		7- 8	895		6271
OCT 2	0- 8			783		
OCT 16	0- 9			1219		
OCT 30	0-12			130		
NOV 8	0-14			783		
1974						
MAY 14	0-14			2239		
MAY 28	0- 4		4-14	14895		16149
JUN 11	0- 4		4-15	1175		7127
JUN 25	0- 4		4-14	391		1411
JUL 23	0- 5		5-13	12543		9211
AUG 6	0- 5		5-10	2195		11916
AUG 17	0- 5		5-15	4076		6114
SEP 3	0- 7		7-14	6495		6047
SEP 17	0- 7		7-10	7167		5226
OCT 1	0- 9			4181		
OCT 15	0-12			1175		
OCT 29	0-15			1045		
1975						
MAY 12	0- 2			6663		
JUN 9	0- 2.5			6010		
JUN 23	0- 2.5			1567		
JUL 7	0- 2			2967		
JUL 21	0- 2			16319		
AUG 4	0- 2			15329		
AUG 19	0- 2			0		
SEP 1	0- 2			2967		
SEP 15	0- 2			494		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Cyclopoids C1

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			33397		
MAY 29	0- 5		5-10	627		29477
JUN 12	0- 5		5-10	627		5017
JUN 26	0- 5		5-10	5644		5898
JUL 10	0- 5		5-10	8780		4390
JUL 24	0- 6		6-10	15724		6271
AUG 7	0- 6		6- 9	4703		11498
AUG 21	0- 5		6- 9	5749		11498
SEP 4	0- 6		6- 9	1045		9407
SEP 18	0- 7		7- 8	3658		6271
OCT 2	0- 8			783		
OCT 16	0-10			313		
OCT 30	0-10			783		
1974						
MAY 14	0-10			2822		
MAY 28	0- 4		4-11	2743		8735
JUN 11	0- 4		4-10	1175		2613
JUN 25	0- 4		4-10	4311		1306
JUL 23	0- 4		4-10	17639		9930
AUG 6	0- 5		5-10	8780		12857
AUG 17	0- 5		5-10	5644		7839
SEP 3	0- 7		7-11	3359		14111
SEP 17	0- 7		7- 9	2239		5487
OCT 1	0- 9			871		
OCT 15	0-11			570		
OCT 29	0-11			3991		
1975						
MAY 12	0- 2			4703		
JUN 9	0- 2.5			2613		
JUN 23	0- 2.5			1306		
JUL 7	0- 2			12857		
JUL 21	0- 2			35109		
AUG 4	0- 2			4450		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			989		
SEP 29	0- 2			1978		
OCT 13	0- 2			1483		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Cyclopoids C1

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			2857		
JUN 7	0- 2			219		
JUL 5	0- 2			1318		
AUG 2	0- 2			0		
AUG 30	0- 2			439		
SEP 27	0- 2			879		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	2263	11317	0
MAY 18	0- 1.5	1.5- 3	3-13	2263	7922	679
JUN 1	0- 3	3- 5	5-13	2263	848	1909
JUN 15	0- 3.7	3.75- 6	6-13	2263	5281	0
JUN 29	0- 3.5	3.5- 6	6-13	1455	2037	485
JUL 13	0- 3.2	3.25- 6.5	6.5-13	7312	0	522
JUL 27	0- 3	3- 7	7-12	19239	0	5771
AUG 24	0- 5	5- 6.5	6.5-13	6790	0	0
OCT 5	0- 6	6- 9	9-12	0	565	565
OCT 19	0- 9		9-12	377		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	1530	6120	0
JUN 21	0- 3	3- 5.75	5.75-13	2295	5007	158
JUL 5	0- 2	2- 6	6-12	6885	2008	382
JUL 26	0- 3	3- 6.5	6.5- 9.5	9946	5246	4973
AUG 16	0- 2.7	2.75- 7	7-12	0	540	0
SEP 8	0- 3	3- 8	8-11	0	229	0
SEP 27	0- 5.5	5.5- 7	7-13	92	340	0
OCT 24	0-12			382		

LAKE 226SW

Cyclopoids C1

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			219		
JUL 5	0- 2			1318		
AUG 2	0- 2			2197		
AUG 30	0- 2			219		
SEP 27	0- 2			439		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	3395	13580	925
MAY 18	0- 1.5	1.5- 3	3-11.5	0	20371	199
JUN 1	0- 3	3- 5	5-11	565	2545	282
JUN 15	0- 3.7	3.75- 6	6-10.5	2263	0	1131
JUN 29	0- 3.5	3.5- 6	6-10	3390	1358	2122
JUL 13	0- 3	3- 6	6-10	3961	3961	0
JUL 27	0- 3	3- 7	7-10	7356	4563	0
AUG 24	0- 4.5	4.5- 7	7-10	1886	0	0
SEP 21	0-10			1188		
OCT 5	0- 6		6-11	565		617
OCT 19	0-10			0		
1978						
MAY 10	0-11			104		
JUN 7	0- 3	3- 6	6- 9	1530	2677	4590
JUL 5	0- 2	2- 6	6- 9.5	6312	2295	3934
JUL 26	0- 3	3- 6	6-11	765	4208	229
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	1639	4590	3934
SEP 8	0- 3.5	3.5- 7	7-10	655	4913	3060
SEP 27	0- 5	6- 7.75	7.75-10	85	3206	0
OCT 24	0-10			153		

LAKE 226NE

Cyclopoids C2

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	313		391
JUN 24	0- 5		5-14	1567		9885
JUL 22	0- 5		5-14	1881		11846
AUG 19	0- 5		5-14	2822		2743
SEP 16	0- 7		7-14	0		1791
OCT 14	0- 8		8-14	587		1306
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			9631		
MAY 29	0- 5		5-14	940		17247
JUN 12	0- 5		5-13	1254		6271
JUN 26	0- 5		5-12	1254		2687
JUL 10	0- 5		5-12	1254		1791
JUL 24	0- 7		7-14	1791		1567
AUG 7	0- 6		6-12	522		2874
AUG 21	0- 6		6- 9	522		3135
SEP 4	0- 6		6- 9	783		1045
SEP 18	0- 7		7- 8	1567		3135
OCT 2	0- 8			0		
OCT 16	0- 9			522		
OCT 30	0-12			391		
NOV 8	0-14			1679		
1974						
MAY 14	0-14			559		
MAY 28	0- 4		4-14	2743		5644
JUN 11	0- 4		4-15	793		7554
JUN 25	0- 4		4-14	1567		4703
JUL 23	0- 5		5-13	2822		5879
AUG 6	0- 5		5-10	1254		5331
AUG 17	0- 5		5-15	1567		7526
SEP 3	0- 7		7-14	2463		1343
SEP 17	0- 7		7-10	1119		522
OCT 1	0- 9			871		
OCT 15	0-12			914		
OCT 29	0-15			836		
1975						
MAY 12	0- 2			195		
JUN 9	0- 2.5			3397		
JUN 23	0- 2.5			261		
JUL 7	0- 2			989		
JUL 21	0- 2			4945		
AUG 4	0- 2			2967		
AUG 18	0- 2			0		
SEP 1	0- 2			494		
SEP 15	0- 2			989		
SEP 29	0- 2			0		
OCT 13	0- 2			494		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Cyclopoids C2

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			7369		
MAY 29	0- 5		5-10	1254		35749
JUN 12	0- 5		5-10	0		12543
JUN 26	0- 5		5-10	3763		3135
JUL 10	0- 5		5-10	3135		2508
JUL 24	0- 6		6-10	2613		5487
AUG 7	0- 6		6- 9	522		4181
AUG 21	0- 6		6- 9	522		1045
SEP 4	0- 6		6- 9	522		2090
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			627		
OCT 30	0-10			156		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	1567		4479
JUN 11	0- 4		4-10	0		4181
JUN 25	0- 4		4-10	3527		1829
JUL 23	0- 4		4-10	4703		2351
AUG 6	0- 5		5-10	1567		3449
AUG 17	0- 5		5-10	627		5958
SEP 3	0- 7		7-11	995		5487
SEP 17	0- 7		7- 9	223		0
OCT 1	0- 9			696		
OCT 15	0-11			570		
OCT 29	0-11			1995		
1975						
MAY 12	0- 2			195		
JUN 9	0- 2.5			1829		
JUN 23	0- 2.5			0		
JUL 7	0- 2			989		
JUL 21	0- 2			6923		
AUG 4	0- 2			3461		
AUG 18	0- 2			0		
SEP 1	0- 2			434		
SEP 15	0- 2			989		
SEP 29	0- 2			0		
OCT 13	0- 2			989		
OCT 27	0- 2			494		
NOV 10	0- 2			494		

Cyclopoids C2

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			1318		
JUN 7	0- 2			659		
JUL 5	0- 2			219		
AUG 2	0- 2			439		
AUG 30	0- 2			439		
SEP 27	0- 2			439		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	2829	0
MAY 18	0- 1.5	1.5- 3	3-13	1131	7922	4413
JUN 1	0- 3	3- 5	5-13	2263	0	3183
JUN 15	0- 3.7	3.75- 6	6-13	2263	3017	242
JUN 29	0- 3.5	3.5- 6	6-13	2910	0	485
JUL 13	0- 3.2	3.25- 6.5	6.5-13	5745	0	783
JUL 27	0- 3	3- 7	7-12	10751	4244	0
AUG 24	0- 5	5- 6.5	6.5-13	5092	5658	0
OCT 5	0- 6	6- 9	9-12	0	0	1131
OCT 19	0- 9		9-12	0		141
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	1530	3825	191
JUN 21	0- 3	3- 5.75	5.75-13	382	2921	158
JUL 5	0- 2	2- 6	6-12	573	2582	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	3825	3279	1912
AUG 16	0- 2.7	2.75- 7	7-12	0	270	0
SEP 8	0- 3	3- 8	8-11	0	459	0
SEP 27	0- 5.5	5.5- 7	7-13	92	340	0
OCT 24	0-12			127		

Cyclopoids C2

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			219		
JUN 7	0- 2			0		
JUL 5	0- 2			219		
AUG 2	0- 2			1318		
AUG 30	0- 2			0		
SEP 27	0- 2			879		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	848	0	1234
MAY 18	0- 1.5	1.5- 3	3-11.5	3395	11317	7798
JUN 1	0- 3	3- 5	5-11	1131	848	282
JUN 15	0- 3.7	3.75- 5	6-10.5	452	0	5281
JUN 29	0- 3.5	3.5- 6	6-10	1455	0	3819
JUL 13	0- 3	3- 6	6-10	1697	1131	1273
JUL 27	0- 3	3- 7	7-10	3961	8063	0
AUG 24	0- 4.5	4.5- 7	7-10	1131	2716	0
SEP 21	0-10			1358		
OCT 5	0- 6		6-11	282		308
OCT 19	0-10			159		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	382	3060	2295
JUL 5	0- 2	2- 6	6- 9.5	1721	286	3506
JUL 26	0- 3	3- 6	6-11	382	765	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	327	918	1311
SEP 8	0- 3.5	3.5- 7	7-10	327	2623	3442
SEP 27	0- 6	6- 7.75	7.75-10	170	1749	226
OCT 24	0-10			102		

LAKE 226NE

Cyclopoids C3

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	313		7491
JUL 22	0- 5		5-14	1254		11846
AUG 19	0- 5		5-14	2508		1567
SEP 16	0- 7		7-14	0		1791
OCT 14	0- 8		8-14	195		2090
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			2015		
MAY 29	0- 5		5-14	0		8188
JUN 12	0- 5		5-13	1254		5683
JUN 26	0- 5		5-12	313		4031
JUL 10	0- 5		5-12	313		11423
JUL 24	0- 7		7-14	895		3359
AUG 7	0- 6		6-12	261		1306
AUG 21	0- 6		6- 9	0		1045
SEP 4	0- 6		6- 9	261		522
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			195		
OCT 16	0- 9			348		
OCT 30	0-12			1045		
NOV 8	0-14			1791		
1974						
MAY 14	0-14			335		
MAY 28	0- 4		4-14	391		1724
JUN 11	0- 4		4-15	391		3135
JUN 25	0- 4		4-14	783		5958
JUL 23	0- 5		5-13	3135		4115
AUG 6	0- 5		5-10	627		1567
AUG 17	0- 5		5-15	313		1724
SEP 3	0- 7		7-14	1791		895
SEP 17	0- 7		7-10	223		522
OCT 1	0- 9			522		
OCT 15	0-12			1045		
OCT 29	0-15			1358		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			4181		
JUN 23	0- 2.5			261		
JUL 7	0- 2			494		
JUL 21	0- 2			3451		
AUG 4	0- 2			4945		
AUG 18	0- 2			0		
SEP 1	0- 2			989		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Cyclopoids C3

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			1411		
MAY 29	0- 5		5-10	627		30104
JUN 12	0- 5		5-10	0		6271
JUN 26	0- 5		5-10	2508		3135
JUL 10	0- 5		5-10	1881		1254
JUL 24	0- 5		5-10	1567		6271
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	1045		0
SEP 18	0- 7		7- 8	1045		0
OCT 2	0- 8			195		
OCT 16	0-10			313		
OCT 30	0-10			1097		
1974						
MAY 14	0-10			313		
MAY 28	0- 4		4-11	0		671
JUN 11	0- 4		4-10	0		3135
JUN 25	0- 4		4-10	1175		1306
JUL 23	0- 4		4-10	1959		2351
AUG 6	0- 5		5-10	2822		627
AUG 17	0- 5		5-10	313		627
SEP 3	0- 7		7-11	447		3135
SEP 17	0- 7		7- 9	223		0
OCT 1	0- 9			0		
OCT 15	0-11			570		
OCT 29	0-11			2138		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			2613		
JUN 23	0- 2.5			783		
JUL 7	0- 2			1483		
JUL 21	0- 2			1978		
AUG 4	0- 2			3956		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			939		
SEP 29	0- 2			0		
OCT 13	0- 2			494		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Cyclopoids C3

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			439		
JUN 7	0- 2			879		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			439		
SEP 27	0- 2			439		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	565	0
MAY 18	0- 1.5	1.5- 3	3-13	3395	12449	8148
JUN 1	0- 3	3- 5	5-13	1131	2546	7351
JUN 15	0- 3.7	3.75- 6	6-13	905	4526	9215
JUN 29	0- 3.5	3.5- 6	6-13	1455	679	970
JUL 13	0- 3.2	3.25- 6.5	6.5-13	1044	1044	0
JUL 27	0- 3	3- 7	7-12	7356	3819	679
AUG 24	0- 5	5- 6.5	6.5-13	6790	0	0
OCT 5	0- 6	6- 9	9-12	565	0	2829
OCT 19	0- 9		9-12	1320		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	2295	9181	765
JUN 21	0- 3	3- 5.75	5.75-13	1530	2921	791
JUL 5	0- 2	2- 6	6-12	2869	6312	382
JUL 26	0- 3	3- 6.5	6.5- 9.5	4590	2951	1147
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	382	229	0
SEP 27	0- 5.5	5.5- 7	7-13	185	0	0
OCT 24	0-12			595		

Cyclopoids C3

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			439		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			219		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	1543
MAY 18	0- 1.5	1.5- 3	3-11.5	1131	16976	8587
JUN 1	0- 3	3- 5	5-11	0	2546	10185
JUN 15	0- 3.7	3.75- 6	6-10.5	452	0	7544
JUN 29	0- 3.5	3.5- 6	6-10	2425	0	4668
JUL 13	0- 3	3- 6	6-10	1131	3395	0
JUL 27	0- 3	3- 7	7-10	1131	6356	0
AUG 24	0- 4.5	4.5- 7	7-10	1886	1358	0
SEP 21	0-10			679		
OCT 5	0- 6		6-11	282		617
OCT 19	0-10			509		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	10711	4208
JUL 5	0- 2	2- 6	6- 9.5	1147	1147	4918
JUL 26	0- 3	3- 6	6-11	0	1912	229
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	983	306	1967
SEP 8	0- 3.5	3.5- 7	7-10	327	3606	2677
SEP 27	0- 6	6- 7.75	7.75-10	170	1457	0
OCT 24	0-10			102		

Cyclopoids C4

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	313		9581
JUL 22	0- 5		5-14	1254		2961
AUG 19	0- 5		5-14	1254		1959
SEP 16	0- 7		7-14	447		1343
OCT 14	0- 9		8-14	195		1829
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	313		9581
JUN 12	0- 5		5-13	0		7447
JUN 26	0- 5		5-12	1254		2587
JUL 10	0- 5		5-12	313		9063
JUL 24	0- 7		7-14	1343		1119
AUG 7	0- 6		6-12	0		1045
AUG 21	0- 6		6- 9	261		1567
SEP 4	0- 6		6- 9	261		522
SEP 18	0- 7		7- 8	0		4703
OCT 2	0- 8			391		
OCT 16	0- 9			174		
OCT 30	0-12			653		
NOV 8	0-14			1119		
1974						
MAY 14	0-14			335		
MAY 28	0- 4		4-14	0		470
JUN 11	0- 4		4-15	0		3563
JUN 25	0- 4		4-14	391		8623
JUL 23	0- 5		5-13	940		1175
AUG 6	0- 5		5-10	0		2822
AUG 17	0- 5		5-15	627		2195
SEP 3	0- 7		7-14	447		447
SEP 17	0- 7		7-10	447		1567
OCT 1	0- 9			696		
OCT 15	0-12			2090		
OCT 29	0-15			1572		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			4181		
JUN 23	0- 2.5			1045		
JUL 7	0- 2			494		
JUL 21	0- 2			5439		
AUG 4	0- 2			3461		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Cyclopoids C4

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		17560
JUN 12	0- 5		5-10	0		6271
JUN 26	0- 5		5-10	627		1881
JUL 10	0- 5		5-10	0		1254
JUL 24	0- 6		6-10	1567		7055
AUG 7	0- 6		6- 9	522		0
AUG 21	0- 6		6- 9	522		1045
SEP 4	0- 6		6- 9	522		2090
SEP 18	0- 7		7- 8	1045		0
OCT 2	0- 8			587		
OCT 16	0-10			313		
OCT 30	0-10			470		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	391		895
JUN 11	0- 4		4-10	0		6794
JUN 25	0- 4		4-10	783		3135
JUL 23	0- 4		4-10	391		1045
AUG 6	0- 5		5-10	313		627
AUG 17	0- 5		5-10	0		1254
SEP 3	0- 7		7-11	995		783
SEP 17	0- 7		7- 9	447		0
OCT 1	0- 9			348		
OCT 15	0-11			570		
OCT 29	0-11			3135		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			2351		
JUN 23	0- 2.5			522		
JUL 7	0- 2			0		
JUL 21	0- 2			2472		
AUG 4	0- 2			989		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			494		
SEP 29	0- 2			0		
OCT 13	0- 2			494		
OCT 27	0- 2			0		
NOV 10	0- 2			1973		

Cyclopoids C4

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			219		
JUL 5	0- 2			219		
AUG 2	0- 2			0		
AUG 30	0- 2			439		
SEP 27	0- 2			659		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	1131	1697	0
MAY 18	0- 1.5	1.5- 3	3-13	0	6790	1867
JUN 1	0- 3	3- 5	5-13	0	0	27586
JUN 15	0- 3.7	3.75- 6	6-13	2263	2263	13338
JUN 29	0- 3.5	3.5- 6	6-13	3880	0	12368
JUL 13	0- 3.2	3.25- 6.5	6.5-13	2089	0	2089
JUL 27	0- 3	3- 7	7-12	4525	7639	0
AUG 24	0- 5	5- 6.5	6.5-13	4074	0	0
OCT 5	0- 6	6- 9	9-12	0	5658	0
OCT 19	0- 9		9-12	1131		1839
OCT 31	0-14			121		
1978						
MAY 10	0-14			163		
JUN 7	0- 3	3- 6	6-12	5355	9563	1721
JUN 21	0- 3	3- 5.75	5.75-13	1147	3755	3640
JUL 5	0- 2	2- 6	6-12	2869	14919	3634
JUL 26	0- 3	3- 6.5	6.5- 9.5	1147	2623	1912
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	229	0
SEP 27	0- 5.5	5.5- 7	7-13	92	680	255
OCT 24	0-12			510		

Cyclopoids C4

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			219		
JUN 7	0- 2			219		
JUL 5	0- 2			439		
AUG 2	0- 2			559		
AUG 30	0- 2			0		
SEP 27	0- 2			219		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	1543
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	2596
JUN 1	0- 3	3- 5	5-11	1131	0	53474
JUN 15	0- 3.7	3.75- 6	6-10.5	0	3017	18107
JUN 29	0- 3.5	3.5- 6	6-10	1455	0	9751
JUL 13	0- 3	3- 6	6-10	2263	565	848
JUL 27	0- 3	3- 7	7-10	565	5941	7356
AUG 24	0- 4.5	4.5- 7	7-10	3017	8148	1697
SEP 21	0-10			679		
OCT 5	0- 6		6-11	0		308
OCT 19	0-10			848		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	1530	8793	16832
JUL 5	0- 2	2- 6	6- 9.5	2295	4303	12788
JUL 26	0- 3	3- 6	6-11	0	3060	229
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	983	1224	0
SEP 8	0- 3.5	3.5- 7	7-10	0	1967	755
SEP 27	0- 6	6- 7.75	7.75-10	85	2914	0
OCT 24	0-10			357		

Cyclopoids C5

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	313		0
JUN 24	0- 5		5-14	313		2264
JUL 22	0- 5		5-14	1567		871
AUG 19	0- 5		5-14	313		0
SEP 16	0- 7		7-14	447		223
OCT 14	0- 8		8-14	391		783
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		174
JUN 12	0- 5		5-13	0		1567
JUN 26	0- 5		5-12	313		2463
JUL 10	0- 5		5-12	313		3135
JUL 24	0- 7		7-14	447		2015
AUG 7	0- 6		6-12	261		522
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			130		
NOV 8	0-14			447		
1974						
MAY 14	0-14			111		
MAY 28	0- 4		4-14	0		527
JUN 11	0- 4		4-15	0		570
JUN 25	0- 4		4-14	783		2822
JUL 23	0- 5		5-13	0		2743
AUG 6	0- 5		5-10	627		2822
AUG 17	0- 5		5-15	1254		1411
SEP 3	0- 7		7-14	895		223
SEP 17	0- 7		7-10	223		0
OCT 1	0- 9			522		
OCT 15	0-12			130		
OCT 29	0-15			1358		
1975						
MAY 12	0- 2			195		
JUN 9	0- 2.5			8101		
JUN 23	0- 2.5			522		
JUL 7	0- 2			494		
JUL 21	0- 2			3955		
AUG 4	0- 2			1483		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			494		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Cyclopoids C5

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			156		
MAY 29	0- 5		5-10	0		627
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	627		1254
JUL 10	0- 5		5-10	627		1881
JUL 24	0- 6		6-10	522		4703
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		1045
SEP 4	0- 6		6- 9	0		1045
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			391		
OCT 16	0-10			627		
OCT 30	0-10			627		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		223
JUN 11	0- 4		4-10	0		1567
JUN 25	0- 4		4-10	0		1045
JUL 23	0- 4		4-10	391		1306
AUG 6	0- 5		5-10	627		940
AUG 17	0- 5		5-10	0		313
SEP 3	0- 7		7-11	447		1175
SEP 17	0- 7		7- 9	0		783
OCT 1	0- 9			174		
OCT 15	0-11			142		
OCT 29	0-11			855		
1975						
MAY 12	0- 2			195		
JUN 9	0- 2.5			1829		
JUN 23	0- 2.5			1567		
JUL 7	0- 2			0		
JUL 21	0- 2			494		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			494		
SEP 29	0- 2			0		
OCT 13	0- 2			989		
OCT 27	0- 2			0		
NOV 10	0- 2			494		

LAKE 226NE

Cyclopoids C5

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			219		
SEP 27	0- 2			1538		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	1131	565	1131
MAY 18	0- 1.5	1.5- 3	3-13	3395	0	339
JUN 1	0- 3	3- 5	5-13	1131	0	1061
JUN 15	0- 3.7	3.75- 6	6-13	1358	0	727
JUN 29	0- 3.5	3.5- 6	6-13	1940	1358	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	1567	0	0
JUL 27	0- 3	3- 7	7-12	5658	848	1018
AUG 24	0- 5	5- 6.5	6.5-13	7469	0	0
OCT 5	0- 6	6- 9	9-12	282	1697	0
OCT 19	0- 9		9-12	565		424
OCT 31	0-14			727		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	1530	382	0
JUN 21	0- 3	3- 5.75	5.75-13	765	2921	158
JUL 5	0- 2	2- 6	6-12	2295	286	191
JUL 26	0- 3	3- 6.5	6.5- 9.5	765	1967	382
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	680	0
OCT 24	0-12			255		

LAKE 226SW

Cyclopoids C5

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			219		
AUG 2	0- 2			439		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	308
MAY 19	0- 1.5	1.5- 3	3-11.5	0	1131	399
JUN 1	0- 3	3- 5	5-11	0	848	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	495	679	0
JUL 13	0- 3	3- 6	6-10	1131	0	0
JUL 27	0- 3	3- 7	7-10	2263	1697	0
AUG 24	0- 4.5	4.5- 7	7-10	377	1359	565
SEP 21	0-10			339		
OCT 5	0- 6		6-11	843		308
OCT 19	0-10			509		
1978						
MAY 10	0-11			104		
JUN 7	0- 3	3- 6	6- 9	765	765	0
JUL 5	0- 2	2- 6	6- 9.5	0	286	1311
JUL 26	0- 3	3- 6	6-11	0	0	229
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	327	2142	1967
SEP 8	0- 3.5	3.5- 7	7-10	327	993	0
SEP 27	0- 6	6- 7.75	7.75-10	85	582	0
OCT 24	0-10			306		

h. Rotifera

Conochilus unicornis

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	10662		14111
JUN 24	0- 5		5-14	1254		0
JUL 22	0- 5		5-14	940		0
AUG 19	0- 5		5-14	7526		1959
SEP 16	0- 7		7-14	15679		0
OCT 14	0- 8		8-14	979		522
1973						
MAY 1	0- 7		7-13	6271		4442
MAY 14	0-14			19039		
MAY 29	0- 5		5-14	57700		11149
JUN 12	0- 5		5-13	7212		32534
JUN 26	0- 5		5-12	313		3807
JUL 10	0- 5		5-12	0		447
JUL 24	0- 7		7-14	0		3583
AUG 7	0- 6		6-12	22212		15156
AUG 21	0- 5		6- 9	65592		20393
SEP 4	0- 6		6- 9	261		3658
SEP 18	0- 7		7- 8	223		3135
OCT 2	0- 8			1175		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			4031		
MAY 28	0- 4		4-14	36454		1567
JUN 11	0- 4		4-15	137587		64285
JUN 25	0- 4		4-14	1959		25871
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		1567
AUG 17	0- 5		5-15	2195		940
SEP 3	0- 7		7-14	0		447
SEP 17	0- 7		7-10	223		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			209		
1975						
MAY 12	0- 2			2939		
JUN 9	0- 2.5			79965		
JUN 23	0- 2.5			331358		
JUL 7	0- 2			819890		
JUL 21	0- 2			2472		
AUG 4	0- 2			4945		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			1483		
NOV 10	0- 2			14340		

Conochilus unicornis

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			29947		
MAY 29	0- 5		5-10	82787		69616
JUN 12	0- 5		5-10	16933		87804
JUN 26	0- 5		5-10	627		13170
JUL 10	0- 5		5-10	627		0
JUL 24	0- 6		6-10	1567		7839
AUG 7	0- 6		6- 9	14111		9407
AUG 21	0- 6		6- 9	58013		27177
SEP 4	0- 6		6- 9	14634		61672
SEP 18	0- 7		7- 8	9407		15679
OCT 2	0- 8			391		
OCT 16	0-10			156		
OCT 30	0-10			0		
1974						
MAY 14	0-10			1254		
MAY 28	0- 4		4-11	5879		5151
JUN 11	0- 4		4-10	5487		783
JUN 25	0- 4		4-10	53702		28222
JUL 23	0- 4		4-10	1175		261
AUG 6	0- 5		5-10	13797		1254
AUG 17	0- 5		5-10	68675		35062
SEP 3	0- 7		7-11	1343		3527
SEP 17	0- 7		7- 9	1791		2351
OCT 1	0- 9			522		
OCT 15	0-11			285		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			2155		
JUN 9	0- 2.5			62456		
JUN 23	0- 2.5			59059		
JUL 7	0- 2			5934		
JUL 21	0- 2			494		
AUG 4	0- 2			494		
AUG 18	0- 2			0		
SEP 1	0- 2			494		
SEP 15	0- 2			2472		
SEP 29	0- 2			4945		
OCT 13	0- 2			7912		
OCT 27	0- 2			3956		
NOV 10	0- 2			3956		

Conochilus unicornis

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			1978		
JUN 7	0- 2			23956		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			161978		
SEP 27	0- 2			6813		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	16975	6224	0
MAY 18	0- 1.5	1.5- 3	3-13	1045722	10185	0
JUN 1	0- 3	3- 5	5-13	3395	36498	49018
JUN 15	0- 3.7	3.75- 6	6-13	452	0	485
JUN 29	0- 3.5	3.5- 6	6-13	0	0	485
JUL 13	0- 3.2	3.25- 6.5	6.5-13	10969	0	522
JUL 27	0- 3	3- 7	7-12	54839	14429	0
AUG 24	0- 5	5- 6.5	6.5-13	41421	0	0
OCT 5	0- 6	6- 9	9-12	28576	565	0
OCT 19	0- 9		9-12	2263		2263
OCT 31	0-14			0		
1978						
MAY 10	0-14			81		
JUN 7	0- 3	3- 6	6-12	398622	171767	14919
JUN 21	0- 3	3- 5.75	5.75-13	765	0	0
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	327	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	463	0	0
OCT 24	0-12			255		

Conochilus unicornis

LAKE 226SW

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			1318		
JUN 7	0- 2			152087		
JUL 5	0- 2			0		
AUG 2	0- 2			9230		
AUG 30	0- 2			219		
SEP 27	0- 2			1098		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	4244	1358	0
MAY 18	0- 1.5	1.5- 3	3-11.5	258035	209370	0
JUN 1	0- 3	3- 5	5-11	33952	59416	0
JUN 15	0- 3.7	3.75- 6	6-10.5	22534	18107	0
JUN 29	0- 3.5	3.5- 5	5-10	5335	0	9063
JUL 13	0- 3	3- 6	6-10	565	0	0
JUL 27	0- 3	3- 7	7-10	21502	424	0
AUG 24	0- 4.5	4.5- 7	7-10	31311	57039	0
SEP 21	0-10			46684		
OCT 5	0- 6		6-11	93650		41359
OCT 19	0-10			3055		
1978						
MAY 10	0-11			312		
JUN 7	0- 3	3- 6	6- 9	115914	26013	3060
JUL 5	0- 2	2- 6	6- 9.5	6312	860	1311
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	1311	918	1311
SEP 8	0- 3.5	3.5- 7	7-10	59022	27216	6120
SEP 27	0- 6	6- 7.75	7.75-10	148516	91521	19949
OCT 24	0-10			7243		

Filinia longisetae

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		1175
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		522
AUG 19	0- 5		5-14	0		391
SEP 16	0- 7		7-14	0		223
OCT 14	0- 8		9-14	0		0
1973						
MAY 1	0- 7		7-13	447		783
MAY 14	0-14			2911		
MAY 29	0- 5		5-14	0		6271
JUN 12	0- 5		5-13	0		195
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		223
JUL 24	0- 7		7-14	0		671
AUG 7	0- 6		6-12	0		783
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			174		
OCT 30	0-12			10714		
NOV 8	0-14			2239		
1974						
MAY 14	0-14			1231		
MAY 28	0- 4		4-14	0		3135
JUN 11	0- 4		4-15	391		285
JUN 25	0- 4		4-14	0		313
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		1567
AUG 17	0- 5		5-15	0		2195
SEP 3	0- 7		7-14	0		2463
SEP 17	0- 7		7-10	0		1045
OCT 1	0- 9			1742		
OCT 15	0-12			1698		
OCT 29	0-15			2822		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			10879		
NOV 10	0- 2			37087		

Filinia longisetae

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			783		
MAY 29	0- 5		5-10	0		1254
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	0		627
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		0
AUG 7	0- 5		6- 9	0		0
AUG 21	0- 5		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			156		
OCT 30	0-10			2039		
1974						
MAY 14	0-10			627		
MAY 28	0- 4		4-11	0		4479
JUN 11	0- 4		4-10	0		7055
JUN 25	0- 4		4-10	0		522
JUL 23	0- 4		4-10	0		522
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			12957		
NOV 10	0- 2			9395		

Filinia longisetae

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			5054		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			219		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	46401	40742	0
MAY 18	0- 1.5	1.5- 3	3-13	36215	37347	8498
JUN 1	0- 3	3- 5	5-13	3961	55172	119256
JUN 15	0- 3.7	3.75- 6	6-13	4074	26407	103068
JUN 29	0- 3.5	3.5- 6	6-13	4365	4753	13095
JUL 13	0- 3.2	3.25- 6.5	6.5-13	1044	2089	0
JUL 27	0- 3	3- 7	7-12	0	2546	0
AUG 24	0- 5	5- 6.5	6.5-13	339	0	261
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	377		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			35413		
JUN 7	0- 3	3- 6	6-12	53175	157612	30604
JUN 21	0- 3	3- 5.75	5.75-13	3060	25039	43532
JUL 5	0- 2	2- 6	6-12	6885	150057	27735
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	53776	131599
AUG 16	0- 2.7	2.75- 7	7-12	2086	15122	229
SEP 8	0- 3	3- 8	8-11	0	10558	1530
SEP 27	0- 5.5	5.5- 7	7-13	0	64949	1020
OCT 24	0-12			7736		

Filinia longisetae

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	33103	35310	15975
MAY 18	0- 1.5	1.5- 3	3-11.5	70157	47532	124224
JUN 1	0- 3	3- 5	5-11	5658	74694	229741
JUN 15	0- 3.7	3.75- 6	6-10.5	4526	62622	244077
JUN 29	0- 3.5	3.5- 6	6-10	27646	35668	132837
JUL 13	0- 3	3- 6	6-10	13014	35083	31405
JUL 27	0- 3	3- 7	7-10	1597	92519	9053
AUG 24	0- 4.5	4.5- 7	7-10	9808	41421	0
SEP 21	0-10			2885		
OCT 5	0- 6		6-11	1131		2160
OCT 19	0-10			1188		
1978						
MAY 10	0-11			35994		
JUN 7	0- 3	3- 6	6- 9	765	22570	198928
JUL 5	0- 2	2- 6	6- 9.5	0	4977	103289
JUL 26	0- 3	3- 6	6-11	1147	71920	2754
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	145371	77385
SEP 8	0- 3.5	3.5- 7	7-10	0	23281	35960
SEP 27	0- 6	6- 7.75	7.75-10	0	8452	906
OCT 24	0-10			1581		

Collotheca sp.

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	0		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Collotheca sp.

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10				0	
MAY 29	0- 5		5-10		0	0
JUN 12	0- 5		5-10		0	0
JUN 26	0- 5		5-10		0	0
JUL 10	0- 5		5-10		0	0
JUL 24	0- 6		6-10		0	0
AUG 7	0- 6		6- 9		0	0
AUG 21	0- 6		6- 9		0	0
SEP 4	0- 6		6- 9		0	0
SEP 18	0- 7		7- 8		0	0
OCT 2	0- 8				0	
OCT 16	0-10				0	
OCT 30	0-10				0	
1974						
MAY 14	0-10				0	
MAY 28	0- 4		4-11		0	0
JUN 11	0- 4		4-10		0	0
JUN 25	0- 4		4-10		0	0
JUL 23	0- 4		4-10		0	0
AUG 6	0- 5		5-10		0	0
AUG 17	0- 5		5-10		0	0
SEP 3	0- 7		7-11		0	0
SEP 17	0- 7		7- 9		0	0
OCT 1	0- 9				0	
OCT 15	0-11				0	
OCT 29	0-11				0	
1975						
MAY 12	0- 2				0	
JUN 9	0- 2.5				0	
JUN 23	0- 2.5				0	
JUL 7	0- 2				0	
JUL 21	0- 2				0	
AUG 4	0- 2				0	
AUG 18	0- 2				0	
SEP 1	0- 2				0	
SEP 15	0- 2				0	
SEP 29	0- 2				0	
OCT 13	0- 2				0	
OCT 27	0- 2				0	
NOV 10	0- 2				0	

Collotheca sp.

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			659		
JUL 5	0- 2			219		
AUG 2	0- 2			0		
AUG 30	0- 2			138021		
SEP 27	0- 2			56483		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	1131	0	679
JUN 1	0- 3	3- 5	5-13	2263	0	424
JUN 15	0- 3.7	3.75- 6	6-13	0	754	0
JUN 29	0- 3.5	3.5- 6	6-13	11640	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	19326	0	0
JUL 27	0- 3	3- 7	7-12	23200	1273	1358
AUG 24	0- 5	5- 6.5	6.5-13	27840	15844	0
OCT 5	0- 6	6- 9	9-12	12166	11317	0
OCT 19	0- 9		9-12	1508		424
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	3442	2295	382
JUN 21	0- 3	3- 5.75	5.75-13	4208	4590	158
JUL 5	0- 2	2- 6	6-12	14919	18936	1721
JUL 26	0- 3	3- 6.5	6.5- 9.5	15302	5574	1912
AUG 16	0- 2.7	2.75- 7	7-12	25039	21873	1836
SEP 8	0- 3	3- 8	8-11	18362	6885	4590
SEP 27	0- 5.5	5.5- 7	7-13	3431	680	255
OCT 24	0-12			85		

Collotheca sp.

LAKE 226SW

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			219		
JUN 7	0- 2			12967		
JUL 5	0- 2			57352		
AUG 2	0- 2			6373		
AUG 30	0- 2			14055		
SEP 27	0- 2			15384		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	1358	308
MAY 18	0- 1.5	1.5- 3	3-11.5	59981	0	4194
JUN 1	0- 3	3- 5	5-11	13580	3395	0
JUN 15	0- 3.7	3.75- 6	6-10.5	33499	10562	0
JUN 29	0- 3.5	3.5- 6	6-10	99430	0	1273
JUL 13	0- 3	3- 5	6-10	23765	10751	848
JUL 27	0- 3	3- 7	7-10	56020	33952	0
AUG 24	0- 4.5	4.5- 7	7-10	44514	0	2829
SEP 21	0-10			4074		
OCT 5	0- 6		6-11	6224		3086
OCT 19	0-10			2546		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	33282	8793	1530
JUL 5	0- 2	2- 6	6- 9.5	14919	5451	2295
JUL 26	0- 3	3- 6	6-11	765	39403	459
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	40660	24177	7869
SEP 8	0- 3.5	3.5- 7	7-10	5246	22297	14537
SEP 27	0- 6	6- 7.75	7.75-10	6545	26523	2720
OCT 24	0-10			3468		

Polyarthra vulgaris

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	44843		81533
JUN 24	0- 5		5-14	25087		58118
JUL 22	0- 5		5-14	50174		119466
AUG 19	0- 5		5-14	65540		193249
SEP 16	0- 7		7-14	123867		33822
OCT 14	0- 8		8-14	5291		6010
1973						
MAY 1	0- 7		7-13	96092		104529
MAY 14	0-14			48606		
MAY 29	0- 5		5-14	3449		62543
JUN 12	0- 5		5-13	6271		86432
JUN 26	0- 5		5-12	32926		53758
JUL 10	0- 5		5-12	11916		57117
JUL 24	0- 7		7-14	71453		146714
AUG 7	0- 6		6-12	60527		75000
AUG 21	0- 6		6- 9	20121		99825
SEP 4	0- 6		6- 9	5749		28745
SEP 18	0- 7		7- 8	27327		50174
OCT 2	0- 8			48410		
OCT 16	0- 9			103658		
OCT 30	0-12			18292		
NOV 8	0-14			306645		
1974						
MAY 14	0-14			49502		
MAY 28	0- 4		4-14	112891		46724
JUN 11	0- 4		4-15	41158		69132
JUN 25	0- 4		4-14	54094		26341
JUL 23	0- 5		5-13	34494		54094
AUG 6	0- 5		5-10	5958		159930
AUG 17	0- 5		5-15	26968		95958
SEP 3	0- 7		7-14	5151		86684
SEP 17	0- 7		7-10	35166		74738
OCT 1	0- 9			21951		
OCT 15	0-12			14895		
OCT 29	0-15			26864		
1975						
MAY 12	0- 2			7643		
JUN 9	0- 2.5			35801		
JUN 23	0- 2.5			22735		
JUL 7	0- 2			46978		
JUL 21	0- 2			14340		
AUG 4	0- 2			124120		
AUG 18	0- 2			0		
SEP 1	0- 2			5439		
SEP 15	0- 2			494		
SEP 29	0- 2			0		
OCT 13	0- 2			5934		
OCT 27	0- 2			25714		
NOV 10	0- 2			14340		

Polyarthra vulgaris

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			51271		
MAY 29	0- 5		5-10	5644		174355
JUN 12	0- 5		5-10	7526		181254
JUN 26	0- 5		5-10	35749		80905
JUL 10	0- 5		5-10	39512		43902
JUL 24	0- 6		6-10	139024		239895
AUG 7	0- 6		6- 9	111324		24041
AUG 21	0- 6		6- 9	119686		250871
SEP 4	0- 6		6- 9	111324		222648
SEP 18	0- 7		7- 8	30313		59581
OCT 2	0- 8			14895		
OCT 16	0-10			13641		
OCT 30	0-10			313598		
1974						
MAY 14	0-10			71968		
MAY 28	0- 4		4-11	90156		76157
JUN 11	0- 4		4-10	60365		106620
JUN 25	0- 4		4-10	18815		206707
JUL 23	0- 4		4-10	5095		33972
AUG 6	0- 5		5-10	17874		9094
AUG 17	0- 5		5-10	25087		20383
SEP 3	0- 7		7-11	20607		25087
SEP 17	0- 7		7- 9	36958		49390
OCT 1	0- 9			22996		
OCT 15	0-11			24944		
OCT 29	0-11			13256		
1975						
MAY 12	0- 2			18031		
JUN 9	0- 2.5			144512		
JUN 23	0- 2.5			9146		
JUL 7	0- 2			5439		
JUL 21	0- 2			11373		
AUG 4	0- 2			14340		
AUG 18	0- 2			0		
SEP 1	0- 2			3956		
SEP 15	0- 2			15329		
SEP 29	0- 2			9890		
OCT 13	0- 2			210164		
OCT 27	0- 2			171593		
NOV 10	0- 2			351098		

Polyarthra vulgaris

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			37362		
JUN 7	0- 2			2857		
JUL 5	0- 2			1538		
AUG 2	0- 2			0		
AUG 30	0- 2			48791		
SEP 27	0- 2			175604		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	250113	0	0
MAY 18	0- 1.5	1.5- 3	3-13	198053	52059	0
JUN 1	0- 3	3- 5	5-13	56585	30556	37771
JUN 15	0- 3.7	3.75- 6	6-13	7595	29425	53595
JUN 29	0- 3.5	3.5- 6	6-13	8730	10854	24736
JUL 13	0- 3.2	3.25- 6.5	6.5-13	19804	7312	2350
JUL 27	0- 3	3- 7	7-12	59416	9335	0
AUG 24	0- 5	5- 6.5	6.5-13	37007	0	0
OCT 5	0- 6	6- 9	9-12	7922	16410	0
OCT 19	0- 9		9-12	3017		2829
OCT 31	0-14			0		
1978						
MAY 10	0-14			327		
JUN 7	0- 3	3- 6	6-12	47436	187452	13389
JUN 21	0- 3	3- 5.75	5.75-13	27161	138971	39733
JUL 5	0- 2	2- 6	6-12	9181	708684	95256
JUL 26	0- 3	3- 6.5	6.5- 9.5	15684	462673	217291
AUG 16	0- 2.7	2.75- 7	7-12	6259	2700	0
SEP 8	0- 3	3- 8	8-11	13389	3672	1530
SEP 27	0- 5.5	5.5- 7	7-13	3338	6120	170
OCT 24	0-12			425		

Polyarthra vulgaris

LAKE 226SW

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			23791		
JUN 7	0- 2			29010		
JUL 5	0- 2			10549		
AUG 2	0- 2			31863		
AUG 30	0- 2			60000		
SEP 27	0- 2			40439		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	165515	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	255771	0	86278
JUN 1	0- 3	3- 5	5-11	196355	39893	129017
JUN 15	0- 3.7	3.75- 6	6-10.5	55681	60359	253412
JUN 29	0- 3.5	3.5- 5	5-10	38802	0	37771
JUL 13	0- 3	3- 6	6-10	31688	2263	0
JUL 27	0- 3	3- 7	7-10	121661	10610	0
AUG 24	0- 4.5	4.5- 7	7-10	44514	3395	0
SEP 21	0-10			19861		
OCT 5	0- 6		6-11	43288		14969
OCT 19	0-10			13750		
1978						
MAY 10	0-11			104		
JUN 7	0- 3	3- 6	6- 9	32134	348890	40933
JUL 5	0- 2	2- 6	6- 9.5	101568	150918	229533
JUL 26	0- 3	3- 6	6-11	2577	57765	1377
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	23281	360520	270849
SEP 8	0- 3.5	3.5- 7	7-10	34429	39675	9946
SEP 27	0- 6	6- 7.75	7.75-10	21083	51881	5440
OCT 24	0-10			4692		

Polyarthra remata

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	0		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Polyarthra remata

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	0		0
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		0
AUG 7	0- 5		6- 9	0		0
AUG 21	0- 5		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Polyarthra remata

LAKE 226NE

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			46153		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	14712	11317	0
MAY 18	0- 1.5	1.5- 3	3-13	16976	3395	0
JUN 1	0- 3	3- 5	5-13	9053	0	0
JUN 15	0- 3.7	3.75- 6	6-13	0	1508	495
JUN 29	0- 3.5	3.5- 6	6-13	485	679	727
JUL 13	0- 3.2	3.25- 6.5	6.5-13	522	0	783
JUL 27	0- 3	3- 7	7-12	0	0	0
AUG 24	0- 5	5- 6.5	6.5-13	4413	0	783
OCT 5	0- 6	6- 9	9-12	18956	565	0
OCT 19	0- 9		9-12	4904		2687
OCT 31	0-14			485		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	11959	119357	5738
JUN 21	0- 3	3- 5.75	5.75-13	9946	22118	34825
JUL 5	0- 2	2- 6	6-12	0	164690	42463
JUL 26	0- 3	3- 6.5	6.5- 9.5	1912	84271	52792
AUG 16	0- 2.7	2.75- 7	7-12	5007	79661	2983
SEP 8	0- 3	3- 9	8-11	154552	131293	19127
SEP 27	0- 5.5	5.5- 7	7-13	14374	36045	935
OCT 24	0-12			5440		

Polyarthra remata

LAKE 226SW

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			439		
JUL 5	0- 2			979		
AUG 2	0- 2			559		
AUG 30	0- 2			439		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	23756	21050	0
MAY 18	0- 1.5	1.5- 3	3-11.5	213897	0	3195
JUN 1	0- 3	3- 5	5-11	151272	40742	0
JUN 15	0- 3.7	3.75- 6	6-10.5	61566	0	0
JUN 29	0- 3.5	3.5- 5	5-10	18431	0	0
JUL 13	0- 3	3- 6	6-10	9519	0	0
JUL 27	0- 3	3- 7	7-10	1131	0	0
AUG 24	0- 4.5	4.5- 7	7-10	13580	13580	0
SEP 21	0-10			13580		
OCT 5	0- 6		6-11	28010		14352
OCT 19	0-10			43458		
1978						
MAY 10	0-11			521		
JUN 7	0- 3	3- 6	6- 9	98699	399005	22188
JUL 5	0- 2	2- 6	6- 9.5	58530	63695	953
JUL 26	0- 3	3- 6	6-11	1147	64259	918
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	19018	87528	134440
SEP 8	0- 3.5	3.5- 7	7-10	7541	88862	95309
SEP 27	0- 6	6- 7.75	7.75-10	26943	108135	10881
OCT 24	0-10			6425		

Synchaeta sp.

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	0		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			989		
NOV 10	0- 2			1483		

Synchaeta sp.

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	0		0
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 9	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			1978		
OCT 27	0- 2			0		
NOV 10	0- 2			2472		

LAKE 226NE

Synchaeta sp.

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			3296		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			1979		
SEP 27	0- 2			98241		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	148257	17541	0
MAY 18	0- 1.5	1.5- 3	3-13	7922	48664	5432
JUN 1	0- 3	3- 5	5-13	11317	44986	0
JUN 15	0- 3.7	3.75- 6	6-13	0	12826	0
JUN 29	0- 3.5	3.5- 6	6-13	7275	42100	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	8357	0	3134
JUL 27	0- 3	3- 7	7-12	50352	0	4074
AUG 24	0- 5	5- 6.5	6.5-13	3734	1131	0
OCT 5	0- 6	6- 9	9-12	11883	0	9519
OCT 19	0- 9		9-12	5092		4102
OCT 31	0-14			121		
1978						
MAY 10	0-14			1803		
JUN 7	0- 3	3- 6	6-12	39539	29309	4590
JUN 21	0- 3	3- 5.75	5.75-13	2295	2503	158
JUL 5	0- 2	2- 6	6-12	0	960	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	392	2951	382
AUG 16	0- 2.7	2.75- 7	7-12	0	2160	0
SEP 8	0- 3	3- 8	8-11	139250	101224	4590
SEP 27	0- 5.5	5.5- 7	7-13	556	0	0
OCT 24	0-12			31114		

LAKE 226SW

Synchaeta sp.

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			10939		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			11648		
SEP 27	0- 2			5054		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	72996	6111	0
MAY 18	0- 1.5	1.5- 3	3-11.5	145993	0	798
JUN 1	0- 3	3- 5	5-11	39044	49230	0
JUN 15	0- 3.7	3.75- 6	6-10.5	33952	24998	0
JUN 29	0- 3.5	3.5- 6	6-10	2425	6111	949
JUL 13	0- 3	3- 5	6-10	2253	0	0
JUL 27	0- 3	3- 7	7-10	10185	0	0
AUG 24	0- 4.5	4.5- 7	7-10	2253	0	5790
SEP 21	0-10			9675		
OCT 5	0- 6		6-11	3395		2150
OCT 19	0-10			509		
1978						
MAY 10	0-11			834		
JUN 7	0- 3	3- 6	6- 9	114756	70772	9181
JUL 5	0- 2	2- 6	6- 9.5	1721	157230	0
JUL 26	0- 3	3- 6	6-11	0	382	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	0	327	0
SEP 27	0- 6	6- 7.75	7.75-10	0	291	0
OCT 24	0-10			459		

Gastropus stylifer

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	0		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 5		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Gastropus stylifer

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	0		0
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Gastropus stylifer

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			439		
1977						
MAY 4	0- 1.5	1.5- 8.5	8.5-12	12449	0	0
MAY 18	0- 1.5	1.5- 3	3-13	165233	0	0
JUN 1	0- 3	3- 5	5-13	6790	72996	18673
JUN 15	0- 3.7	3.75- 6	6-13	4979	97520	53353
JUN 29	0- 3.5	3.5- 6	6-13	7760	19013	4607
JUL 13	0- 3.2	3.25- 6.5	6.5-13	8357	10446	2611
JUL 27	0- 3	3- 7	7-12	1131	3819	2037
AUG 24	0- 5	5- 6.5	6.5-13	0	0	522
OCT 5	0- 5	6- 9	9-12	1131	1131	0
OCT 19	0- 9		9-12	5659		1131
OCT 31	0-14			0		
1978						
MAY 10	0-14			491		
JUN 7	0- 3	3- 6	6-12	5355	52792	0
JUN 21	0- 3	3- 5.75	5.75-13	4590	83883	6015
JUL 5	0- 2	2- 6	6-12	2869	37586	2677
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	230516	48201
AUG 16	0- 2.7	2.75- 7	7-12	1251	0	918
SEP 8	0- 3	3- 8	8-11	0	0	392
SEP 27	0- 5.5	5.5- 7	7-13	0	340	0
OCT 24	0-12			85		

Gastropus stylifer

LAKE 226SW

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 8.5	8.5-10	84031	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	165233	55595	73496
JUN 1	0- 3	3- 5	5-11	26595	39044	111758
JUN 15	0- 3.7	3.75- 6	6-10.5	15749	158442	215783
JUN 29	0- 3.5	3.5- 6	6-10	37932	32163	154481
JUL 13	0- 3	3- 6	6-10	40742	72430	55595
JUL 27	0- 3	3- 7	7-10	5558	212200	15278
AUG 24	0- 4.5	4.5- 7	7-10	4149	14259	0
SEP 21	0-10			3395		
OCT 5	0- 6		6-11	22068		8179
OCT 19	0-10			16127		
1979						
MAY 10	0-11			1773		
JUN 7	0- 3	3- 6	6- 9	9798	221117	9798
JUL 5	0- 2	2- 6	6- 9.5	5164	157230	123620
JUL 25	0- 3	3- 5	6-11	765	32134	229
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	1967	234123	61546
SEP 8	0- 3.5	3.5- 7	7-10	655	68204	44376
SEP 27	0- 6	6- 7.75	7.75-10	4080	15613	2720
OCT 24	0-10			0		

Trichocerca cyclindrica **LAKE 226NE**

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	627		0
JUN 24	0- 5		5-14	2195		1219
JUL 22	0- 5		5-14	4076		522
AUG 19	0- 5		5-14	627		783
SEP 16	0- 7		7-14	447		223
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	223		783
MAY 14	0-14			335		
MAY 29	0- 5		5-14	6271		1219
JUN 12	0- 5		5-13	14111		21363
JUN 26	0- 5		5-12	3135		2239
JUL 10	0- 5		5-12	3449		895
JUL 24	0- 7		7-14	18367		447
AUG 7	0- 6		6-12	40766		14372
AUG 21	0- 6		6- 9	27700		31358
SEP 4	0- 6		6- 9	1567		522
SEP 18	0- 7		7- 8	23967		54878
OCT 2	0- 8			5693		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	783		0
JUN 11	0- 4		4-15	1175		0
JUN 25	0- 4		4-14	2743		313
JUL 23	0- 5		5-13	3135		1567
AUG 6	0- 5		5-10	15993		7525
AUG 17	0- 5		5-15	31045		6271
SEP 3	0- 7		7-14	15231		6495
SEP 17	0- 7		7-10	4703		12020
OCT 1	0- 9			5923		
OCT 15	0-12			391		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			195		
JUN 9	0- 2.5			5487		
JUN 23	0- 2.5			3135		
JUL 7	0- 2			28681		
JUL 21	0- 2			622087		
AUG 4	0- 2			494		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			989		
SEP 29	0- 2			0		
OCT 13	0- 2			1978		
OCT 27	0- 2			1483		
NOV 10	0- 2			0		

Trichocerca cyclindrica **LAKE 226SW**

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			940		
MAY 29	0- 5		5-10	6585		1881
JUN 12	0- 5		5-10	5644		40766
JUN 26	0- 5		5-10	2822		11602
JUL 10	0- 5		5-10	8466		2195
JUL 24	0- 6		6-10	31097		1567
AUG 7	0- 6		6- 9	16724		13589
AUG 21	0- 6		6- 9	17247		91010
SEP 4	0- 6		6- 9	5487		12020
SEP 18	0- 7		7- 8	261		0
OCT 2	0- 8			391		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	1567		0
JUN 11	0- 4		4-10	391		0
JUN 25	0- 4		4-10	1567		1045
JUL 23	0- 4		4-10	7939		2351
AUG 6	0- 5		5-10	18815		15365
AUG 17	0- 5		5-10	15679		5331
SEP 3	0- 7		7-11	895		0
SEP 17	0- 7		7- 9	447		783
OCT 1	0- 9			522		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			3919		
JUN 23	0- 2.5			16986		
JUL 7	0- 2			32637		
JUL 21	0- 2			58351		
AUG 4	0- 2			0		
AUG 18	0- 2			494		
SEP 1	0- 2			0		
SEP 15	0- 2			5439		
SEP 29	0- 2			9406		
OCT 13	0- 2			494		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Trichocerca cyclindrica

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			63516		
SEP 27	0- 2			22637		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	1131	0	0
MAY 18	0- 1.5	1.5- 3	3-13	2263	0	169
JUN 1	0- 3	3- 5	5-13	0	848	0
JUN 15	0- 3.7	3.75- 6	6-13	452	0	727
JUN 29	0- 3.5	3.5- 6	6-13	2425	1358	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	3655	2611	2089
JUL 27	0- 3	3- 7	7-12	3395	0	1358
AUG 24	0- 5	5- 6.5	6.5-13	5432	0	2350
OCT 5	0- 6	6- 9	9-12	42157	119963	0
OCT 19	0- 9		9-12	16976		17400
OCT 31	0-14			121		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	30604	18745	2869
JUN 21	0- 3	3- 5.75	5.75-13	27926	15858	1582
JUL 5	0- 2	2- 6	6-12	573	2008	2677
JUL 26	0- 3	3- 6.5	6.5- 9.5	3060	7213	382
AUG 16	0- 2.7	2.75- 7	7-12	0	810	0
SEP 8	0- 3	3- 8	8-11	765	229	0
SEP 27	0- 5.5	5.5- 7	7-13	649	0	85
OCT 24	0-12			0		

Trichocerca cyclindrica

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			3076		
JUL 5	0- 2			1098		
AUG 2	0- 2			1318		
AUG 30	0- 2			1758		
SEP 27	0- 2			219		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	308
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	8438	849	0
JUN 15	0- 3.7	3.75- 6	6-10.5	2263	3017	0
JUN 29	0- 3.5	3.5- 6	6-10	2425	0	1273
JUL 13	0- 3	3- 6	6-10	2263	565	0
JUL 27	0- 3	3- 7	7-10	7922	848	0
AUG 24	0- 4.5	4.5- 7	7-10	9808	0	5790
SEP 21	0-10			17994		
OCT 5	0- 6		6-11	10751		4321
OCT 19	0-10			169		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	765	1530	0
JUL 5	0- 2	2- 6	6- 9.5	21805	13771	5902
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	2295	2754	0
SEP 8	0- 3.5	3.5- 7	7-10	983	655	392
SEP 27	0- 6	6- 7.75	7.75-10	595	2914	453
OCT 24	0-10			153		

Trichocera sp.

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	0		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	783		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Trichocera sp.

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	0		0
JUL 10	0- 5		5-10	0		0
JUL 24	0- 5		6-10	0		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Trichocera sp.

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			219		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	1131	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	0	0
JUN 1	0- 3	3- 5	5-13	0	848	0
JUN 15	0- 3.7	3.75- 6	6-13	452	0	727
JUN 29	0- 3.5	3.5- 6	6-13	1455	0	485
JUL 13	0- 3.2	3.25- 6.5	6.5-13	2611	3656	1567
JUL 27	0- 3	3- 7	7-12	0	0	0
AUG 24	0- 5	5- 6.5	6.5-13	339	0	1305
OCT 5	0- 6	6- 9	9-12	18673	130715	0
OCT 19	0- 9		9-12	9619		11317
OCT 31	0-14			121		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	4208	765
JUN 21	0- 3	3- 5.75	5.75-13	0	0	316
JUL 5	0- 2	2- 5	6-12	0	1721	2677
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	3606	382
AUG 16	0- 2.7	2.75- 7	7-12	0	810	0
SEP 8	0- 3	3- 9	8-11	765	0	0
SEP 27	0- 5.5	5.5- 7	7-13	649	0	85
OCT 24	0-12			0		

Trichocera sp.

LAKE 226SW

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			219		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	754
JUN 29	0- 3.5	3.5- 6	6-10	0	679	424
JUL 13	0- 3	3- 6	6-10	565	1697	0
JUL 27	0- 3	3- 7	7-10	0	848	0
AUG 24	0- 4.5	4.5- 7	7-10	32820	76731	0
SEP 21	0-10			31914		
OCT 5	0- 6		6-11	3961		3240
OCT 19	0-10			2546		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	1912	0
JUL 5	0- 2	2- 6	6- 9.5	573	286	3934
JUL 26	0- 3	3- 6	6-11	0	3442	229
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	3672	3934
SEP 8	0- 3.5	3.5- 7	7-10	327	2951	3825
SEP 27	0- 6	6- 7.75	7.75-10	1445	25649	5894
OCT 24	0-10			204		

Asplanchna priodonta

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	313		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	671		4927
OCT 14	0- 8		8-14	2547		3919
1973						
MAY 1	0- 7		7-13	223		261
MAY 14	0-14			671		
MAY 29	0- 5		5-14	5644		2787
JUN 12	0- 5		5-13	0		1959
JUN 26	0- 5		5-12	313		895
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	0		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	6495		6271
OCT 2	0- 8			31750		
OCT 16	0- 9			4181		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			1119		
MAY 28	0- 4		4-14	8231		940
JUN 11	0- 4		4-15	783		142
JUN 25	0- 4		4-14	0		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	6585		3292
SEP 3	0- 7		7-14	1119		3135
SEP 17	0- 7		7-10	4703		2613
OCT 1	0- 9			2439		
OCT 15	0-12			1306		
OCT 29	0-15			10034		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			1306		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			7417		
SEP 15	0- 2			1978		
SEP 29	0- 2			494		
OCT 13	0- 2			1483		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Asplanchna priodonta

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			156		
MAY 29	0- 5		5-10	5958		10034
JUN 12	0- 5		5-10	313		15679
JUN 26	0- 5		5-10	0		0
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	8885		3135
OCT 2	0- 8			1959		
OCT 16	0-10			156		
OCT 30	0-10			0		
1974						
MAY 14	0-10			156		
MAY 28	0- 4		4-11	0		447
JUN 11	0- 4		4-10	8623		6794
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	3359		1175
SEP 17	0- 7		7- 9	8063		10975
OCT 1	0- 9			174		
OCT 15	0-11			0		
OCT 29	0-11			4418		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			7839		
JUN 23	0- 2.5			522		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			494		
SEP 29	0- 2			494		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Asplanchna priodonta

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			1098		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			6813		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	5658	5658	0
JUN 1	0- 3	3- 5	5-13	0	3395	0
JUN 15	0- 3.7	3.75- 6	6-13	0	754	970
JUN 29	0- 3.5	3.5- 6	6-13	0	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	0	0	0
JUL 27	0- 3	3- 7	7-12	0	0	0
AUG 24	0- 5	5- 6.5	6.5-13	339	1131	1567
OCT 5	0- 6	6- 9	9-12	282	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			81		
JUN 7	0- 3	3- 6	6-12	6120	4973	573
JUN 21	0- 3	3- 5.75	5.75-13	0	11267	0
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	3060	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	765	0	0
SEP 27	0- 5.5	5.5- 7	7-13	185	0	0
OCT 24	0-12			2210		

Asplanchna priodonta

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			4615		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			1978		
SEP 27	0- 2			3956		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	5658	599
JUN 1	0- 3	3- 5	5-11	0	848	565
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	0	0	0
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	30179	0	0
SEP 21	0-10			2716		
OCT 5	0- 6		6-11	565		617
OCT 19	0-10			0		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	3442	2295	382
JUL 5	0- 2	2- 6	6- 9.5	0	0	0
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	7541	1224	1311
SEP 8	0- 3.5	3.5- 7	7-10	5574	1311	382
SEP 27	0- 6	6- 7.75	7.75-10	3825	874	906
OCT 24	0-10			0		

Keratella taurocephala

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	1567		3527
JUN 24	0- 5		5-14	52682		6271
JUL 22	0- 5		5-14	274703		17944
AUG 19	0- 5		5-14	171846		42726
SEP 16	0- 7		7-14	106620		17695
OCT 14	0- 8		8-14	2351		6010
1973						
MAY 1	0- 7		7-13	1343		2351
MAY 14	0-14			1119		
MAY 29	0- 5		5-14	56132		9756
JUN 12	0- 5		5-13	63972		12935
JUN 26	0- 5		5-12	52055		9631
JUL 10	0- 5		5-12	4390		2911
JUL 24	0- 7		7-14	223		671
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	1175		0
JUN 11	0- 4		4-15	783		1140
JUN 25	0- 4		4-14	1959		156
JUL 23	0- 5		5-13	627		0
AUG 6	0- 5		5-10	627		2508
AUG 17	0- 5		5-15	1254		470
SEP 3	0- 7		7-14	2015		0
SEP 17	0- 7		7-10	1343		1567
OCT 1	0- 9			3310		
OCT 15	0-12			1698		
OCT 29	0-15			2926		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			7317		
JUN 23	0- 2.5			7839		
JUL 7	0- 2			4450		
JUL 21	0- 2			5439		
AUG 4	0- 2			22747		
AUG 18	0- 2			4945		
SEP 1	0- 2			50439		
SEP 15	0- 2			494		
SEP 29	0- 2			0		
OCT 13	0- 2			1978		
OCT 27	0- 2			0		
NOV 10	0- 2			1483		

Keratella taurocephala

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			31986		
MAY 29	0- 5		5-10	99094		25714
JUN 12	0- 5		5-10	62090		12543
JUN 26	0- 5		5-10	301045		47665
JUL 10	0- 5		5-10	17560		13170
JUL 24	0- 6		6-10	1567		1567
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	391		447
JUN 11	0- 4		4-10	1175		783
JUN 25	0- 4		4-10	2743		1306
JUL 23	0- 4		4-10	4703		1829
AUG 6	0- 5		5-10	12857		1881
AUG 17	0- 5		5-10	17560		8153
SEP 3	0- 7		7-11	33822		9015
SEP 17	0- 7		7- 9	26655		50958
OCT 1	0- 9			13588		
OCT 15	0-11			17389		
OCT 29	0-11			25229		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			173257		
JUN 23	0- 2.5			154181		
JUL 7	0- 2			1483		
JUL 21	0- 2			307087		
AUG 4	0- 2			246263		
AUG 18	0- 2			57747		
SEP 1	0- 2			989		
SEP 15	0- 2			8406		
SEP 29	0- 2			4945		
OCT 13	0- 2			3956		
OCT 27	0- 2			2472		
NOV 10	0- 2			5439		

Keratella taurocephala

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			659		
JUL 5	0- 2			659		
AUG 2	0- 2			2197		
AUG 30	0- 2			439		
SEP 27	0- 2			1319		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	0	0
JUN 1	0- 3	3- 5	5-13	0	0	0
JUN 15	0- 3.7	3.75- 6	6-13	0	0	0
JUN 29	0- 3.5	3.5- 6	6-13	0	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	0	0	0
JUL 27	0- 3	3- 7	7-12	0	0	0
AUG 24	0- 5	5- 6.5	6.5-13	339	0	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	0	0
JUN 21	0- 3	3- 5.75	5.75-13	0	0	0
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	382	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	92	0	0
OCT 24	0-12			0		

Keratella taurocephala

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			12087		
JUL 5	0- 2			5153		
AUG 2	0- 2			5494		
AUG 30	0- 2			439		
SEP 27	0- 2			6813		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	848	0
JUN 15	0- 3.7	3.75- 6	6-10.5	452	754	0
JUN 29	0- 3.5	3.5- 6	6-10	0	0	424
JUL 13	0- 3	3- 5	5-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	765	0	0
JUL 5	0- 2	2- 6	6- 9.5	1147	0	1311
JUL 26	0- 3	3- 6	6-11	382	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	85	291	0
OCT 24	0-10			0		

Keratella cochlearis

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	223275		200696
JUN 24	0- 5		5-14	15052		293205
JUL 22	0- 5		5-14	50174		113937
AUG 19	0- 5		5-14	24459		159930
SEP 16	0- 7		7-14	139099		214136
OCT 14	0- 8		8-14	51742		88327
1973						
MAY 1	0- 7		7-13	68541		54878
MAY 14	0-14			80973		
MAY 29	0- 5		5-14	65853		210627
JUN 12	0- 5		5-13	48606		455683
JUN 26	0- 5		5-12	277526		352115
JUL 10	0- 5		5-12	158989		244375
JUL 24	0- 7		7-14	696615		235191
AUG 7	0- 6		6-12	519773		139763
AUG 21	0- 6		6- 9	28745		31358
SEP 4	0- 6		6- 9	72909		32926
SEP 18	0- 7		7- 8	587755		965853
OCT 2	0- 8			1035235		
OCT 16	0- 9			173170		
OCT 30	0-12			101132		
NOV 8	0-14			212344		
1974						
MAY 14	0-14			73693		
MAY 28	0- 4		4-14	420209		218571
JUN 11	0- 4		4-15	183841		618910
JUN 25	0- 4		4-14	163458		296341
JUL 23	0- 5		5-13	1580801		723410
AUG 6	0- 5		5-10	160557		241463
AUG 17	0- 5		5-15	96585		105365
SEP 3	0- 7		7-14	52862		24639
SEP 17	0- 7		7-10	39198		87282
OCT 1	0- 9			99477		
OCT 15	0-12			52264		
OCT 29	0-15			90418		
1975						
MAY 12	0- 2			69577		
JUN 9	0- 2.5			15418		
JUN 23	0- 2.5			39459		
JUL 7	0- 2			1978		
JUL 21	0- 2			494		
AUG 4	0- 2			3956		
AUG 18	0- 2			29670		
SEP 1	0- 2			19285		
SEP 15	0- 2			120659		
SEP 29	0- 2			48956		
OCT 13	0- 2			131043		
OCT 27	0- 2			176538		
NOV 10	0- 2			225989		

Keratella cochlearis

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			152717		
MAY 29	0- 5		5-10	41393		577317
JUN 12	0- 5		5-10	73693		329013
JUN 26	0- 5		5-10	161811		155574
JUL 10	0- 5		5-10	177177		227039
JUL 24	0- 5		6-10	378397		245775
AUG 7	0- 6		6- 9	15579		509059
AUG 21	0- 6		6- 9	133536		147386
SEP 4	0- 6		6- 9	18031		90418
SEP 18	0- 7		7- 8	91202		255574
OCT 2	0- 8			358275		
OCT 16	0-10			297439		
OCT 30	0-10			142682		
1974						
MAY 14	0-10			109912		
MAY 28	0- 4		4-11	268118		129915
JUN 11	0- 4		4-10	219512		217682
JUN 25	0- 4		4-10	145426		416289
JUL 23	0- 4		4-10	123867		174041
AUG 6	0- 5		5-10	83728		53310
AUG 17	0- 5		5-10	37944		102229
SEP 3	0- 7		7-11	37406		98388
SEP 17	0- 7		7- 9	23071		80749
OCT 1	0- 9			20522		
OCT 15	0-11			222077		
OCT 29	0-11			239325		
1975						
MAY 12	0- 2			59139		
JUN 9	0- 2.5			199912		
JUN 23	0- 2.5			44947		
JUL 7	0- 2			5439		
JUL 21	0- 2			989		
AUG 4	0- 2			2957		
AUG 18	0- 2			16813		
SEP 1	0- 2			357527		
SEP 15	0- 2			450000		
SEP 29	0- 2			249230		
OCT 13	0- 2			252197		
OCT 27	0- 2			242902		
NOV 10	0- 2			353076		

Keratella cochlearis

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			23736		
JUN 7	0- 2			2637		
JUL 5	0- 2			0		
AUG 2	0- 2			659		
AUG 30	0- 2			325274		
SEP 27	0- 2			137362		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	296514	0	0
MAY 18	0- 1.5	1.5- 3	3-13	321412	219556	0
JUN 1	0- 3	3- 5	5-13	156745	566998	233420
JUN 15	0- 3.7	3.75- 6	6-13	60660	149388	129017
JUN 29	0- 3.5	3.5- 6	6-13	27646	29877	41712
JUL 13	0- 3.2	3.25- 6.5	6.5-13	21938	35519	0
JUL 27	0- 3	3- 7	7-12	2829	16127	8148
AUG 24	0- 5	5- 6.5	6.5-13	28180	0	36563
OCT 5	0- 6	6- 9	9-12	311226	110909	0
OCT 19	0- 9		9-12	144484		93606
OCT 31	0-14			363		
1978						
MAY 10	0-14			2623		
JUN 7	0- 3	3- 6	6-12	210022	1753251	173106
JUN 21	0- 3	3- 5.75	5.75-13	108263	831745	65694
JUL 5	0- 2	2- 6	6-12	472264	411725	61591
JUL 26	0- 3	3- 6.5	6.5- 9.5	311017	430210	84544
AUG 16	0- 2.7	2.75- 7	7-12	14606	8641	2524
SEP 8	0- 3	3- 8	8-11	19892	11706	382
SEP 27	0- 5.5	5.5- 7	7-13	15209	51347	935
OCT 24	0-12			16917		

Keratella cochlearis

LAKE 226SW

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			43736		
JUN 7	0- 2			4835		
JUL 5	0- 2			439		
AUG 2	0- 2			5494		
AUG 30	0- 2			3076		
SEP 27	0- 2			2637		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	271615	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	333861	46401	32154
JUN 1	0- 3	3- 5	5-11	151085	87426	88275
JUN 15	0- 3.7	3.75- 6	6-10.5	81032	177304	91293
JUN 29	0- 3.5	3.5- 6	6-10	51893	29877	70874
JUL 13	0- 3	3- 6	6-10	28859	16410	17824
JUL 27	0- 3	3- 7	7-10	3395	36074	0
AUG 24	0- 4.5	4.5- 7	7-10	228610	92349	0
SEP 21	0-10			631677		
OCT 5	0- 6		6-11	453259		157722
OCT 19	0-10			94726		
1978						
MAY 10	0-11			4799		
JUN 7	0- 3	3- 6	6- 9	332823	1937031	193573
JUL 5	0- 2	2- 6	6- 9.5	372991	445581	385943
JUL 26	0- 3	3- 6	6-11	14537	109410	22723
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	335774	328691	197398
SEP 8	0- 3.5	3.5- 7	7-10	43939	131817	55853
SEP 27	0- 6	6- 7.75	7.75-10	50667	225839	23803
OCT 24	0-10			86753		

Keratella hiemalis

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		783
JUN 24	0- 5		5-14	0		348
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	4479		4703
MAY 14	0-14			5487		
MAY 29	0- 5		5-14	313		11324
JUN 12	0- 5		5-13	0		3723
JUN 26	0- 5		5-12	0		671
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	0		671
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 9	0		0
OCT 2	0- 9			0		
OCT 16	0- 9			0		
OCT 30	0-12			783		
NOV 9	0-14			0		
1974						
MAY 14	0-14			2799		
MAY 28	0- 4		4-14	391		17560
JUN 11	0- 4		4-15	391		3278
JUN 25	0- 4		4-14	1175		2195
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	0		313
SEP 3	0- 7		7-14	447		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			261		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			2547		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			989		
NOV 10	0- 2			3461		

Keratella hiemalis

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			34908		
MAY 29	0- 5		5-10	0		13797
JUN 12	0- 5		5-10	0		4390
JUN 26	0- 5		5-10	0		627
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			313		
1974						
MAY 14	0-10			13484		
MAY 28	0- 4		4-11	13719		17919
JUN 11	0- 4		4-10	0		15940
JUN 25	0- 4		4-10	0		7317
JUL 23	0- 4		4-10	0		1045
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		5879
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			348		
OCT 15	0-11			1140		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			2155		
JUN 9	0- 2.5			522		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			1483		
NOV 10	0- 2			1979		

Keratella hiemalis

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			879		
JUN 7	0- 2			219		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	30556	34517	0
MAY 18	0- 1.5	1.5- 3	3-13	39610	33952	1867
JUN 1	0- 3	3- 5	5-13	1131	32254	21220
JUN 15	0- 3.7	3.75- 6	6-13	452	15089	12369
JUN 29	0- 3.5	3.5- 6	6-13	2425	1358	1212
JUL 13	0- 3.2	3.25- 6.5	6.5-13	0	1567	261
JUL 27	0- 3	3- 7	7-12	0	2122	0
AUG 24	0- 5	5- 6.5	6.5-13	0	0	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			2049		
JUN 7	0- 3	3- 6	6-12	8033	41698	4208
JUN 21	0- 3	3- 5.75	5.75-13	2295	11267	2691
JUL 5	0- 2	2- 6	6-12	2295	32134	6885
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	13116	18362
AUG 16	0- 2.7	2.75- 7	7-12	1251	11881	918
SEP 8	0- 3	3- 8	8-11	2677	52563	7651
SEP 27	0- 5.5	5.5- 7	7-13	741	193148	4845
OCT 24	0-12			24356		

Keratella hiemalis

LAKE 226SW

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			379		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	29708	104572	0
MAY 18	0- 1.5	1.5- 3	3-11.5	83748	65640	66506
JUN 1	0- 3	3- 5	5-11	5658	112890	96480
JUN 15	0- 3.7	3.75- 6	6-10.5	2716	75203	95634
JUN 29	0- 3.5	3.5- 6	6-10	10570	8827	25464
JUL 13	0- 3	3- 6	6-10	3961	6224	4668
JUL 27	0- 3	3- 7	7-10	0	35649	5790
AUG 24	0- 4.5	4.5- 7	7-10	1886	12901	0
SEP 21	0-10			159		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1978						
MAY 10	0-11			3234		
JUN 7	0- 3	3- 6	6- 9	765	89135	35577
JUL 5	0- 2	2- 6	6- 9.5	0	14919	42299
JUL 26	0- 3	3- 6	6-11	765	23335	1836
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	8263	9837
SEP 8	0- 3.5	3.5- 7	7-10	0	3934	2677
SEP 27	0- 6	6- 7.75	7.75-10	85	5829	1133
OCT 24	0-10			561		

Kellicottia longispina **LAKE 226NE**

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	81219		97996
JUN 24	0- 5		5-14	18501		77003
JUL 22	0- 5		5-14	627		27974
AUG 19	0- 5		5-14	940		9015
SEP 16	0- 7		7-14	2463		7839
OCT 14	0- 8		8-14	5291		3397
1973						
MAY 1	0- 7		7-13	61373		90679
MAY 14	0-14			148618		
MAY 29	0- 5		5-14	269685		138153
JUN 12	0- 5		5-13	76202		71733
JUN 26	0- 5		5-12	14111		163952
JUL 10	0- 5		5-12	4703		251319
JUL 24	0- 7		7-14	24863		81757
AUG 7	0- 6		6-12	4442		25871
AUG 21	0- 6		6- 9	6271		35017
SEP 4	0- 6		6- 9	3397		8885
SEP 18	0- 7		7- 8	6271		7839
OCT 2	0- 8			10387		
OCT 16	0- 9			5923		
OCT 30	0-12			17508		
NOV 8	0-14			13663		
1974						
MAY 14	0-14			51518		
MAY 28	0- 4		4-14	138371		247108
JUN 11	0- 4		4-15	137195		357776
JUN 25	0- 4		4-14	99564		224216
JUL 23	0- 5		5-13	42020		525261
AUG 5	0- 5		5-10	3135		47351
AUG 17	0- 5		5-15	4703		7839
SEP 3	0- 7		7-14	6047		1119
SEP 17	0- 7		7-10	1343		522
OCT 1	0- 9			5226		
OCT 15	0-12			3005		
OCT 29	0-15			9512		
1975						
MAY 12	0- 2			29202		
JUN 9	0- 2.5			335540		
JUN 23	0- 2.5			33972		
JUL 7	0- 2			0		
JUL 21	0- 2			989		
AUG 4	0- 2			2967		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			3956		
SEP 29	0- 2			1483		
OCT 13	0- 2			3956		
OCT 27	0- 2			5439		
NOV 10	0- 2			9890		

Kellicottia longispina **LAKE 226SW**

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			130296		
MAY 29	0- 5		5-10	93449		242717
JUN 12	0- 5		5-10	47033		90940
JUN 26	0- 5		5-10	3135		71498
JUL 10	0- 5		5-10	2195		50174
JUL 24	0- 6		6-10	9930		165026
AUG 7	0- 6		6- 9	5225		25609
AUG 21	0- 6		6- 9	1045		19337
SEP 4	0- 6		6- 9	4181		17247
SEP 18	0- 7		7- 8	3135		9407
OCT 2	0- 8			6467		
OCT 16	0-10			12700		
OCT 30	0-10			11445		
1974						
MAY 14	0-10			62404		
MAY 28	0- 4		4-11	104268		129467
JUN 11	0- 4		4-10	74085		122560
JUN 25	0- 4		4-10	197168		144512
JUL 23	0- 4		4-10	6663		48867
AUG 6	0- 5		5-10	3644		14738
AUG 17	0- 5		5-10	1254		9466
SEP 3	0- 7		7-11	13215		113283
SEP 17	0- 7		7- 9	1343		783
OCT 1	0- 9			34494		
OCT 15	0-11			36632		
OCT 29	0-11			53310		
1975						
MAY 12	0- 2			15483		
JUN 9	0- 2.5			296572		
JUN 23	0- 2.5			77874		
JUL 7	0- 2			494		
JUL 21	0- 2			989		
AUG 4	0- 2			494		
AUG 18	0- 2			1483		
SEP 1	0- 2			989		
SEP 15	0- 2			5934		
SEP 29	0- 2			3956		
OCT 13	0- 2			5439		
OCT 27	0- 2			10379		
NOV 10	0- 2			18791		

Kellicottia longispina

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			64175		
JUN 7	0- 2			16703		
JUL 5	0- 2			1318		
AUG 2	0- 2			8791		
AUG 30	0- 2			1098		
SEP 27	0- 2			14285		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	504753	0	0
MAY 18	0- 1.5	1.5- 3	3-13	952919	271616	0
JUN 1	0- 3	3- 5	5-13	209370	447317	158301
JUN 15	0- 3.7	3.75- 6	6-13	124033	195412	30799
JUN 29	0- 3.5	3.5- 6	6-13	55778	64508	4607
JUL 13	0- 3.2	3.25- 6.5	6.5-13	21938	20371	5006
JUL 27	0- 3	3- 7	7-12	5790	29293	0
AUG 24	0- 5	5- 6.5	6.5-13	16636	5790	7051
OCT 5	0- 6	6- 9	9-12	48098	0	0
OCT 19	0- 9		9-12	29990		20371
OCT 31	0-14			121		
1978						
MAY 10	0-14			7295		
JUN 7	0- 3	3- 6	6-12	128533	167559	18553
JUN 21	0- 3	3- 5.75	5.75-13	72685	222855	22636
JUL 5	0- 2	2- 5	6-12	8033	204858	16258
JUL 26	0- 3	3- 6.5	6.5- 9.5	755	77057	14154
AUG 16	0- 2.7	2.75- 7	7-12	1569	11341	1377
SEP 8	0- 3	3- 8	8-11	1147	0	0
SEP 27	0- 5.5	5.5- 7	7-13	278	0	0
OCT 24	0-12			85		

Kellicottia longispina

LAKE 226SW

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			18461		
JUN 7	0- 2			95504		
JUL 5	0- 2			1973		
AUG 2	0- 2			9010		
AUG 30	0- 2			1098		
SEP 27	0- 2			11868		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	173155	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	826165	199053	0
JUN 1	0- 3	3- 5	5-11	280104	94890	6224
JUN 15	0- 3.7	3.75- 5	6-10.5	118605	82239	42628
JUN 29	0- 3.5	3.5- 5	6-10	130957	0	66630
JUL 13	0- 3	3- 6	6-10	96011	34517	0
JUL 27	0- 3	3- 7	7-10	40742	214322	0
AUG 24	0- 4.5	4.5- 7	7-10	127885	41421	0
SEP 21	0-10			124434		
OCT 5	0- 6		6-11	75826		31791
OCT 19	0-10			8657		
1978						
MAY 10	0-11			6259		
JUN 7	0- 3	3- 6	6- 9	74598	105202	27543
JUL 5	0- 2	2- 6	6- 9.5	37299	31847	49513
JUL 26	0- 3	3- 6	6-11	1147	144998	15378
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	96097	29511
SEP 8	0- 3.5	3.5- 7	7-10	0	39675	25778
SEP 27	0- 6	6- 7.75	7.75-10	5950	34695	4760
OCT 24	0-10			6019		

Kellicottia bostoniensis **LAKE 226NE**

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		3135
JUN 24	0- 5		5-14	11289		7565
JUL 22	0- 5		5-14	0		12020
AUG 19	0- 5		5-14	313		25087
SEP 15	0- 7		7-14	15007		223
OCT 14	0- 8		8-14	195		261
1973						
MAY 1	0- 7		7-13	2687		4965
MAY 14	0-14			3359		
MAY 29	0- 5		5-14	627		8362
JUN 12	0- 5		5-13	1254		10191
JUN 26	0- 5		5-12	627		15455
JUL 10	0- 5		5-12	0		55326
JUL 24	0- 7		7-14	2015		44350
AUG 7	0- 6		6-12	0		24564
AUG 21	0- 6		6- 9	783		18292
SEP 4	0- 6		6- 9	1829		15202
SEP 18	0- 7		7- 8	1791		58013
OCT 2	0- 8			20579		
OCT 16	0- 9			18292		
OCT 30	0-12			12543		
NOV 8	0-14			13887		
1974						
MAY 14	0-14			2911		
MAY 28	0- 4		4-14	4703		14895
JUN 11	0- 4		4-15	3135		42334
JUN 25	0- 4		4-14	1567		24146
JUL 23	0- 5		5-13	17247		19991
AUG 6	0- 5		5-10	627		165261
AUG 17	0- 5		5-15	2822		99564
SEP 3	0- 7		7-14	34270		72349
SEP 17	0- 7		7-10	2015		15679
OCT 1	0- 9			9233		
OCT 15	0-12			3658		
OCT 29	0-15			2090		
1975						
MAY 12	0- 2			14699		
JUN 9	0- 2.5			783		
JUN 23	0- 2.5			261		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			989		
SEP 29	0- 2			0		
OCT 13	0- 2			1978		
OCT 27	0- 2			126098		
NOV 10	0- 2			374340		

Kellicottia bostoniensis **LAKE 226SW**

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			7212		
MAY 29	0- 5		5-10	0		13484
JUN 12	0- 5		5-10	313		15993
JUN 26	0- 5		5-10	0		4390
JUL 10	0- 5		5-10	313		1254
JUL 24	0- 6		6-10	0		93885
AUG 7	0- 6		6- 9	0		3135
AUG 21	0- 5		6- 9	0		27700
SEP 4	0- 6		6- 9	0		41811
SEP 18	0- 7		7- 8	522		9407
OCT 2	0- 8			0		
OCT 16	0-10			5331		
OCT 30	0-10			19285		
1974						
MAY 14	0-10			15149		
MAY 28	0- 4		4-11	20775		17919
JUN 11	0- 4		4-10	0		31097
JUN 25	0- 4		4-10	0		36846
JUL 23	0- 4		4-10	1175		73432
AUG 6	0- 5		5-10	627		4076
AUG 17	0- 5		5-10	940		42648
SEP 3	0- 7		7-11	0		1887412
SEP 17	0- 7		7- 9	4703		55662
OCT 1	0- 9			74216		
OCT 15	0-11			28365		
OCT 29	0-11			5273		
1975						
MAY 12	0- 2			9995		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			261		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			989		
OCT 27	0- 2			95934		
NOV 10	0- 2			140439		

Kellicottia bostoniensis **LAKE 226NE**

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			1539		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			2857		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	31683	11883	0
MAY 18	0- 1.5	1.5- 3	3-13	11317	13580	2206
JUN 1	0- 3	3- 5	5-13	565	58567	51140
JUN 15	0- 3.7	3.75- 6	6-13	5885	77712	120287
JUN 29	0- 3.5	3.5- 6	6-13	11155	18334	25949
JUL 13	0- 3.2	3.25- 6.5	6.5-13	7835	21938	1305
JUL 27	0- 3	3- 7	7-12	565	27161	4074
AUG 24	0- 5	5- 6.5	6.5-13	7129	0	0
OCT 5	0- 6	6- 9	9-12	2263	54323	0
OCT 19	0- 9		9-12	14335		14571
OCT 31	0-14			0		
1978						
MAY 10	0-14			1639		
JUN 7	0- 3	3- 6	6-12	6503	72302	3251
JUN 21	0- 3	3- 5.75	5.75-13	6503	27126	20895
JUL 5	0- 2	2- 6	6-12	7459	184487	46671
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	85911	98699
AUG 16	0- 2.7	2.75- 7	7-12	3338	5670	459
SEP 8	0- 3	3- 5	5-11	382	3902	1530
SEP 27	0- 5.5	5.5- 7	7-13	1576	42506	680
OCT 24	0-12			1742		

Kellicottia bostoniensis **LAKE 226SW**

1975	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			1318		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	27161	0	308
MAY 18	0- 1.5	1.5- 3	3-11.5	4526	0	2995
JUN 1	0- 3	3- 5	5-11	0	4244	6507
JUN 15	0- 3.7	3.75- 6	6-10.5	452	7544	10940
JUN 29	0- 3.5	3.5- 6	6-10	4365	679	11034
JUL 13	0- 3	3- 6	6-10	3951	4526	5941
JUL 27	0- 3	3- 7	7-10	0	28434	27727
AUG 24	0- 4.5	4.5- 7	7-10	10195	19692	0
SEP 21	0-10			6281		
OCT 5	0- 6		6-11	3395		3549
OCT 19	0-10			679		
1978						
MAY 10	0-11			2712		
JUN 7	0- 3	3- 6	6- 9	0	184009	19510
JUL 5	0- 2	2- 6	6- 9.5	0	31847	166575
JUL 26	0- 3	3- 6	6-11	1147	50879	2524
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	327	34889	30167
SEP 8	0- 3.5	3.5- 7	7-10	0	46562	26013
SEP 27	0- 6	6- 7.75	7.75-10	170	91521	4080
OCT 24	0-10			0		

Anuraeopsis fissa

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	223		0
OCT 14	0- 8		8-14	195		522
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		587
JUN 26	0- 5		5-12	313		0
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	0		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Anuraeopsis fissa

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	627		0
JUL 10	0- 5		5-10	0		0
JUL 24	0- 5		6-10	0		0
AUG 7	0- 5		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			783		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			494		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			1483		
OCT 13	0- 2			1978		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Anuraeopsis fissa

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			879		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	1131	
JUN 1	0- 3	3- 5	5-13	0	0	2??
JUN 15	0- 3.7	3.75- 6	6-13	452	0	0
JUN 29	0- 3.5	3.5- 6	6-13	0	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	0	0	0
JUL 27	0- 3	3- 7	7-12	0	0	0
AUG 24	0- 5	5- 6.5	6.5-13	2716	0	0
OCT 5	0- 6	6- 9	9-12	0	1131	0
OCT 19	0- 9		9-12	377		282
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	0	0
JUN 21	0- 3	3- 5.75	5.75-13	0	417	0
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	0	0
AUG 16	0- 2.7	2.75- 7	7-12	834	2700	229
SEP 8	0- 3	3- 8	8-11	988905	717521	174445
SEP 27	0- 5.5	5.5- 7	7-13	477243	3482104	110601
OCT 24	0-12			20657		

Anuraeopsis fissa

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	0	0	0
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	679	11317
SEP 21	0-10			10185		
OCT 5	0- 6		6-11	1697		0
OCT 19	0-10			2546		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	0	0
JUL 5	0- 2	2- 6	6- 9.5	0	0	0
JUL 26	0- 3	3- 6	6-11	1147	1147	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	2295	2951	1147
SEP 27	0- 6	6- 7.75	7.75-10	15727	213065	25390
OCT 24	0-10			2550		

Lecane sp.

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		223
JUL 24	0- 7		7-14	447		447
AUG 7	0- 6		6-12	0		261
AUG 21	0- 6		6- 9	261		1045
SEP 4	0- 6		6- 9	1045		522
SEP 18	0- 7		7- 8	671		4703
OCT 2	0- 8			195		
OCT 16	0- 9			0		
OCT 30	0-12			261		
NOV 8	0-14			111		
1974						
MAY 14	0-14			223		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	391		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	313		627
AUG 17	0- 5		5-15	627		313
SEP 3	0- 7		7-14	2911		1343
SEP 17	0- 7		7-10	447		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			104		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			1829		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			989		
SEP 29	0- 2			989		
OCT 13	0- 2			0		
OCT 27	0- 2			494		
NOV 10	0- 2			0		

Lecane sp.

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	627		0
JUL 10	0- 5		5-10	940		627
JUL 24	0- 6		6-10	783		391
AUG 7	0- 6		6- 9	261		522
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	783		522
SEP 18	0- 7		7- 8	1045		1567
OCT 2	0- 8			391		
OCT 16	0-10			470		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	391		0
JUL 23	0- 4		4-10	783		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	627		313
SEP 3	0- 7		7-11	895		391
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			285		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			494		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			1483		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

Lecane sp.

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			1093		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	0	0
JUN 1	0- 3	3- 5	5-13	0	1697	0
JUN 15	0- 3.7	3.75- 6	6-13	0	0	0
JUN 29	0- 3.5	3.5- 6	6-13	0	4753	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	1044	0	0
JUL 27	0- 3	3- 7	7-12	0	1273	0
AUG 24	0- 5	5- 6.5	6.5-13	339	0	261
OCT 5	0- 6	6- 9	9-12	0	565	1131
OCT 19	0- 9		9-12	188		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	0	0
JUN 21	0- 3	3- 5.75	5.75-13	382	2503	0
JUL 5	0- 2	2- 6	6-12	573	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	765	0	0
AUG 16	0- 2.7	2.75- 7	7-12	834	1080	0
SEP 8	0- 3	3- 8	8-11	0	229	0
SEP 27	0- 5.5	5.5- 7	7-13	185	0	0
OCT 24	0-12			85		

Lecane sp.

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	199
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	754	0
JUN 29	0- 3.5	3.5- 6	6-10	0	679	0
JUL 13	0- 3	3- 6	6-10	565	0	0
JUL 27	0- 3	3- 7	7-10	0	848	1131
AUG 24	0- 4.5	4.5- 7	7-10	0	0	565
SEP 21	0-10			0		
OCT 5	0- 6		6-11	282		308
OCT 19	0-10			0		
1978						
MAY 10	0-11			104		
JUN 7	0- 3	3- 6	6- 9	0	0	0
JUL 5	0- 2	2- 6	6- 9.5	0	0	0
JUL 26	0- 3	3- 6	6-11	1530	382	229
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	983	306	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	0	582	226
OCT 24	0-10			0		

Globular rotifers

LAKE 226NE

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	16620		43510
JUN 24	0- 5		5-14	1881		7142
JUL 22	0- 5		5-14	12229		5052
AUG 19	0- 5		5-14	6898		14111
SEP 16	0- 7		7-14	5599		0
OCT 14	0- 8		8-14	195		522
1973						
MAY 1	0- 7		7-13	28894		25087
MAY 14	0-14			44799		
MAY 29	0- 5		5-14	17560		15679
JUN 12	0- 5		5-13	2822		21363
JUN 26	0- 5		5-12	15355		10527
JUL 10	0- 5		5-12	17560		13439
JUL 24	0- 7		7-14	4479		6495
AUG 7	0- 6		6-12	12020		7055
AUG 21	0- 6		6- 9	18815		5749
SEP 4	0- 6		6- 9	2090		2090
SEP 18	0- 7		7- 8	2911		3135
OCT 2	0- 8			30770		
OCT 16	0- 9			9581		
OCT 30	0-12			783		
NOV 8	0-14			54318		
1974						
MAY 14	0-14			46478		
MAY 28	0- 4		4-14	29790		30731
JUN 11	0- 4		4-15	32142		25514
JUN 25	0- 4		4-14	1567		7055
JUL 23	0- 5		5-13	7839		2743
AUG 6	0- 5		5-10	4076		2508
AUG 17	0- 5		5-15	6585		156
SEP 3	0- 7		7-14	1567		1119
SEP 17	0- 7		7-10	1343		1045
OCT 1	0- 9			1916		
OCT 15	0-12			1175		
OCT 29	0-15			1777		
1975						
MAY 12	0- 2			14503		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			49945		
JUL 21	0- 2			1483		
AUG 4	0- 2			10384		
AUG 18	0- 2			0		
SEP 1	0- 2			2967		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			16318		
NOV 10	0- 2			51428		

Globular rotifers

LAKE 226SW

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			47351		
MAY 29	0- 5		5-10	15679		61463
JUN 12	0- 5		5-10	7525		56445
JUN 26	0- 5		5-10	19442		5644
JUL 10	0- 5		5-10	45156		15679
JUL 24	0- 6		6-10	10975		20383
AUG 7	0- 6		6- 9	6794		1045
AUG 21	0- 6		6- 9	41811		6271
SEP 4	0- 6		6- 9	80487		47038
SEP 18	0- 7		7- 8	10452		15679
OCT 2	0- 8			4899		
OCT 16	0-10			627		
OCT 30	0-10			45000		
1974						
MAY 14	0-10			5331		
MAY 28	0- 4		4-11	17247		7167
JUN 11	0- 4		4-10	14111		13327
JUN 25	0- 4		4-10	4703		15940
JUL 23	0- 4		4-10	1959		783
AUG 6	0- 5		5-10	11289		2822
AUG 17	0- 5		5-10	2508		4390
SEP 3	0- 7		7-11	3807		34886
SEP 17	0- 7		7- 9	3359		4703
OCT 1	0- 9			6620		
OCT 15	0-11			1140		
OCT 29	0-11			2138		
1975						
MAY 12	0- 2			5291		
JUN 9	0- 2.5			1306		
JUN 23	0- 2.5			2090		
JUL 7	0- 2			5934		
JUL 21	0- 2			7417		
AUG 4	0- 2			1483		
AUG 18	0- 2			0		
SEP 1	0- 2			1483		
SEP 15	0- 2			3461		
SEP 29	0- 2			2967		
OCT 13	0- 2			3461		
OCT 27	0- 2			14340		
NOV 10	0- 2			24725		

Globular rotifers

LAKE 226NE

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			219		
AUG 30	0- 2			219		
SEP 27	0- 2			1093		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	5658	6224	0
MAY 18	0- 1.5	1.5- 3	3-13	7922	0	679
JUN 1	0- 3	3- 5	5-13	3395	1697	0
JUN 15	0- 3.7	3.75- 6	6-13	0	0	0
JUN 29	0- 3.5	3.5- 6	6-13	0	0	970
JUL 13	0- 3.2	3.25- 6.5	6.5-13	522	0	261
JUL 27	0- 3	3- 7	7-12	0	424	0
AUG 24	0- 5	5- 6.5	6.5-13	339	0	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			81		
JUN 7	0- 3	3- 6	6-12	0	382	0
JUN 21	0- 3	3- 5.75	5.75-13	382	0	0
JUL 5	0- 2	2- 6	6-12	0	0	382
JUL 26	0- 3	3- 6.5	5.5- 9.5	0	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	1606
SEP 8	0- 3	3- 8	8-11	2677	1606	0
SEP 27	0- 5.5	5.5- 7	7-13	834	0	85
OCT 24	0-12			0		

Globular rotifers

LAKE 226SW

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			219		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			1758		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	3395	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	199
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 5	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	0	0	0
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1978						
MAY 10	0-11			208		
JUN 7	0- 3	3- 6	6- 9	1530	0	0
JUL 5	0- 2	2- 6	6- 9.5	573	0	0
JUL 26	0- 3	3- 6	6-11	0	1530	229
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	983	0	0
SEP 27	0- 6	6- 7.75	7.75-10	95	1165	453
OCT 24	0-10			153		

Appendix 2

Abundance of zooplankton eggs per cubic metre of selected species on each sampling date and depth stratum from which each sample was taken.

LAKE 226NE

Daphnia longiremis eggs

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		695
JUN 24	0- 5		5-14	0		542
JUL 22	0- 5		5-14	0		232
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		619
JUN 12	0- 5		5-13	0		435
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		895
JUL 24	0- 7		7-14	0		895
AUG 7	0- 6		6-12	0		232
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		232
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			99		
MAY 28	0- 4		4-14	0		69
JUN 11	0- 4		4-15	0		886
JUN 25	0- 4		4-14	0		278
JUL 23	0- 5		5-13	0		1393
AUG 6	0- 5		5-10	0		1533
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		298
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Daphnia longiremis eggs

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	0		0
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		232
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		7944
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Daphnia longiremis eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	13014	0
MAY 18	0- 1.5	1.5- 3	3-13	0	4526	2037
JUN 1	0- 3	3- 5	5-13	0	0	12944
JUN 15	0- 3.7	3.75- 6	6-13	0	0	7517
JUN 29	0- 3.5	3.5- 6	6-13	485	2716	6062
JUL 13	0- 3.2	3.25- 6.5	6.5-13	522	0	3395
JUL 27	0- 3	3- 7	7-12	0	20371	0
AUG 24	0- 5	5- 6.5	6.5-13	0	0	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	2677	0
JUN 21	0- 3	3- 5.75	5.75-13	0	1669	0
JUL 5	0- 2	2- 6	6-12	0	8894	1530
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

LAKE 226SW

Daphnia longiremis eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	0	0	0
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	0	0
JUL 5	0- 2	2- 6	6- 9.5	0	0	0
JUL 26	0- 3	3- 6	6-11	0	1912	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	765
SEP 27	0- 6	6- 7.75	7.75-10	0	0	0
OCT 24	0-10			0		

LAKE 226NE

Daphnia retrocurva eggs

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		154
JUL 22	0- 5		5-14	0		154
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		261
JUN 26	0- 5		5-12	0		1692
JUL 10	0- 5		5-12	0		2090
JUL 24	0- 7		7-14	99		4977
AUG 7	0- 6		6-12	0		6271
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		-
SEP 18	0- 7		7- 8	0		4878
OCT 2	0- 8			261		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		348
JUL 23	0- 5		5-13	0		5574
AUG 6	0- 5		5-10	0		1393
AUG 17	0- 5		5-15	0		1254
SEP 3	0- 7		7-14	0		99
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			154		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Daphnia retrocurva eggs

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		278
JUN 26	0- 5		5-10	0		278
JUL 10	0- 5		5-10	0		696
JUL 24	0- 6		6-10	0		3484
AUG 7	0- 5		6- 9	0		0
AUG 21	0- 6		6- 9	0		2322
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			174		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		1045
AUG 6	0- 5		5-10	0		1114
AUG 17	0- 5		5-10	0		5435
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			154		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Daphnia retrocurva eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	0	0
JUN 1	0- 3	3- 5	5-13	0	1697	424
JUN 15	0- 3.7	3.75- 6	6-13	0	0	485
JUN 29	0- 3.5	3.5- 6	6-13	6305	0	5820
JUL 13	0- 3.2	3.25- 6.5	6.5-13	522	6268	3917
JUL 27	0- 3	3- 7	7-12	0	3395	1018
AUG 24	0- 5	5- 6.5	6.5-13	0	13580	0
OCT 5	0- 6	6- 9	9-12	282	1697	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	0	0
JUN 21	0- 3	3- 5.75	5.75-13	0	0	0
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

LAKE 226SW

Daphnia retrocurva eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	0	0	0
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	0	0
JUL 5	0- 2	2- 6	6- 9.5	0	0	0
JUL 26	0- 3	3- 6	6-11	0	765	459
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	340	1165	0
OCT 24	0-10			0		

LAKE 226NE

Bosmina longirostris eggs

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	418		0
JUN 24	0- 5		5-14	557		0
JUL 22	0- 5		5-14	0		77
AUG 19	0- 5		5-14	2090		522
SEP 16	0- 7		7-14	199		796
OCT 14	0- 8		8-14	174		348
1973						
MAY 1	0- 7		7-13	298		0
MAY 14	0-14			497		
MAY 29	0- 5		5-14	2090		929
JUN 12	0- 5		5-13	139		783
JUN 26	0- 5		5-12	278		895
JUL 10	0- 5		5-12	975		99
JUL 24	0- 7		7-14	99		0
AUG 7	0- 6		6-12	5		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		696
OCT 2	0- 8			0		
OCT 16	0- 9			871		
OCT 30	0-12			754		
NOV 8	0-14			1144		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	4355		557
JUN 11	0- 4		4-15	1219		7792
JUN 25	0- 4		4-14	1045		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	99		0
OCT 1	0- 9			77		
OCT 15	0-12			0		
OCT 29	0-15			46		
1975						
MAY 12	0- 2			174		
JUN 9	0- 2.5			348		
JUN 23	0- 2.5			348		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			219		
SEP 15	0- 2			0		
SEP 29	0- 2			989		
OCT 13	0- 2			989		
OCT 27	0- 2			0		
NOV 10	0- 2			1483		

LAKE 226SW

Bosmina longirostris eggs

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	278		1533
JUN 12	0- 5		5-10	139		696
JUN 26	0- 5		5-10	0		1811
JUL 10	0- 5		5-10	2229		418
JUL 24	0- 6		6-10	0		0
AUG 7	0- 6		6- 9	348		464
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	232		464
SEP 18	0- 7		7- 8	696		0
OCT 2	0- 8			87		
OCT 16	0-10			209		
OCT 30	0-10			470		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	1959		0
JUN 11	0- 4		4-10	1219		0
JUN 25	0- 4		4-10	2439		813
JUL 23	0- 4		4-10	0		783
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	199		348
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			77		
OCT 15	0-11			506		
OCT 29	0-11			380		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			1161		
JUN 23	0- 2.5			348		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			494		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			1483		

LAKE 226NE

Bosmina longirostris eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			1978		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			219		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	2263	6790	0
MAY 18	0- 1.5	1.5- 3	3-13	0	5658	339
JUN 1	0- 3	3- 5	5-13	0	0	1485
JUN 15	0- 3.7	3.75- 6	6-13	0	0	0
JUN 29	0- 3.5	3.5- 6	6-13	0	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	1044	0	0
JUL 27	0- 3	3- 7	7-12	0	0	0
AUG 24	0- 5	5- 6.5	6.5-13	1358	0	0
OCT 5	0- 6	6- 9	9-12	0	565	0
OCT 19	0- 9		9-12	1131		1131
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	3825	0
JUN 21	0- 3	3- 5.75	5.75-13	765	1669	0
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	983	765
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			85		

LAKE 226SW

Bosmina longirostris eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			439		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	1508	0
JUN 29	0- 3.5	3.5- 6	6-10	0	679	0
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	679	565
SEP 21	0-10			0		
OCT 5	0- 6		6-11	282		679
OCT 19	0-10			2546		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	0	0
JUL 5	0- 2	2- 6	6- 9.5	0	286	0
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	765	1748	0
OCT 24	0-10			51		

LAKE 226NE

Diaphanosoma birgei eggs

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	139		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	557		0
JUL 10	0- 5		5-12	278		0
JUL 24	0- 7		7-14	199		0
AUG 7	0- 6		6-12	0		929
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		464
SEP 18	0- 7		7- 8	99		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12					
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		0
JUL 23	0- 5		5-13	0		871
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	0		69
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			348		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Diaphanosoma birgei eggs

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	418		0
JUN 26	0- 5		5-10	0		418
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		139
AUG 17	0- 5		5-10	0		836
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			232		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Diaphanosoma birgei eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	0	0
JUN 1	0- 3	3- 5	5-13	0	0	0
JUN 15	0- 3.7	3.75- 6	6-13	0	0	0
JUN 29	0- 3.5	3.5- 6	6-13	6790	3395	3880
JUL 13	0- 3.2	3.25- 6.5	6.5-13	1044	0	0
JUL 27	0- 3	3- 7	7-12	0	18249	0
AUG 24	0- 5	5- 6.5	6.5-13	0	6790	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	765	0	0
JUN 21	0- 3	3- 5.75	5.75-13	0	0	0
JUL 5	0- 2	2- 6	6-12	0	573	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

LAKE 226SW

Diaphanosoma birgei eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	0	679	0
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	1697
AUG 24	0- 4.5	4.5- 7	7-10	0	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	0	0
JUL 5	0- 2	2- 6	6- 9.5	0	0	0
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	0	0	0
OCT 24	0-10			0		

LAKE 226NE

Holopedium gibberum eggs

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	99		0
OCT 14	0- 8		8-14	0		232
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	418		1858
JUN 12	0- 5		5-13	418		12108
JUN 26	0- 5		5-12	1811		4280
JUL 10	0- 5		5-12	0		1791
JUL 24	0- 7		7-14	0		7366
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	348		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			348		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		418
JUN 11	0- 4		4-15	5749		3927
JUN 25	0- 4		4-14	2787		7595
JUL 23	0- 5		5-13	0		174
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Holopedium gibberum eggs

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	836		1393
JUN 12	0- 5		5-10	0		9198
JUN 26	0- 5		5-10	0		4459
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		1567
AUG 7	0- 6		6- 9	0		464
AUG 21	0- 6		6- 9	0		696
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 6			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	1916		0
JUN 25	0- 4		4-10	0		1161
JUL 23	0- 4		4-10	0		2351
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		4703
SEP 17	0- 7		7- 9	0		1742
OCT 1	0- 9			309		
OCT 15	0-11			253		
OCT 29	0-11			126		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			1161		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Holopedium gibberum eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	4526	0
JUN 1	0- 3	3- 5	5-13	0	0	2122
JUN 15	0- 3.7	3.75- 6	6-13	0	0	0
JUN 29	0- 3.5	3.5- 6	6-13	0	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	0	0	0
JUL 27	0- 3	3- 7	7-12	0	0	0
AUG 24	0- 5	5- 6.5	6.5-13	0	0	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	0	0
JUN 21	0- 3	3- 5.75	5.75-13	0	6677	0
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

LAKE 226SW

Holopedium gibberum eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	5392
JUN 1	0- 3	3- 5	5-11	0	0	7356
JUN 15	0- 3.7	3.75- 6	6-10.5	0	2263	0
JUN 29	0- 3.5	3.5- 6	6-10	0	2716	2546
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	0	3395
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	0	0
JUL 5	0- 2	2- 6	6- 9.5	0	573	327
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	0	0	0
OCT 24	0-10			0		

LAKE 226NE

Diaptomus minutus eggs

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	15052		3919
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		1393
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	3583		35540
MAY 14	0-14			22399		
MAY 29	0- 5		5-14	8153		7665
JUN 12	0- 5		5-13	15052		1175
JUN 26	0- 5		5-12	6585		0
JUL 10	0- 5		5-12	1881		1343
JUL 24	0- 7		7-14	1791		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		
SEP 18	0- 7		7- 8	3807		0
OCT 2	0- 8			0		
OCT 16	0- 9			2264		
OCT 30	0-12			0		
NOV 8	0-14			895		
1974						
MAY 14	0-14			2239		
MAY 28	0- 4		4-14	8623		0
JUN 11	0- 4		4-15	0		3706
JUN 25	0- 4		4-14	11759		313
JUL 23	0- 5		5-13	0		4115
AUG 6	0- 5		5-10	0		2508
AUG 17	0- 5		5-15	0		940
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			1045		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Diaptomus minutus eggs

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			36376		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	3449		1254
JUL 10	0- 5		5-10	2508		0
JUL 24	0- 6		6-10	0		783
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		5226
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			2508		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	7055		5749
JUN 25	0- 4		4-10	7839		4181
JUL 23	0- 4		4-10	0		2351
AUG 6	0- 5		5-10	0		5331
AUG 17	0- 5		5-10	0		2508
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			77		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			2743		
JUN 9	0- 2.5			3658		
JUN 23	0- 2.5			7839		
JUL 7	0- 2			3956		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Diaptomus minutus eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			6153		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	44137	0	10638
MAY 18	0- 1.5	1.5- 3	3-13	15844	7922	2206
JUN 1	0- 3	3- 5	5-13	0	0	1273
JUN 15	0- 3.7	3.75- 6	6-13	8601	5281	0
JUN 29	0- 3.5	3.5- 6	6-13	30071	0	2182
JUL 13	0- 3.2	3.25- 6.5	6.5-13	3134	12013	0
JUL 27	0- 3	3- 7	7-12	0	18249	0
AUG 24	0- 5	5- 6.5	6.5-13	3395	38478	0
OCT 5	0- 6	6- 9	9-12	0	2829	0
OCT 19	0- 9		9-12	0		5658
OCT 31	0-14			0		
1978						
MAY 10	0-14			2705		
JUN 7	0- 3	3- 6	6-12	21423	0	0
JUN 21	0- 3	3- 5.75	5.75-13	4208	3755	0
JUL 5	0- 2	2- 6	6-12	0	2295	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	6230	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	927	0	0
OCT 24	0-12			0		

LAKE 226SW

Diaptomus minutus eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			12747		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	14938	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	7922	4244	282
JUN 15	0- 3.7	3.75- 6	6-10.5	11770	0	0
JUN 29	0- 3.5	3.5- 6	6-10	11640	4753	0
JUL 13	0- 3	3- 6	6-10	1131	565	0
JUL 27	0- 3	3- 7	7-10	0	13156	565
AUG 24	0- 4.5	4.5- 7	7-10	0	2715	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			679		
1978						
MAY 10	0-11			3547		
JUN 7	0- 3	3- 6	6- 9	13006	0	0
JUL 5	0- 2	2- 6	6- 9.5	2869	1434	1639
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	6426	0
SEP 8	0- 3.5	3.5- 7	7-10	0	2623	0
SEP 27	0- 6	6- 7.75	7.75-10	0	0	0
OCT 24	0-10			357		

LAKE 226NE

Cyclops bicuspidatus thomasi eggs

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	0		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		3763
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Cyclops bicuspidatus thomasi eggs

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	0		0
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Cyclops bicuspidatus thomasi eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	20371	0
MAY 18	0- 1.5	1.5- 3	3-13	0	0	0
JUN 1	0- 3	3- 5	5-13	0	0	0
JUN 15	0- 3.7	3.75- 6	6-13	0	0	0
JUN 29	0- 3.5	3.5- 6	6-13	0	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	0	0	0
JUL 27	0- 3	3- 7	7-12	0	0	0
AUG 24	0- 5	5- 6.5	6.5-13	0	0	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	0	0
JUN 21	0- 3	3- 5.75	5.75-13	0	0	0
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

LAKE 226SW

Cyclops bicuspidatus thomasi eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	5592
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	0	0	5941
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	0	0
JUL 5	0- 2	2- 6	6- 9.5	0	0	0
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	0	0	0
OCT 24	0-10			0		

LAKE 226NE

Orthocyclops modestus eggs

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-1.	~		~
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	0		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-10	0		6271
AUG 17	0- 5		5-15	0		4703
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5					
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Orthocyclops modestus eggs

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	0		0
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Orthocyclops modestus eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	0	0
JUN 1	0- 3	3- 5	5-13	0	0	0
JUN 15	0- 3.7	3.75- 6	6-13	0	0	0
JUN 29	0- 3.5	3.5- 6	6-13	0	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	0	0	0
JUL 27	0- 3	3- 7	7-12	0	0	0
AUG 24	0- 5	5- 6.5	6.5-13	0	0	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			737		
JUN 7	0- 3	3- 6	6-12	0	0	0
JUN 21	0- 3	3- 5.75	5.75-13	0	0	0
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	0	28691
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

LAKE 226SW

Orthocyclops modestus eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	0	0	11883
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	0	8798
JUL 5	0- 2	2- 6	6- 9.5	0	0	0
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	7345	19018
SEP 8	0- 3.5	3.5- 7	7-10	0	0	7651
SEP 27	0- 6	6- 7.75	7.75-10	0	0	0
OCT 24	0-10			0		

LAKE 226NE

Mesocyclops edax eggs

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-1			
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		4927
JUL 24	0- 7		7-14	0		2687
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		1567
JUL 23	0- 5		5-13	0		12151
AUG 6	0- 5		5-10	0		7526
AUG 17	0- 5		5-15	0		4076
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Mesocyclops edax eggs

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	0		41393
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	3135		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		3135
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Mesocyclops edax eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	0	0	0
JUN 1	0- 3	3- 5	5-13	0	0	0
JUN 15	0- 3.7	3.75- 6	6-13	0	0	0
JUN 29	0- 3.5	3.5- 6	6-13	0	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	0	0	0
JUL 27	0- 3	3- 7	7-12	0	16551	0
AUG 24	0- 5	5- 6.5	6.5-13	0	0	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	13771	0
JUN 21	0- 3	3- 5.75	5.75-13	8416	0	0
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

LAKE 226SW

Mesocyclops edax eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	0
JUN 1	0- 3	3- 5	5-11	0	0	0
JUN 15	0- 3.7	3.75- 6	6-10.5	0	0	0
JUN 29	0- 3.5	3.5- 6	6-10	0	0	0
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	0	0
JUL 5	0- 2	2- 6	6- 9.5	0	0	0
JUL 26	0- 3	3- 6	6-11	0	14537	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	0	0	0
OCT 24	0-10			0		

LAKE 226NE

Tropocyclops prasinus mexicanus eggs

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		2351
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	38885		0
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	3583		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	2239		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	3919		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	5487		0
JUL 23	0- 5		5-13	0		1175
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-15	0		1567
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			1567		
JUN 23	0- 2.5			4181		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Tropocyclops prasinus mexicanus eggs

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			940		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	2508		0
JUN 26	0- 5		5-10	0		0
JUL 10	0- 5		5-10	10034		0
JUL 24	0- 6		6-10	2090		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 5		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		1343
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	2351		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	1254		0
AUG 17	0- 5		5-10	2508		0
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			570		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			1567		
JUN 23	0- 2.5			0		
JUL 7	0- 2			3956		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Tropocyclops prasinus mexicanus eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	0
MAY 18	0- 1.5	1.5- 3	3-13	24898	0	0
JUN 1	0- 3	3- 5	5-13	0	0	0
JUN 15	0- 3.7	3.75- 6	6-13	12675	0	0
JUN 29	0- 3.5	3.5- 6	6-13	0	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	6790	0	4439
JUL 27	0- 3	3- 7	7-12	20937	7214	0
AUG 24	0- 5	5- 6.5	6.5-13	0	0	0
OCT 5	0- 6	6- 9	9-12	0	0	0
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			1940		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	0	0
JUN 21	0- 3	3- 5.75	5.75-13	0	0	0
JUL 5	0- 2	2- 6	6-12	0	0	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	1530	0	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	0
OCT 24	0-12			0		

LAKE 226SW

Tropocyclops prasinus mexicanus eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			2197		
JUL 5	0- 2			0		
AUG 2	0- 2			439		
AUG 30	0- 2			0		
SEP 27	0- 2			0		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	0	0	1997
JUN 1	0- 3	3- 5	5-11	2263	15278	0
JUN 15	0- 3.7	3.75- 6	6-10.5	5432	0	0
JUN 29	0- 3.5	3.5- 6	6-10	0	14938	0
JUL 13	0- 3	3- 6	6-10	0	2829	0
JUL 27	0- 3	3- 7	7-10	0	0	0
AUG 24	0- 4.5	4.5- 7	7-10	0	0	0
SEP 21	0-10			0		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			0		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	0	0
JUL 5	0- 2	2- 6	6- 9.5	0	3442	0
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	0	0
SEP 8	0- 3.5	3.5- 7	7-10	0	0	0
SEP 27	0- 6	6- 7.75	7.75-10	0	0	0
OCT 24	0-10			0		

LAKE 226NE

Polyarthra vulgaris eggs

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	0		0
JUN 24	0- 5		5-14	0		0
JUL 22	0- 5		5-14	0		0
AUG 19	0- 5		5-14	0		0
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	0		0
1973						
MAY 1	0- 7		7-13	0		0
MAY 14	0-14			0		
MAY 29	0- 5		5-14	0		0
JUN 12	0- 5		5-13	0		0
JUN 26	0- 5		5-12	0		0
JUL 10	0- 5		5-12	0		0
JUL 24	0- 7		7-14	0		0
AUG 7	0- 6		6-12	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0- 9			0		
OCT 30	0-12			0		
NOV 8	0-14			0		
1974						
MAY 14	0-14			0		
MAY 28	0- 4		4-14	0		0
JUN 11	0- 4		4-15	0		0
JUN 25	0- 4		4-14	0		0
JUL 23	0- 5		5-13	0		0
AUG 6	0- 5		5-1[illegible]	[illegible]		
AUG 17	0- 5		5-15	0		0
SEP 3	0- 7		7-14	0		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			0		
OCT 15	0-12			0		
OCT 29	0-15			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2					
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226SW

Polyarthra vulgaris eggs

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			0		
MAY 29	0- 5		5-10	0		0
JUN 12	0- 5		5-10	0		0
JUN 26	0- 5		5-10	0		0
JUL 10	0- 5		5-10	0		0
JUL 24	0- 6		6-10	0		0
AUG 7	0- 6		6- 9	0		0
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	0		0
SEP 18	0- 7		7- 8	0		0
OCT 2	0- 8			0		
OCT 16	0-10			0		
OCT 30	0-10			0		
1974						
MAY 14	0-10			0		
MAY 28	0- 4		4-11	0		0
JUN 11	0- 4		4-10	0		0
JUN 25	0- 4		4-10	0		0
JUL 23	0- 4		4-10	0		0
AUG 6	0- 5		5-10	0		0
AUG 17	0- 5		5-10	0		0
SEP 3	0- 7		7-11	0		0
SEP 17	0- 7		7- 9	0		0
OCT 1	0- 9			0		
OCT 15	0-11			0		
OCT 29	0-11			0		
1975						
MAY 12	0- 2			0		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			0		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			0		
SEP 29	0- 2			0		
OCT 13	0- 2			0		
OCT 27	0- 2			0		
NOV 10	0- 2			0		

LAKE 226NE

Polyarthra vulgaris eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			439		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			1758		
SEP 27	0- 2			3736		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	0	0	226
MAY 18	0- 1.5	1.5- 3	3-13	1131	0	0
JUN 1	0- 3	3- 5	5-13	1697	0	0
JUN 15	0- 3.7	3.75- 6	6-13	452	754	0
JUN 29	0- 3.5	3.5- 6	6-13	0	0	0
JUL 13	0- 3.2	3.25- 6.5	6.5-13	522	522	0
JUL 27	0- 3	3- 7	7-12	565	0	0
AUG 24	0- 5	5- 6.5	6.5-13	2037	0	1044
OCT 5	0- 6	6- 9	9-12	282	0	1131
OCT 19	0- 9		9-12	0		0
OCT 31	0-14			0		
1978						
MAY 10	0-14			0		
JUN 7	0- 3	3- 6	6-12	0	382	0
JUN 21	0- 3	3- 5.75	5.75-13	0	1251	0
JUL 5	0- 2	2- 6	6-12	0	286	0
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	983	0
AUG 16	0- 2.7	2.75- 7	7-12	0	0	0
SEP 8	0- 3	3- 8	8-11	382	0	0
SEP 27	0- 5.5	5.5- 7	7-13	92	0	0
OCT 24	0-12			0		

LAKE 226SW

Polyarthra vulgaris eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			0		
JUN 7	0- 2			0		
JUL 5	0- 2			219		
AUG 2	0- 2			0		
AUG 30	0- 2			1318		
SEP 27	0- 2			439		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	0	679	0
MAY 18	0- 1.5	1.5- 3	3-11.5	2263	2263	0
JUN 1	0- 3	3- 5	5-11	0	1697	565
JUN 15	0- 3.7	3.75- 6	6-10.5	452	2263	0
JUN 29	0- 3.5	3.5- 6	6-10	0	0	0
JUL 13	0- 3	3- 6	6-10	0	0	0
JUL 27	0- 3	3- 7	7-10	0	424	0
AUG 24	0- 4.5	4.5- 7	7-10	377	0	0
SEP 21	0-10			339		
OCT 5	0- 6		6-11	0		0
OCT 19	0-10			169		
1978						
MAY 10	0-11			0		
JUN 7	0- 3	3- 6	6- 9	0	1530	0
JUL 5	0- 2	2- 6	6- 9.5	0	0	0
JUL 26	0- 3	3- 6	6-11	0	0	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	612	0
SEP 8	0- 3.5	3.5- 7	7-10	0	983	0
SEP 27	0- 6	6- 7.75	7.75-10	850	1165	0
OCT 24	0-10			102		

LAKE 226NE

Kellicottia longispina eggs

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	17247		19207
JUN 24	0- 5		5-14	1254		5923
JUL 22	0- 5		5-14	0		2090
AUG 19	0- 5		5-14	0		1567
SEP 16	0- 7		7-14	0		0
OCT 14	0- 8		8-14	195		0
1973						
MAY 1	0- 7		7-13	36958		42334
MAY 14	0-14			67645		
MAY 29	0- 5		5-14	10975		34494
JUN 12	0- 5		5-13	4076		4507
JUN 26	0- 5		5-12	0		36286
JUL 10	0- 5		5-12	0		15231
JUL 24	0- 7		7-14	895		9183
AUG 7	0- 6		6-12	0		3658
AUG 21	0- 6		6- 9	1045		5226
SEP 4	0- 6		6- 9	522		1567
SEP 18	0- 7		7- 8	1791		3135
OCT 2	0- 8			3527		
OCT 16	0- 9			2439		
OCT 30	0-12			6663		
NOV 8	0-14			4703		
1974						
MAY 14	0-14			23855		
MAY 28	0- 4		4-14	51742		100034
JUN 11	0- 4		4-15	18815		54735
JUN 25	0- 4		4-14	19599		36376
JUL 23	0- 5		5-13	0		13327
AUG 6	0- 5		5-10	627		5331
AUG 17	0- 5		5-15	313		1254
SEP 3	0- 7		7-14	447		0
SEP 17	0- 7		7-10	0		0
OCT 1	0- 9			348		
OCT 15	0-12			783		
OCT 29	0-15			2090		
1975						
MAY 12	0- 2			7447		
JUN 9	0- 2.5			8885		
JUN 23	0- 2.5			6533		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0-					
SEP 1	0- 2			0		
SEP 15	0- 2			494		
SEP 29	0- 2			0		
OCT 13	0- 2			494		
OCT 27	0- 2			1978		
NOV 10	0- 2			5439		

LAKE 226SW

Kellicottia longispina eggs

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			40923		
MAY 29	0- 5		5-10	4076		40139
JUN 12	0- 5		5-10	2195		13484
JUN 26	0- 5		5-10	313		4076
JUL 10	0- 5		5-10	4390		4390
JUL 24	0- 6		6-10	0		10191
AUG 7	0- 6		6- 9	261		52[illegible]
AUG 21	0- 6		6- 9	0		0
SEP 4	0- 6		6- 9	261		3658
SEP 18	0- 7		7- 8	522		1567
OCT 2	0- 8			2351		
OCT 16	0-10			4233		
OCT 30	0-10			5644		
1974						
MAY 14	0-10			18815		
MAY 28	0- 4		4-11	26263		41886
JUN 11	0- 4		4-10	14895		11498
JUN 25	0- 4		4-10	30574		22212
JUL 23	0- 4		4-10	783		2090
AUG 6	0- 5		5-10	627		2822
AUG 17	0- 5		5-10	0		4703
SEP 3	0- 7		7-11	3359		6663
SEP 17	0- 7		7- 9	2463		1567
OCT 1	0- 9			8710		
OCT 15	0-11			11688		
OCT 29	0-11			18815		
1975						
MAY 12	0- 2			3919		
JUN 9	0- 2.5			0		
JUN 23	0- 2.5			5487		
JUL 7	0- 2			0		
JUL 21	0- 2			0		
AUG 4	0- 2			0		
AUG 18	0- 2			0		
SEP 1	0- 2			0		
SEP 15	0- 2			494		
SEP 29	0- 2			0		
OCT 13	0- 2			494		
OCT 27	0- 2			1483		
NOV 10	0- 2			4945		

LAKE 226NE

Kellicottia longispina eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			17802		
JUN 7	0- 2			1318		
JUL 5	0- 2			0		
AUG 2	0- 2			0		
AUG 30	0- 2			659		
SEP 27	0- 2			3516		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	155047	0	0
MAY 18	0- 1.5	1.5- 3	3-13	28293	43005	1188
JUN 1	0- 3	3- 5	5-13	19805	61113	12519
JUN 15	0- 3.7	3.75- 6	6-13	14033	27916	0
JUN 29	0- 3.5	3.5- 6	6-13	5820	1358	485
JUL 13	0- 3.2	3.25- 6.5	6.5-13	2611	0	2611
JUL 27	0- 3	3- 7	7-12	0	4668	339
AUG 24	0- 5	5- 6.5	6.5-13	4074	2263	0
OCT 5	0- 6	6- 9	9-12	9336	0	0
OCT 19	0- 9		9-12	5092		13014
OCT 31	0-14			0		
1978						
MAY 10	0-14			1885		
JUN 7	0- 3	3- 6	6-12	26778	42463	2486
JUN 21	0- 3	3- 5.75	5.75-13	9946	60930	4432
JUL 5	0- 2	2- 6	6-12	0	32708	2677
JUL 26	0- 3	3- 6.5	6.5- 9.5	0	14427	2677
AUG 16	0- 2.7	2.75- 7	7-12	0	540	0
SEP 8	0- 3	3- 8	8-11	0	0	0
SEP 27	0- 5.5	5.5- 7	7-13	0	0	85
OCT 24	0-12			42		

LAKE 226SW

Kellicottia longispina eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			5054		
JUN 7	0- 2			1978		
JUL 5	0- 2			0		
AUG 2	0- 2			219		
AUG 30	0- 2			0		
SEP 27	0- 2			1318		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	40742	0	308
MAY 18	0- 1.5	1.5- 3	3-11.5	110909	105251	0
JUN 1	0- 3	3- 5	5-11	13580	22068	282
JUN 15	0- 3.7	3.75- 6	6-10.5	7695	11317	23766
JUN 29	0- 3.5	3.5- 6	6-10	0	0	0
JUL 13	0- 3	3- 6	6-10	2829	15844	0
JUL 27	0- 3	3- 7	7-10	0	41591	0
AUG 24	0- 4.5	4.5- 7	7-10	7922	20371	0
SEP 21	0-10			14259		
OCT 5	0- 6		6-11	15278		8827
OCT 19	0-10			1697		
1978						
MAY 10	0-11			1564		
JUN 7	0- 3	3- 6	6- 9	19510	29839	8033
JUL 5	0- 2	2- 6	6- 9.5	1147	10902	327
JUL 26	0- 3	3- 6	6-11	382	12624	2295
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	0	21117	1967
SEP 8	0- 3.5	3.5- 7	7-10	0	5574	3060
SEP 27	0- 6	6- 7.75	7.75-10	2295	6412	906
OCT 24	0-10			1734		

LAKE 226NE

Keratella cochlearis eggs

1971	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 20	0- 5		5-14	53310		48214
JUN 24	0- 5		5-14	940		8885
JUL 22	0- 5		5-14	1881		1393
AUG 19	0- 5		5-14	1567		11759
SEP 16	0- 7		7-14	5823		7615
OCT 14	0- 8		8-14	3331		3397
1973						
MAY 1	0- 7		7-13	23743		18292
MAY 14	0-14			14335		
MAY 29	0- 5		5-14	7839		28745
JUN 12	0- 5		5-13	7212		7251
JUN 26	0- 5		5-12	66794		19039
JUL 10	0- 5		5-12	8153		12319
JUL 24	0- 7		7-14	141114		13439
AUG 7	0- 6		6-12	13		8885
AUG 21	0- 6		6- 9	8101		4703
SEP 4	0- 6		6- 9	23257		4703
SEP 18	0- 7		7- 8	271926		290069
OCT 2	0- 8			26459		
OCT 16	0- 9			31184		
OCT 30	0-12			27047		
NOV 8	0-14			43454		
1974						
MAY 14	0-14			24751		
MAY 28	0- 4		4-14	20383		36689
JUN 11	0- 4		4-15	6663		84668
JUN 25	0- 4		4-14	35278		21951
JUL 23	0- 5		5-13	234250		53898
AUG 6	0- 5		5-10	34494		8153
AUG 17	0- 5		5-15	6585		1411
SEP 3	0- 7		7-14	895		67.
SEP 17	0- 7		7-10	12767		22996
OCT 1	0- 9			2961		
OCT 15	0-12			11106		
OCT 29	0-15			1599.		
1975						
MAY 12	0- 2			11759		
JUN 9	0- 2.5			1045		
JUN 23	0- 2.5			4442		
JUL 7	0- 2			494		
JUL 21	0- 2			0		
AUG 4	0- 2			494		
AUG 18	0- 2			0		
SEP 1	0- 2			6428		
SEP 15	0- 2			494		
SEP 29	0- 2			4945		
OCT 13	0- 2			2373		
OCT 27	0- 2			35604		
NOV 10	0- 2			83076		

LAKE 226SW

Keratella cochlearis eggs

	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
1973						
MAY 14	0-10			72125		
MAY 29	0- 5		5-10	5958		108188
JUN 12	0- 5		5-10	15679		3449
JUN 26	0- 5		5-10	42648		16933
JUL 10	0- 5		5-10	25087		21324
JUL 24	0- 6		6-10	155749		30574
AUG 7	0- 6		6- 9	65853		32404
AUG 21	0- 6		6- 9	18031		7317
SEP 4	0- 6		6- 9	3919		11498
SEP 18	0- 7		7- 8	24564		59581
OCT 2	0- 8			16659		
OCT 16	0-10			81376		
OCT 30	0-10			31358		
1974						
MAY 14	0-10			31045		
MAY 28	0- 4		4-11	99956		41886
JUN 11	0- 4		4-10	72517		37891
JUN 25	0- 4		4-10	6663		67160
JUL 23	0- 4		4-10	3919		17770
AUG 6	0- 5		5-10	16620		7839
AUG 17	0- 5		5-10	12857		8153
SEP 3	0- 7		7-11	13663		53310
SEP 17	0- 7		7- 9	7167		21951
OCT 1	0- 9			50348		
OCT 15	0-11			57016		
OCT 29	0-11			70272		
1975						
MAY 12	0- 2			9995		
JUN 9	0- 2.5			53310		
JUN 23	0- 2.5			4703		
JUL 7	0- 2			0		
JUL 21	0- 2			494		
AUG 4	0- 2			494		
AUG 18	0- 2			0		
SEP 1	0- 2			46483		
SEP 15	0- 2			67252		
SEP 29	0- 2			50439		
OCT 13	0- 2			67252		
OCT 27	0- 2			44505		
NOV 10	0- 2			75659		

LAKE 226NE

Keratella cochlearis eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			2197		
JUN 7	0- 2			0		
JUL 5	0- 2			0		
AUG 2	0- 2			219		
AUG 30	0- 2			52087		
SEP 27	0- 2			40659		
1977						
MAY 4	0- 1.5	1.5- 4.5	4.5-12	121095	0	0
MAY 18	0- 1.5	1.5- 3	3-13	13580	6790	0
JUN 1	0- 3	3- 5	5-13	0	8488	10397
JUN 15	0- 3.7	3.75- 6	6-13	0	9053	16733
JUN 29	0- 3.5	3.5- 6	6-13	0	679	1212
JUL 13	0- 3.2	3.25- 6.5	6.5-13	522	5745	0
JUL 27	0- 3	3- 7	7-12	0	0	1358
AUG 24	0- 5	5- 6.5	6.5-13	339	9053	0
OCT 5	0- 6	6- 9	9-12	0	105251	0
OCT 19	0- 9		9-12	10751		31688
OCT 31	0-14			0		
1978						
MAY 10	0-14			901		
JUN 7	0- 3	3- 6	6-12	47054	234506	22762
JUN 21	0- 3	3- 5.75	5.75-13	6503	135633	3799
JUL 5	0- 2	2- 6	6-12	23527	35577	4781
JUL 26	0- 3	3- 6.5	6.5- 9.5	50114	24264	6120
AUG 16	0- 2.7	2.75- 7	7-12	417	8641	0
SEP 8	0- 3	3- 8	8-11	2677	1377	0
SEP 27	0- 5.5	5.5- 7	7-13	1669	1020	85
OCT 24	0-12			6120		

LAKE 226SW

Keratella cochlearis eggs

1976	Sampling Layer (Metres) Upper	Middle	Lower	# Individuals per M^3 Upper	Middle	Lower
MAY 10	0- 2			5054		
JUN 7	0- 2			439		
JUL 5	0- 2			439		
AUG 2	0- 2			1758		
AUG 30	0- 2			659		
SEP 27	0- 2			1098		
1977						
MAY 4	0- 2	2- 4.5	4.5-10	63660	0	0
MAY 18	0- 1.5	1.5- 3	3-11.5	21502	7922	3994
JUN 1	0- 3	3- 5	5-11	6790	12732	13297
JUN 15	0- 3.7	3.75- 6	6-10.5	7695	9808	16598
JUN 29	0- 3.5	3.5- 6	6-10	51898	29877	70874
JUL 13	0- 3	3- 6	6-10	2263	0	2546
JUL 27	0- 3	3- 7	7-10	565	5517	1131
AUG 24	0- 4.5	4.5- 7	7-10	23389	15617	0
SEP 21	0-10			78938		
OCT 5	0- 6		6-11	17824		37347
OCT 19	0-10			11204		
1978						
MAY 10	0-11			938		
JUN 7	0- 3	3- 6	6- 9	42463	230298	12624
JUL 5	0- 2	2- 6	6- 9.5	99273	68859	327
JUL 26	0- 3	3- 6	6-11	382	4973	0
AUG 16	0- 3.5	3.5- 7.25	7.25- 9	53776	43764	22953
SEP 8	0- 3.5	3.5- 7	7-10	7541	16067	4590
SEP 27	0- 6	6- 7.75	7.75-10	9946	37891	3173
OCT 24	0-10			28972		

Appendix 3

Figures showing abundance of lake volume-weighted individual zooplankton species (numbers per square metre) in Lake 226NE for the years 1971-1978 (1972 was not sampled), and Lake 226SW for the years 1973-1978.

Abundances of total rotifers and crustacean groups are also graphically presented.

a. Cladocera


LAKE 226NE
Daphnia longiremis
per square M. x 1000
110
100
90
80
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Daphnia longiremis
per square M. x 1000
110
100
90
80
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Daphnia retrocurva
per square M. x 1000
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Daphnia retrocurva
per square M. x 1000
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Bosmina longirostris
per square M. x 1000
100
90
80
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971
1972
1973
1974
1975
1976
1977
1978


LAKE 226SW
Bosmina longirostris
per square M. x 1000
100
90
80
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973
1974
1975
1976
1977
1978


LAKE 226NE
Diaphanosoma birgei
per square M. x 1000
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Diaphanosoma birgei
per square M. x 1000
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Holopedium gibberum
per square M. x 1000
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Holopedium gibberum
per square M. x 1000
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE Cladocerans
per square M. x 10000
30
25
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Cladocerans
per square M. x 10000
30
25
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978

b. Calanoid adults

c. Calanoid nauplii

d. Calanoid copepodids

e. Cyclopoid adults

f. Cyclopoid nauplii

g. Cyclopoid copepodids


LAKE 226NE
Diaptomus minutus
per square M. x 1000
150
120
90
60
30
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971
1972
1973
1974
1975
1976
1977
1978


LAKE 226SW
Diaptomus minutus
per square M. x 1000
150
120
90
60
30
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973
1974
1975
1976
1977
1978


LAKE 226NE
Epischura lacustris
per square M. x 1000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Epischura lacustris
per square M. x 1000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Diaptomus leptopus
per square M. x 1000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Diaptomus leptopus
per square M. x 1000
5
4
3
2
1
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Calanoid N1
per square M. x 1000
90
80
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Calanoid N1
per square M. x 1000
90
80
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Calanoid N2
per square M. x 1000
0
10
20
30
40
50
60
70
80
90
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971
1972
1973
1974
1975
1976
1977
1978


LAKE 226SW
Calanoid N2
per square M. x 1000
0
10
20
30
40
50
60
70
80
90
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973
1974
1975
1976
1977
1978


LAKE 226NE
Calanoid N3
per square M. x 10000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Calanoid N3
per square M. x 10000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Calanoid N4
per square M. x 1000
90
80
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Calanoid N4
per square M. x 1000
90
80
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Calanoid N5
per square M. x 1000
0
10
20
30
40
50
60
70
80
90
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971
1972
1973
1974
1975
1976
1977
1978


LAKE 226SW
Calanoid N5
per square M. x 1000
0
10
20
30
40
50
60
70
80
90
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973
1974
1975
1976
1977
1978


LAKE 226NE
Calanoid N6
per square M. x 1000
160
120
80
40
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Calanoid N6
per square M. x 1000
160
120
80
40
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Calanoids N1-N6
per square M. x 10000
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Calanoids N1-N6
per square M. x 10000
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Calanoid C1
per square M. x 1000
180
160
140
120
100
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Calanoid C1
per square M. x 1000
180
160
140
120
100
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Calanoid C2
per square M. x 1000
140
120
100
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Calanoid C2
per square M. x 1000
140
120
100
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Calanoid C3
per square M. x 1000
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Calanoid C3
per square M. x 1000
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Calanoid C4
per square M. x 1000
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Calanoid C4
per square M. x 1000
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Calanoid C5
per square M. x 1000
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Calanoid C5
per square M. x 1000
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Calanoid C1-C5
per square M. x 1000
400
350
300
250
200
150
100
50
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Calanoids C1-C5
per square M. x 1000
400
350
300
250
200
150
100
50
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE Calanoid N+C+Adults
per square M. x 100000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Calanoids N+C+Adults
per square M. x 100000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Cyclops bicuspidatus thomasi
per square M. x 1000
0
2
4
6
8
10
12
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971
1972
1973
1974
1975
1976
1977
1978


LAKE 226SW
Cyclops bicuspidatus thomasi
per square M. x 1000
0
2
4
6
8
10
12
14
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973
1974
1975
1976
1977
1978


LAKE 226NE
Orthocyclops modestus
per square M. x 1000
12
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Orthocyclops modestus
per square M. x 1000
12
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Mesocyclops edax
per square M. x 1000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Mesocyclops edax
per square M. x 1000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Tropocyclops prasins mexicanus
per square M. x 1000
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Tropocyclops prasinus mexicanus
per square M. x 1000
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Cyclopoid N1
per square M. x 1000
240
210
180
150
120
90
60
30
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Cyclopoid N1
per square M. x 1000
240
210
180
150
120
90
60
30
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Cyclopoid N2
per square M. x 1000
180
150
120
90
60
30
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Cyclopoid N2
per square M. x 1000
180
150
120
90
60
30
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Cyclopoid N3
per square M. x 1000
0
10
20
30
40
50
60
70
80
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971
1972
1973
1974
1975
1976
1977
1978


LAKE 226SW
Cyclopoid N3
per square M. x 1000
0
10
20
30
40
50
60
70
80
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973
1974
1975
1976
1977
1978


LAKE 226NE
Cyclopoid N4
per square M. x 1000
140
120
100
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Cyclopoid N4
per square M. x 1000
140
120
100
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Cyclopoid N5
per square M. x 1000
0
10
20
30
40
50
60
70
80
90
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971
1972
1973
1974
1975
1976
1977
1978


LAKE 226SW
Cyclopoid N5
per square M. x 1000
0
10
20
30
40
50
60
70
80
90
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973
1974
1975
1976
1977
1978


LAKE 226NE
Cyclopoid N6
per square M. x 1000
100
90
80
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Cyclopoid N6
per square M. x 1000
100
90
80
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE Cyclopoid N1-N6
per square M. x 1000
800
700
600
500
400
300
200
100
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Cyclopoids N1-N6
per square M. x 1000
800
700
600
500
400
300
200
100
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Cyclopoid C1
per square M. x 1000
0
20
40
60
80
100
120
140
160
180
200
220
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Cyclopoid C1
per square M. x 1000
0
20
40
60
80
100
120
140
160
180
200
220
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Cyclopoid C2
per square M. x 1000
100
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Cyclopoid C2
per square M. x 1000
100
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Cyclopoid C3
per square M. x 1000
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Cyclopoid C3
per square M. x 1000
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Cyclopoid C4
per square M. x 1000
140
120
100
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Cyclopoid C4
per square M. x 1000
140
120
100
80
60
40
20
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Cyclopoid C5
per square M. x 1000
30
25
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Cyclopoid C5
per square M. x 1000
30
25
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Cyclopoid C1-C5
per square M. x 1000
300
250
200
150
100
50
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Cyclopoids C1-C5
per square M. x 1000
300
250
200
150
100
50
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE Cyclopoid N+C+Adults
per square M. x 100000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Cyclopoids N+C+Adults
per square M. x 100000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978

h. Rofifera

i. Total rotifers

j. Total crustaceans


LAKE 226NE
Conochilus unicornis
per square M. x 100000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Conochilus unicornis
per square M. x 100000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Filinia longiseta
per square M. x 100000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Filinia longiseta
per square M. x 100000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Collotheca sp.
per square M. x 10000
0
5
10
15
20
25
30
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Collotheca sp.
per square M. x 10000
0
5
10
15
20
25
30
35
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Polyarthra vulgaris
per square M. x 100000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Polyarthra vulgaris
per square M. x 100000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Polyarthra remata
per square M. x 100000
0
2
4
6
8
10
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Polyarthra remata
per square M. x 100000
0
2
4
6
8
10
12
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Synchaeta sp.
per square M. x 100000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Synchaeta sp.
per square M. x 100000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Ascomorpha ecaudis
per square M. x 10000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Ascomorpha ecaudis
per square M. x 10000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Gastropus stylifer
per square M. x 100000
0
2
4
6
8
10
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Gastropus stylifer
per square M. x 100000
0
2
4
6
8
10
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Trichocerca cylindrica
per square M. x 100000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Trichocerca cyclindrica
per square M. x 10000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 228NE
Trichocerca multicrinis
per square M. x 1000
70
60
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Trichocerca multicrinis
per square M. x 1000
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Trichocerca sp.
per square M. x 10000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971
1972
1973
1974
1975
1976
1977
1978


LAKE 226SW
Trichocerca sp.
per square M. x 10000
25
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973
1974
1975
1976
1977
1978


LAKE 226NE
Asplanchna priodonta
per square M. x 10000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Asplanchna periodonta
per square M. x 10000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226SW
Keratella taurocephala
per square M. x 100000
0
2
4
6
8
10
12
14
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973
1974
1975
1976
1977
1978


LAKE 226NE
Keratella taurocephala
per square M. x 100000
0
2
4
6
8
10
12
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971
1972
1973
1974
1975
1976
1977
1978


LAKE 226NE
Keratella cochlearis
per square M. x 1000000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Keratella cochlearis
per square M. x 1000000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Keratella hiemalis
per square M. x 10000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Keratella hiemalis
per square M. x 10000
50
40
30
20
10
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Kellicottia longispina
per square M. x 100000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Kellicottia longispina
per square M. x 100000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Kellicottia bostoniensis
per square M. x 100000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Kellicottia bostoniensis
per square M. x 100000
25
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Anuraeopsis fissa
per square M. x 1000000
0
1
2
3
4
5
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971
1972
1973
1974
1975
1976
1977
1978


LAKE 226SW
Anuraeopsis fissa
per square M. x 10000
0
5
10
15
20
25
30
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973
1974
1975
1976
1977
1978


LAKE 226NE
Lecane sp.
per square M. x 1000
20
15
10
5
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW
Lecane sp.
per square M. x 1000
10
8
6
4
2
0
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE
Globular rotifers
per square M. x 100000
0
1
2
3
4
5
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971 1972 1973 1974 1975 1976 1977 1978


LAKE 226SW Globular rotifers
per square M. x 10000
0
10
20
30
40
50
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973 1974 1975 1976 1977 1978


LAKE 226NE Rotifers
per square M. x 1000000
0
2
4
6
8
10
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971
1972
1973
1974
1975
1976
1977
1978


LAKE 226SW Rotifers
per square M. x 1000000
0
2
4
6
8
10
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973
1974
1975
1976
1977
1978


LAKE 226E
Total Crustaceans
per square M. x 100000
0
2
4
6
8
10
12
14
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1971
1972
1973
1974
1975
1976
1977
1978


LAKE 226SW Total Crustaceans
per square M. x 100000
0
2
4
6
8
10
12
14
JFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASONDJFMAMJJASOND
1973
1974
1975
1976
1977
1978

Appendix 4A. Length-dry weight relationships to be used in conversions to dry biomass for cladocerans of Lake 226[1].

Species	Length (mm) - weight (mg) relationship
Bosmina longirostris	$W = 0.02243\ L_b^{3.3500}$
Diaphanosoma birgi	$W = 0.00292\ L_b^{2.9054}$
Holopedium gibberum	$W = 0.01384\ L_b^{3.2052}$
Daphnia retrocurva	$W = 0.00237\ L_b^{3.1262}$
Daphnia longiremis	$W = 0.00364\ L_b^{3.3366}$

[1]From S.G. Lawrence (Department of Fisheries and Oceans, Winnipeg, Manitoba, personal communication)

Appendix 4B. Dry weights to be used in conversions to dry biomass for Lake 226 zooplankton: Calanoida[1].

Life stage/species	µg/individual
Nauplius 1	0.033
Nauplius 2	0.057
Nauplius 3	0.090
Nauplius 4	0.135
Nauplius 5	0.171
Nauplius 6	0.237
Copepodid 1	0.351
Copepodid 2	0.728
Copepodid 3	1.328
Copepodid 4	1.998
Copepodid 5	3.169
Copepodid 1	
Diaptomus minutis	0.306
Epischura lacustris	0.468
Copepodid 2	
Diaptomus minutus	0.541
Epischura lacustris	1.214
Copepodid 3	
Diaptomus minutus	0.971
Epischura lacustris	2.324
Copepodid 4	
Diaptomus minutus	1.666
Epischura lacustris	3.768
Copepodid 5	
Diaptomus minutus female	2.140
Diaptomus minutus male	2.100
Epischura lacustris female	7.982
Epischura lacustris male	6.666
Copepodid 6 (adult)	
Diaptomus minutus female	3.272
Diaptomus minutus male	2.484
Epischura lacustris female	12.417
Epischura lacustris male	8.682

[1]From S.G. Lawrence (Department of Fisheries and Oceans, Winnipeg, Manitoba, personal communication)

Appendix 4C. Dry weights to be used in conversions to dry biomass for Lake 226 zooplankton: Cyclopoida[1].

Life stage/species	µg/individual
Nauplius 1	0.025
Nauplius 2	0.033
Nauplius 3	0.064
Nauplius 4	0.084
Nauplius 5	0.140
Nauplius 6	0.162
Copepodid 1	0.235
Copepodid 2	0.398
Copepodid 3	0.831
Copepodid 4	1.217
Copepodid 5	2.040
Copepodid 6 (adult)	
Cyclops bicuspidatus thomasi female	5.873
Cyclops bicuspidatus thomas male	2.010
Tropocyclops prasinus mex. female	0.579
Tropocyclops prasinus mex. male	0.303
Mesocyclops edax female	8.724
Mesocyclops edax male	1.788

[1]From S.G. Lawrence (Department of Fisheries and Oceans, Winnipeg, Manitoba, personal communication)

Appendix 4D. Dry weights to be used in conversions to dry biomass for Lake 226 zooplankton: Rotifera[1].

Life stage/species	µg/individual
Conochilus unicornis	0.028
Filinia longiseta	0.037
Collotheca sp.	0.004
Polyarthra vulgaris	0.041
Polyarthra remata	0.015
Conochiloides sp.	0.052
Synchaeta sp.	0.156
Ploesoma sp.	0.043
Ascomorpha sp.	0.023
Gastropus stylifer	0.020
Gastropus hyptopus	0.019
Trichocerca cylindrica	0.074
Trichocerca sp.	0.006
Trichocerca multicrinis	0.070
Asplanchna priodonta	0.392
Keratella taurocephala	0.016
Keratella cochlearis	0.011
Keratella hiemalis	0.028
Kellicottia longispina	0.014
Kellicottia bostoniensis	0.009
Anuraeopsis fissa	0.005
Lecane sp.	0.038

[1]From S.G. Lawrence (Department of Fisheries and Oceans, Winnipeg, Manitoba, personal communication)

POOR

QUALITY

ORIGINAL